

Release notes

QlikView Version 11.0 SR2
Lund, Sweden, September 2012
Authored by QlikTech International AB

Copyright © 1994-2012 Qlik®Tech International AB, Sweden

Under international copyright laws, neither the documentation nor the software may be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine-readable form, in whole or in part, without the prior written permission of QlikTech International AB, except in the manner described in the software agreement.

Qlik®Tech and Qlik®View are registered trademarks of QlikTech International AB. All other company names, products and services used herein are trademarks or registered trademarks of their respective owners.

Content

| 1 | Ge | neral comments | 4 |
|---|----------------|---|----|
| 1 | 1.1 | Special note: | 4 |
| 1 | 1.2 | Environment compatibility | 4 |
| 1 | 1.3 | Cross-release compatibility | 5 |
| 1 | 1.4 | Installation programs | |
| | 1.5 | Support material | |
| 2 | Kn | own issues | |
| | 2.1 | Clients, Presentation, Layout & Charts | 6 |
| | 2.2 | Documentation & localization | |
| | 2.3 | | |
| | | QlikView Server, QlikView Publisher and Management Console | |
| 4 | 2.4 | QlikView Workbench | / |
| 3 | Co | mments on product features | 9 |
| 3 | 3.1 | Server installation | 9 |
| 3 | 3.2 | Clients, Presentation, Layout & Charts | 9 |
| 3 | 3.3 | Script, ETL and Expressions | 10 |
| 3 | 3.4 | Documentation & localization | 10 |
| 3 | 3.5 | QlikView Server, QlikView Publisher and Management Consoles | |
| 4 | Up | grading from previous QlikView versions | 12 |
| ۷ | 1.1 | QlikView Desktop | 12 |
| | 1.2 | OlikView Server | |
| | 4.2.1 | | |
| | 4.2.2 | ~ | |
| | 4.2.3 | From QlikView 11 pre-IR | 12 |
| 5 | Ne | w functionality in QlikView 11 Initial Release | 13 |
| 5 | 5.1 | General features | 13 |
| _ | 5.1.1 | | |
| | 5.1.2 | * | |
| | 5.1.3 | | |
| | 5.1.4 | J I I | |
| | 5.1.5 | | |
| | 5.1.6 | T J | |
| | 5.1.7 | | |
| | 5.1.8 | | |
| | 5.1.9 | | |
| | 5.1.1 5.1.1 | | |
| | 5.1.1 5.1.1 | | |
| | 5.1.1 | · · · · · · · · · · · · · · · · · · · | |
| | | 14 Container object | |
| | | 15 Actions | |
| | 5.1.1 | 16 Metadata | 15 |
| 5 | 5.2 | AJAX client improvements | 15 |

| | 5.2.1 | Pivoting and reordering in pivot tables | 15 |
|---|--------|---|------|
| | 5.2.2 | UI upgrades | 15 |
| | 5.2.3 | Property dialogs | 15 |
| | 5.2.4 | AJAX for Small Devices | 15 |
| 5 | 5.3 Ç | OlikView Server | 15 |
| | 5.3.1 | QMC Help | 15 |
| | 5.3.2 | LDAPs | 16 |
| | 5.3.3 | Audit logging by document | 16 |
| | 5.3.4 | Enable and disable document download and/or exporting and printing per document & | |
| | user | 16 | |
| | 5.3.5 | Supporting task for QVD creation | 16 |
| | 5.3.6 | Distribution to email within a QVW document | 16 |
| | 5.3.7 | Alert email to document administrators | 16 |
| | 5.3.8 | License tracking | 16 |
| | 5.3.9 | Distribution and reload performance | 16 |
| | 5.3.10 | Management Console UI | 16 |
| | 5.3.11 | Reduction with lock fields | . 17 |
| | 5.3.12 | Improved logging | . 17 |
| | 5.3.13 | QMC and QMEC are merged into QMC | . 17 |
| | 5.3.14 | AccessPoint remake | . 17 |
| | 5.3.15 | EDX enhancements | 17 |
| | 5.3.16 | Load-balancing improvements | 17 |
| | 5.3.17 | Improved task retries | . 17 |
| | 5.3.18 | MSI - installation for QlikView Server | 17 |
| 5 | 5.4 Ç | likView Workbench | 17 |
| 5 | 5.5 A | .PIs | 18 |
| | 5.5.1 | COM API | 18 |
| | 5.5.2 | QlikView Management Service API | 18 |
| | 5.5.3 | QlikView JavaScript API | |
| 6 | New | functionality in QlikView 11 SR2 | 20 |
| 6 | 5.1 C | Offline Views | 20 |
| | 6.1.1 | Limitations | |
| 6 | | Digital Certificates | |
| C |).2 L | rigital Certificates | 20 |
| 7 | Desig | gn corrections in SR2 | 21 |
| 8 | _ | | 22 |
| 9 | Bugs | corrected in SR1 | 29 |

1 General comments

This document covers QlikView build 11.00.11414 Service Release 2. The release contains components of QlikView Desktop, QlikView OCX, QlikView Server, QlikView Publisher, QlikView web parts for Microsoft SharePoint(R), QlikView Workbench and all clients except clients for mobile devices.

QlikView Server Small Business Edition users must re-LEF (activate license) their servers in order to use the collaboration features of QlikView 11.

1.1 Special note:

Bug: 45832 QMS: Using NTLM Authentication with Custom or Alternate Login Page Vulnerability Fix

We are issuing an update to address vulnerability in authentication when using NTLM authentication with Custom or Alternate Login Page.

After implementation of this fix the end-user will need to login using a username in the form **DOMAIN\UserID**, if NTLM is used with Custom or Alternate Login Page.

To implement this update and ensure that the combination of NTLM/custom login page/alternate login page is correctly secured please ensure that the following are implemented:

-Install SSL if not already installed. The fix for this combination involves transmission of user credentials using clear text via HTTP Form standard.

For custom login page to work after the fix the following steps also needs to be followed to change the custom login page:

- In the custom form, ensure that the user name input field is named **username**
- In the custom form, ensure that the password input field is named **password**
- In the custom form, ensure that the Form method parameter is set to **POST**
- In the custom form, ensure that the Action parameter is set to /QvAJAXZfc/Authenticate.aspx?back=[URL TO LOGIN PAGE]

A sample of this recommended implementation is shown below.

1.2 Environment compatibility

The Operating System required for QlikView Desktop is Windows XP SP3 or newer. The Operating System required for QlikView Server is Windows 2003 or newer, with .NET framework 4.0 installed. QlikView 11 is the last release of QlikView Server and QlikView Publisher that will support 32-bit operating systems.

1.3 Cross-release compatibility

It is not possible to have multiple versions of QlikView Desktop installed, i.e. the QlikView 11 Desktop installer will overwrite a QlikView 10 Desktop installation. However, the QlikView 11 Desktop executable file can be copied to any location on the hard drive and run from there without conflicting with the installed QlikView version.

In order to run multiple versions of QlikView Desktop on a single machine, please follow this procedure:

- 1. Uninstall prior version
- 2. Install QlikView Desktop v11
- 3. Copy the QV.exe file to a new, safe location
- 4. Uninstall QlikView Desktop v11
- 5. Install prior version

Following this procedure, you end up with a working version 11 QV.exe, but the operating system treats the prior version as your primary version of QlikView.

QlikView 11 has a file format compatible with versions 9 and 10.

The QlikView Plug-In client is automatically installed with QlikView Desktop. If the version of either client is changed, it is recommended to do an uninstall of the previous version before installing another version. If any of the installations become unstable, they can be corrected by repairing the affected installation.

QlikView 9 Workbench and QlikView 9 Webparts are not compatible with QlikView 11.

1.4 Installation programs

The QlikView Server installation program installs QlikView Server and QlikView Publisher.

The QlikView Desktop installation program installs QlikView Desktop, QlikView OCX and QlikView Plug-in for Microsoft Internet Explorer by default. To install the Plug-in only, run the QlikView Desktop installation using the custom setup option and selecting QlikView OCX only. A separate installation program for QlikView Plug-in for Microsoft Internet Explorer is included in the QlikView Server install.

A 64-bit version of the QlikView Plug-In is included in the 64-bit QlikView Desktop installation program. Follow the procedure above to install the 64-bit Plug-in. There is not a separate install program for the 64-bit Plug-in.

QlikView Documentation and Tutorial, QlikView Web Parts for Microsoft SharePoint(R) and QlikView Workbench are delivered in separate installation programs.

1.5 Support material

The new features in QlikView 11 are documented in the PDF reference manual and in the help files that can be found in the separate installation packages. The PDF reference manuals in the installation packages are English only.

2 Known issues

The following issues were identified at release time. The list is not comprehensive; it does however list all known major issues. The ambition is to have the issues fixed in coming versions.

2.1 Clients, Presentation, Layout & Charts

- AJAX: One color gradient does not cover the whole screen for Chrome, Firefox and Safari (Mobile and OS x/Windows)
- The Subversion wrapper has problem with parsing different language code pages.
- QlikView supports subversion 1.6.17 and 1.7.x. Trying to use other versions may result in incompatibility problems.
- A document with input fields will create a .shared file when it is opened on an Accesspoint. Due
 to underlying data structures the .shared file will grow with an average of 50-80 bytes/input
 field value when the input field value is changed.
- Making selections in the legend of a chart is not always possible. The issue occurs when users
 click and paint an area over the values in a legend. If any part of the selection area covers the
 text in the legend, no selection will occur and QlikView may produce an 'unhandled exception
 error'. If the selection area covers only colors in the legend, the selection will occur as expected.
 This issue occurs in all version 11 clients.
- Macros will not function in WebView.
- QlikView 9 (Desktop and Server) cannot open documents that contain the new QlikView 11 actions.
- Bookmarks created in the AJAX client revert to the default name when saved. Bookmarks retain their given name when saved in the other clients.
- When upgrading from a prior version to QlikView 11, the internet cache should be cleared before the new AJAX property dialogs can be used.
- Pressing the 'Help' button in the AJAX client invokes help but not context sensitive help.
- When using QlikView Help in Firefox (AJAX), the browser window will resize (reduce in size or minimize).
- When both x86 and x64 versions of QlikView Desktop are installed on a single machine an
 uninstallation of either will leave some files on the hard drive. These files can be manually
 removed.
- When using the AJAX client in IE, list boxes with many (>50,000) items will display a white box instead of the values when scrolling / paging though the list.
- The alignment options for Multi-Line captions do not work in the AJAX client in IE7.
- Nested grid containers will expand beyond the outer container when first created in the AJAX client. Pressing F5 or resizing the outer container will fix the problem.
- The 'Select Report' dropdown is active in the AJAX client even if the QlikView Server does not allow printing. The users will not be able to print even though it appears they can.
- QlikView 11 can open QlikView 10 project files (XML). If there was a container object in the
 original QlikView 10 file, it will be lost when opening the project files in QlikView 11. This
 will corrupt the new QlikView 11 file and the entire container will need to be reconstructed. The
 work around is to open the QlikView 10 file in QlikView 11 and recreate the project files.

- Creating multi-column list boxes in AJAX is not working correctly. The slider to change the
 number of columns is not working. However, the user can type a number into the box next to
 the slider to change the number of columns.
- QlikView will render graphical charts with multiple dimensions and multiple expressions (a
 combo chart with two dimensions and three expressions, for example) though the chart will not
 provide much value. Currently, QlikView will produce a 'drawing failed internally error' when
 trying to render graphical (not straight and pivot tables) charts with these characteristics.
- If a user selects multiple objects on a sheet and resizes the objects, QlikView will only save the changes to the object used for resizing. The changes will not be saved for the other objects that were selected.

2.2 Documentation & localization

- QMC Webhelp is now available in Japanese. To replace English Webhelp with Japanese Webhelp, please rename the two folders (QMCHelp and QMCHelp_JPN) which you typically find under C:\Program Files\QlikView\Management Service. Change "QMCHelp" to "QMCHelp_Old" or "QMCHelp_eng" (or delete the folder if you do not need English help). Change "QMCHelp_JPN" to "QMCHelp" the Japanese help files will now be accessed when you click the Help icon in the top corner. A PC that has displayed the English help files needs to empty its web cache to ensure the Japanese files are loaded. Any QlikView services running need to be stopped before making the changes and started again after the change was made.
- English documentation for QlikView Desktop is included in this release. Other languages must be downloaded from the QlikView website.
- It is possible to have the Help language different from the QlikView Desktop interface. This can be changed on the General tab of User Preferences.

2.3 QlikView Server, QlikView Publisher and Management Console

- When using Script parameters in a reload task without a loop and distribute, only **one** reload will be executed, i.e. only the first parameter value will be used. The possible workarounds are either to add a loop and distribute to e.g. a scrap folder, or to create one task for each value.
- Network Storage Devices other than Microsoft Windows based shares are known to cause system instability and are not currently supported.
- Running an older version (before v11) of QlikView Server after having a v11 QlikView Server
 installed and running will disable the existing anonymous account. In order to run the older
 version of QlikView Server, the anonymous account must be enabled BEFORE starting the
 older QlikView Server.
- The suggested filename when downloading from the AccessPoint may have non Western European characters replaced by underscores in browsers that do not support UTF-8 headers.
- If QlikView Server isn't allowed to disable the anonymous account it will still try every time it starts.
- It is possible to enter more text in document description than will be visible in the Access Point

2.4 QlikView Workbench

- In some situations it may not be possible to edit the properties of an Extension Object created with the Extension Wizard.
- Some of the extension examples use direct links to /QvAjaxZfc/ instead of relative links. This will cause these examples to fail in Workbench (and Web Parts). To make them work LoadExtensionScripts LoadCSS should be used. E.g.:

changed to:

Qv.LoadExtensionScripts(["Extensions/QlikView/Examples/geoHeat/raphael.
js"], geoHeat_Example_Done);

and

Qva.LoadCSS("/QvAjaxZfc/QvsViewClient.aspx?public=only&name=Extensions/ QlikView/Examples/org/main.css");

changed to:

```
Qva.LoadCSS(Qva.Remote + (Qva.Remote.indexOf('?') >= 0 ? '&' : '?') +
'public=only' + '&name=' +
```

[&]quot;Extensions/QlikView/Examples/piechartlabel/style.css");

3 Comments on product features

The following features are conscious design decisions and most of them are not likely to change in coming Service Releases.

3.1 Server installation

• It is not possible to install the QlikView 10 (and later) Server on a domain controller.

3.2 Clients, Presentation, Layout & Charts

- Some changes have been implemented to AJAX contextual menus and the top menu ribbon: menu icons have been unified and all icons have been restyled/colored to create a consistent layout.
- If data with over 2,147,483,647 unique values is loaded, QV does not load correctly. Also, after 2,147,483,647, the value turns negative as the data is displayed in record number in a statistic box.
- Dimension limits should not be used in tables that contain mini-charts. This will cause an out of memory error.
- The security settings of Internet Explorer may prevent users from exporting data or sending data
 to Excel when using the plug-in client. The workaround is to add the QlikView server to the
 trusted sites list or modify the security settings under Internet Options to allow launching of
 external applications.
- AJAX for Small Devices mode is not compatible with Private Browsing in iOS5. In order to have the full functionality of the client you must turn off Private Browsing in Safari.
- On systems using UAC (Windows user access control), WebView may require that QlikView is started using the "Run as Administrator" option.
- If a link to a QlikView 9 Server document has been saved as a browser favorite, the link will not work. It must be re-created using a QlikView 11 Server.
- Color gradients and semi-transparent colors do not display correctly in the AJAX client when MS Internet Explorer is used. It works correctly in other browsers.
- The QlikView Java client does not work with a QlikView 11Server. The QlikView protocol for Java clients is no longer available.
- Mobile clients prior to Version 10do not work with a QlikView 10 (or later) Server.
- The AJAX client will ignore all scroll bar settings except widths.
- The AJAX client does not allow users to change scroll bar settings.
- OnActivate and OnDeactivate Sheet Object Event triggers have been removed from QlikView
 11.
- The Activate and ActivateAll API methods no longer work since the OnActivate and OnDeactivate object triggers have been removed.
- The new, scrollable tab row is not available in Internet Explorer 8 and lower or in older versions of other browsers. In older browsers, the original tab row will be used.
- Beacons are not displayed in the new (scrollable) tab row.
- The vertical label setting on Pivot and Straight tables has no affect in AJAX.
- Prior to QlikView 11 some graphical charts that allow an 'others' segment. When these charts are opened in QlikView 11, the X-axis presentation limit and the label are moved to the proper

- places on the Dimension Limits tab. This is not the case with straight tables. The label will be moved to the Dimension Limits tab but the Max Number of Rows value will remain as it was.
- There is no 'undo' functionality on Notes and Comments. If a Note is deleted, it is permanently
 removed. If an object with Notes is deleted, all of the Notes and Comments for that object will
 be permanently deleted even though it is possible to undo the deletion of the object.
- Graphical charts with 'Max Visible Number' set in version 10 and older will have this setting
 migrated to the new Dimension Limits tab in the property dialog. The new settings will be to
 'Show Only' using the 'Largest' values
- The default significant digits have gone from 8 to 14. This only affects list boxes and expressions that have not been reformatted from Expression Default.
- The Menu option and Dialog box for interacting with Server objects have been removed. The View | Show Server Objects menu commands should be used to interact with server objects.
- Suppress Zeros not being done in Pie and Funnel charts. Zero values were
 previously suppressed in the front end for expressions in these two charts. With the addition of
 Dimension Limits, QlikView will no longer suppress zero values for expressions across all chart
 types. This will affect charts that have only expressions and no dimensions. Zero values caused
 by dimensions will still be suppressed as before when the option is enabled.
- Scrollbars in AJAX do not respect changes in the settings. This is because we have changed the
 way scrollbars are rendered in AJAX.
- There is no way to choose/upload an image for Backgrounds or Dynamic Backgrounds in the AJAX client.

3.3 Script, ETL and Expressions

- The script parser no longer accepts incomplete quotes (or brackets) around file names.
- The default color scheme for script and expression syntax has been changed.
- On 64-bit systems, 64 and 32-bit QlikView loads both 64 and 32-bit custom connectors. QlikView first looks for 64-bit connectors in the current QV.exe location and then in "Program Files/Common Files/QlikTech/Custom Data". Further, QlikView looks for 32-bit connectors in the current QV.exe location and then in "Program Files (x86)/Common Files/QlikTech/Custom Data". If several connectors with the same file name are found only the first one is included into the connector list.
- The macro script debugger is no longer in QlikView. The product is no longer supported by Microsoft.

3.4 Documentation & localization

- WebView help is not completely context-sensitive like the rest of the help. The help will react to the currently selected object but not the properties within the object. The help can be opened from the Help menu or from within the regular QlikView help.
- QlikView documentation is no longer stored in *C:\Program Files\QlikView*. Documentation is now stored in *C:\ProgramData\QlikTech\QlikView Documentation*.

3.5 QlikView Server, QlikView Publisher and Management Consoles

• "Due to a limitation associated with using Microsoft's COM objects we recommend that you limit the number of QlikView Engines (QlikView Enterprise Management Console>> Setup>> Distribution Services>> Advanced tab) to a maximum of 9 or the number of processor cores available on the host server -1, whichever is lower."

- The QlikView Server services are designed to run as local administrator. Running with an account that is not local administrator is an unsupported scenario.
- To use the QlikView Management Service (QMS) API the group "QlikView Management API" must be created on the QMS machine and the account that uses the API must be part of that group. This will also apply to importing tasks from another QMS. There are two exceptions to this:
 - The API for starting an EDX task and
 - The API for getting status on an EDX task.
- In QlikView 11, EDX runs through the QlikView Management Service (QMS) API. This is a major change from QlikView 10, where EDX is realized by calls directly to a QlikView Distribution Service (QDS).
- Search results may differ between two searches in a clustered Directory Services Connector (DSC) right after a change since each DSC caches individually.
- The Management Console and Enterprise Management Console have been merged into a single tool now called the Management Console.
- It is no longer possible to use blank password for Custom Users in the Publisher.
- Sessions are handled differently: a reconnect is automatically made if the user navigates away from a document. This will not happen if the session is explicitly closed or when the browser is closed. This *Session Recovery* can be disabled in the QlikView Management Console.
- When using session recovery (session recovery is only applicable for the AJAX client) there
 will be a Server bookmark in the QlikView Management Console for each user that is using a
 document. These Server Bookmarks will reappear in the QMC even if deleted because they are
 generated by QlikView to handle session recovery.
- When losing the network connection even briefly there will be errors in the task logs and event log.
- When using Session Collaboration, invitees have the same data access privileges as the session initiator.
- QlikView cannot sustain the inputfields if the document is opened without data. Therefore, any
 document containing inputfields will always open with data, even if flagged not to do so. When
 this occurs, a line indicating this behavior will be written to the log file.

4 Upgrading from previous QlikView versions

4.1 QlikView Desktop

To upgrade, previous versions of QlikView need not be uninstalled. However, the previous installation will be overwritten and the settings from the earlier version will be used.

4.2 QlikView Server

4.2.1 From QlikView 9

When upgrading from Version 9 with IIS installed the QlikView virtual folders must either be manually deleted after un-installation or changed to point to the new foldersafter the upgrade is done.

| Version 9 | Version 10 | Version 11 |
|-------------|------------------|-----------------|
| \Qlikview | \QlikView | \QlikView |
| \QVAnalyzer | \QlikViewDesktop | |
| \QVAjaxZfc | \QVAjaxZfc | \QlikViewAjax |
| \QVClients | \QvClients | |
| \QVPlugin | \QvPlugin | \QlikViewPlugin |
| \QVJava | | |

If there is no Publisher license (only a QlikView Server license) and reload tasks have been set up, a manual step is required.

- 1. After installation, start all QlikView services.
- 2. Go to the systems tab and select the QlikView Server.
- 3. Go to the General tab for the QlikView Server
- 4. Under the heading "Migrate Schedules" you will find a button to migrate the schedules. Note that this will only appear if you have any tasks to migrate and if the Management Service has connection to the QlikView Distribution Service.

Uninstalling Version 9 removes all .config files; please make a backup copy of any .config files that have been manually modified. The most common one is QlikViewDistribution Service.exe.config.

After an upgrade, the supervision accounts needs to be added in the QMC again.

4.2.2 From QlikView 10

To upgrade, previous versions of QlikView need not be uninstalled. However, the previous installation will be overwritten and the settings from the earlier version will be used.

4.2.3 From QlikView 11 pre-IR

It is recommended to uninstall earlier pre-release versions of QlikView 11 before installing the Initial Release.

5 New functionality in QlikView 11 Initial Release

5.1 General features

5.1.1 Improved hierarchy loads

The hierarchy loads have been redesigned. The HIERARCHY prefix executes in half the time compared to QlikView 10. Other changes include improved scalability with very large hierarchies. There has been no change to the syntax for hierarchy loads.

5.1.2 Drop-Down selection tool for tabs in the load script

A drop-down selector for the script tabs has been added to the Script Editor toolbar. This provides users with an alternative to clicking on load script tabs to navigate through the tabs.

5.1.3 OEM island

QlikView provides a new mechanism that can restrict QlikView documents tagged with an application Id from running on any other QlikView Server without a matching Id. This feature is reserved for use only by OEM partners.

5.1.4 BNF notation for Load Script tool tips

The QlikView Load Script Editor now displays BNF notation (syntax) in the tool tips.

5.1.5 Document Extensions

Document Extensions are Extension Objects that contain no UI. They can be used to customize the generated AJAX pages or used as sources of data for integration purposes.

5.1.6 Context sensitive help for the script editor

Context sensitive help was broken in QlikView 10. It has been fixed for QlikView 11.

5.1.7 Alternate states

QlikView has allowed users to detach an object from the underlying data model for quite some time now. When an object is detached that object no longer responds to user selections. The user can then re-attach the object and it instantly updates to reflect the current state of the selections. Alternate states are similar to this. The QlikView developer can create multiple states within a QlikView document and then apply these states to specific objects within the document. The end-user can create copies of these objects (server objects) and then put those objects into different states.

The most important difference between detach and alternates states is that ALL objects in a given state will respond to user selections made in that state. Objects in a given state are not affected by user selections in the other states.

5.1.8 Notes and Comments

QlikView 11 adds a new collaboration feature, Notes and Comments. This feature allows users to create and share notes about QlikView objects. Notes are shared with other QlikView users and these others users can respond by leaving their own comments. The users have the ability to save a snapshot (bookmark) of the data with each Note and Comment.

5.1.9 Session Collaboration

QlikView 11 includes another new collaboration feature, Session Collaboration. This feature allows server based QlikView users to share their QlikView session with other people. This is only available

when connected to a QlikView Server and using the AJAX client. The QlikView Plug-in client does not support this feature.

5.1.10 Dimension Limits

QlikView has had the capability to present "Others" and "Totals" values in various chart types. QlikView also allows users to configure charts to display the top or bottom X values in several charts. All of this manipulation was previously managed by the charting engine. Starting with QlikView 11, these capabilities have been moved to the calculation engine. This means users will be able to set these options across all chart types, except for Gauge Charts and Pivot Tables. There is a new tab in the chart property dialog called 'Dimension Limits' that allows users to configure these options.

5.1.11 Conditional Enablement of Expressions and Dimensions

It is now possible to conditionally enable and disable dimensions and expressions. There are new checkboxes and expression fields on the Dimensions and Expressions tabs in the property dialogs for use with this feature.

5.1.12 Source control integration

QlikView 11 has the capability to integrate with Source Control systems. The feature is available when using QlikView Desktop. There is a new menu option in the **File** menu that allows QlikView Developers to connect a QlikView document to a source control system. This feature works with the XML project files that QlikView Desktop produces and offers basic integration into third party source control systems. The source control system must have an implementation of the MSSCCI API in order to use this feature. QlikView 11 Source Control integration is compatible with Microsoft Team Foundation Server.

QlikView 11 SR1 adds support for Subversion source control in addition to native support for Microsoft Team Foundation Services (TFS). The Subversion support involves configuration of Subversion tools and then direct use of source control operations within QlikView. In addition, we have added an open interface which allows users to create their own connections to other source control systems. Documentation on this is provided on QlikCommunity.

NOTE: The XML project file structure has been changed from version 10.QlikView 11 can open version 10 project files but cannot save in the earlier format. QlikView 9 and 10 cannot make use of QlikView 11 project files.

NOTE: When a QlikView document is placed into Source Control all new objects will have a nine digit random number appended to the Object ID when created. This is to help identify and facilitate merge issues when multiple people are working on the same QlikView document. The Object IDs can be edited and the changes will be preserved.

5.1.13 Mapping loads

You can now perform MAPPING loads directly from a .QVD file. There is no longer a need to unoptimize the .QVD load while performing a MAPPING load. This has been available since QlikView 10 but was not documented.

5.1.14 Container object

The container object has a new way of displaying objects, grid mode. This allows users to view and interact with more than one object at a time within a container object. Grid Mode does not support multiple tabs in a container object.

5.1.15 Actions

QlikView 11 contains six new actions.

| Action Description | Available clients |
|--------------------|-------------------|
|--------------------|-------------------|

| Clear Field | Clears a specific field | All |
|----------------|---|------------------|
| Set State Name | Changes the state of a single object | All |
| Copy State | Copies the selections from one state to another | All |
| Contents | state | |
| Swap State | Swaps selections between two states | All |
| Contents | | |
| Reload | Performs a reload on the current document. | QlikView Desktop |
| Dynamic Update | Performs a dynamic update to the current | All |
| | document. | |

5.1.16 Metadata

Expression comments will be seen as tooltips when hovering over the header of expression columns in a straight table.

5.2 AJAX client improvements

Apart from the new layout features listed above, a number of AJAX specific features have been added:

5.2.1 Pivoting and reordering in pivot tables

The goal is to have parity between the C-client and the AJAX client. It is now possible to pivot a pivot table in the AJAX client. For example, if a pivot table has 3 dimensions and several expressions, it is now possible to arrange the columns in any order.

5.2.2 UI upgrades

A number of minor upgrades have been added to the AJAX client:

- Order by columns in list boxes
- Scrollable tab row in Internet Explorer 9, Firefox (4 and higher) and Chrome (12 and higher).
- Object scrollbars have been improved.

5.2.3 Property dialogs

The property dialogs have a new look and feel in the AJAX client. These changes were made to improve the look and usability of the dialogs. The new dialogs are available in the AJAX client and in WebView on QlikView Desktop.

5.2.4 AJAX for Small Devices

AJAX for Small Devices creates support for QlikView data exploration on small form touch devices, such as smart phones. Existing applications may be used without redesigning, as QlikView features are used along with built-in scrolling and zooming functionality in the small device. It is possible to show the QlikView document in a layout that automatically redesigns objects to suit small devices, or in its original application layout.

There is a mix to thumbnails and place holders when accessing a QlikView document. Graphical charts have thumbnails of the actual charts. All other objects have placeholder icons. After clicking on an object, you will be taken to the actual object, not the thumbnail nor placeholder icon.

5.3 QlikView Server

5.3.1 QMC Help

Context sensitive help has been added in QlikView Management Console (QMC).

5.3.2 LDAPs

The configurable LDAP DSP for LDAPs (LDAP via SSL) support has been added.

5.3.3 Audit logging by document

Some organizations require that a user audit log is generated, so that every query is registered and it is possible to look at "who did what" retroactively. With QlikView Server version 10, this setting affects the entire server and all documents are logged. QlikView Server version 11 supports the logging of individual documents. Additionally, version 11 logs all selection values; version 10 does not display all selected values.

5.3.4 Enable and disable document download and/or exporting and printing per document & user

In many situations the system manager will want to prevent any "hard" data coming out of the QlikView Server. In these situations downloads of the .qvw file, printing and exporting are not allowed; only the interactive session with the QlikView Server is permitted. This functionality is available in Version 10 at the document level only for downloading. In Version 11 it is now possible on a per user level as well as the capability to enable and disable Exporting and Printing on a per document and user level.

5.3.5 Supporting task for QVD creation

It is now possible to add creation of QVD files as a Supporting Task. This is NOT a replacement for creating .qvd files using a .qvw. Please see the QMC on-line help for more details.

5.3.6 Distribution to email within a QVW document

It is now possible to distribute a QVW file to the email recipients defined in a field in the document.

5.3.7 Alert email to document administrators

It is now possible to send alert email to document administrators.

5.3.8 License tracking

The use of licenses is added to the QVS Event logs. Please see the QlikView Server Reference Manual under the What's New Section for more details.

5.3.9 Distribution and reload performance

The performance of reload and distribution has been improved:

- QlikView 11 Publisher can now open source documents without data prior to executing a reload
 task. There is no need to load the document data into memory and then perform a re-load of the
 document.
- Loop and Reduce performance has been improved.

More details can be found in the QlikView Server Reference Manual under the What's New Section.

5.3.10 Management Console UI

- UI inconsistencies have been cleaned up.
- The performance of refreshing tables all over the QMC has been improved.
- The Status page is drawn and updated faster.
- It is now possible to expand all of a task chain by right click.
- It is now possible to remove a user from all distributions where the user is explicitly targeted.

- Search and filter is added to Tasks, Source and User Documents
- Alerts within the QMC are added for service status
- Clustering and user types is made more consistent among the services

5.3.11 Reduction with lock fields

In previous versions of QlikView a reduction was affected by lock fields (by in effect reduce on the locked values). In version 11 the reduction will ignore any locked field.

5.3.12 Improved logging

Logging and error handling is not completely reliable and sometimes confusing. One real error could in some cases show as three or more errors. A task that finished OK can sometimes have many warnings because the QVB has not responded for a few seconds. This behavior is now fixed. Also, audit logging of changes made to the QVS and QVWS settings in now possible.

5.3.13 QMC and QMEC are merged into QMC

The QMC is removed and QEMC is renamed to QMC.

5.3.14 AccessPoint remake

The AccessPoint has been given a new look and feel including new search capabilities. Document attributes are also leveraged to better categorize documents. Document descriptions are now possible. Global messaging shown on the AccessPoint is now possible by entering messages within the QMC.

5.3.15 EDX enhancements

Starting an EDX will now return a session id to allow interrogation of the status of the session rather than on the task. When the session is done the status will contain a list of all the tasks (and session id's) that have been triggered, allowing for continuous tracking of the status. This functionality is available through the API.

5.3.16 Load-balancing improvements

A new additional algorithm for load balancing, "CPU with RAM Overload", when using a Qlikview Web Server was added to better manage a cluster of QlikView Servers. In essence, the QVWS will now be able to route traffic based on two factors: (1) RAM and (2) CPU utilization. The reporting of memory and CPU loads on the physical QlikView Servers has been improved.

5.3.17 Improved task retries

If a task that contains a loop fails, it will not restart at the point of failure rather than restarting the task from the beginning of the loop.

5.3.18 MSI - installation for QlikView Server

The MSI has been given a usability overhaul.

5.4 QlikView Workbench

The QlikView Workbench is being updated with a number of new features:

- The QlikView Workbench now includes a wizard for building Extension Objects
- Workbench could previously only be used within an ASP.NET web site project. It is now
 possible to connect to a QVW via JavaScript / div tag without the need of a .NET DLL
 component. The JavaScript code can look as follows:

```
<scripttype="text/javascript"src="http://localhost/QvAjaxZfc/htc/QvAjax.j</pre>
s"></script>
<scripttype="text/javascript">
    var mydoc;
    varMyQvObject;
    MySheetObjects = function(data) {
        alert(data.length);
    MyDocuments = function(data) {
        alert(data.length);
    }
    mySearch = function() {
        MyQvObject.Data.SelectTexts("3","4");
    }
    MyInit = function() {
        mydoc=Qv.GetDocument("Films");
        MyQvObject = mydoc.GetObject("LB1458");
    GetDocumentlist = function() {
        Qv.GetAllDocuments(function(data) {
            alert("data:" + data.length);
        });
    GetObjectList = function() {
        mydoc.GetAllObjects(function(data) {
            alert(data.length);
        });
    }
    Qv.InitWorkBench({ View: 'Films', BodyOnLoadFunctionNames:
["MyInit"], CustomIcons: {SEARCH: "API_test/Images/NewSEARCH.bmp",
CD:"API_test/Images/NewCD.bmp"} });
</script>
```

A div tag can look as follows:

```
<divclass="QvFrame"avqview="Films"avq="object:.Document\LB1458"id="Docume
nt\LB1458"style="width:400px;height:250px;">
```

5.5 APIs

Version 11includes updates to all APIs, including COM, QlikView Management Service and JavaScript. All new APIs are designed with new functionality and backward compatibility in mind. In addition, QlikView will expose a new back-end API to manage access to QlikView Server clusters and retrieve document lists. All the APIs for version 11 will be posted on QlikCommunity.

5.5.1 COM API

QlikView provides new APIs for the automation of Alternate States.

5.5.2 QlikView Management Service API

This release contains the following updates to the OlikView Management Service API:

- Service status
- QlikView Server and QlikView Publisher license configuration and management (not CALs)
- QlikView Distribution Service settings

- User document collaboration configuration (for restricted mode)
- Opening/accessing source document data (e.g. fields and bookmarks)
- QVS statistics
- DSC user lookup and validation
- Importing tasks/remote QMS communication
- Section Access Management
- Upload of extensions
- Enhanced EDX task control

5.5.3 QlikView JavaScript API

The version 11 JavaScript documentation has been updated.

6 New functionality in QlikView 11 SR2

6.1 Offline Views

With the release of QlikView 11 SR2, QlikView now supports the functionality of taking your data with you on the road, on an iPad. We call this Offline Views. It is now possible to access a QlikView document on an iPad, when you are 'offline', i.e. not connected to the Access Point. This functionality requires the installation of the QlikView Offline Service, which is available in a separate installation file from the product download page and the installation of the new QlikView app for the iPad, available from the Apple App store. The new app is being released in parallel with the release of QlikView 11 SR2.

The functionality allows the user of the iPad to mark a number of bookmarks and one list box available for offline use. Once these items have been downloaded, the user can navigate within the document, change downloaded bookmarks or navigate between the individual values from the synchronized list box.

Note, however, that when the user is offline, the access and interactivity is limited. Users can navigate within sheets; however it is not possible to interact with objects on a sheet. Users may navigate between the synchronized bookmarks and the corresponding values from the synchronized list box to explore their app when offline. Navigation occurs thru a dedicated menu available in the offline client.

More documentation is available as part of the installation file for the QlikView Offline Service.

6.1.1 Limitations

- We currently only support Anonymous, Basic and NTLM authentication for the Offline Views feature.
- It is not possible to configure the Offline Service through the Qlikview Management Console
- By default, you can only take up to 40 rows and 40 columns of data offline in list boxes and tables. This can be overridden by the client application on the iPad through individual settings.
- You can only take up to 1 list box offline
- The Offline Service is only available for x64 servers. There are currently no plans for 32 bit support.
- Clustering of the Offline Service is currently not supported

6.2 Digital Certificates

With QlikView 11 SR2 Administrators can choose either the use of Digital Certificates or Windows authentication using Windows groups and Windows Active Directory when installing SR2. Windows Server 2008 R2 is a prerequisite for installing Digital Certificates with QlikView 11 SR2. Please refer to the QlikView 11 SR2 Server Reference Manual, Part 2, Installation for further instructions.

7 Design corrections in SR2

| ID | Title |
|-------|---|
| 48355 | Prevent P/E Users Opening OEM Island Docs – Personal edition users are not supposed to |
| | be able to open OEM Island documents. |
| 48359 | Enhance ListBoxCellContents API structure to include a FieldValue member to properly |
| | support dual values in List Boxes (via API). |
| 48360 | Store Pivot Table Column Positions within Bookmark – enhances usability of Bookmarks by |
| | now also storing the pivoted position of columns in each pivot table |
| 48362 | LEF Time Limit Checking not only on restart – now regularly checks LEF time limit, only |
| | affects servers with long time between restarts |
| 48363 | Audit logging use of bookmark values – Audit logging did not store Bookmark usage |
| | previously |
| 48540 | Upgrade of subversion solution to support SVN 1.7.x |
| | |

8 Bugs corrected in SR2

| ID | Title |
|-------|---|
| 41046 | WebParts - No reference in documentation to not being able to use Custom Users/DMS or needing to use Active or Local Directory/NTFS settings on the QlikView Server |
| 42972 | Error message: 'There was a problem sending the command to the program.' when opening QlikView document with no license applied in the Desktop client |
| 44106 | Color indicator not working when locking a selection in a Multibox object |
| 44139 | Clear-all selections functionality not clearing selections in a chart when it is has the focus/is the active object |
| 44186 | Documentation - Online help in Edit Module states API Guide is part of the Desktop installation, but it is no longer included in version 11 |
| 44194 | Adding a variable to an Input Box object in object properties results in an error: "Object doesn't support this property or method" |
| 44196 | Using the Expression Editor after creating an object using the Ajax client, a pasted field or variable is placed in front of the function instead of after it |
| 44305 | Using a variable in a Calendar Object, causes the Drop-Down List to truncate the values in the list |
| 44335 | Values within listboxes where sort order is set to State-AutoAscending do not sort properly after a reload of the document |
| 44355 | Desktop - ListBox object - Show frequency checkbox checked and bold font not working as expected |
| 44373 | Using a Calculated dimension to concatenate values in a ListBox object results in an additional value(s) appearing |
| 44380 | Documentation for Enable Conditional option under Chart Properties > Dimensions > Settings for Selected Dimension is missing |
| 44381 | QlikView Objects - resizing of objects that have been concurrently activated, does not work as expected |
| 44535 | Desktop client - New chart with X-axis scrollbar activated and set to "When number of items exceeds - 10" does not work as expected |
| 44584 | Desktop Client - Straight Table object does not evaluate 'link values' in a row containing a null value |
| 44604 | Cross table functionality - When the attribute field contains numeric values, the data field assumes the same values |
| 44623 | Using Japanese/Chinese language option results in partially hidden characters in Chart Properties |
| 44640 | Connecting to a database via a VPN connection may cause qvconnect32.exe process to crash |
| 44644 | IEPlugin client - After moving a Sheet Object from one sheet to another, the Object remains on both new and old sheets |
| 44647 | Desktop client - In a straight table, the label specified in "Use Label" field will not stay set |
| 44694 | No scrollbar appears after pasting 8 expressions in the Expression tab of an Object and additional expressions cannot be pasted |
| 44708 | Set Variable Action does not work when set via the Ajax Client |
| 44720 | Desktop client - Automation for Dynamic Data Update does not work with an IF statement in the code |
| 44729 | Custom Format Cell settings do not format the header row |
| 44743 | Un-optimized load on QVD file hangs QlikView |
| 44773 | AJAX - Calendar object - select date Values issue |
| 44792 | Desktop - unable to edit expression in input box |
| 44800 | SalesForce Connector successfully verifies a username and password although the credentials are evidently wrong |
| | |

| ID | Title | |
|-------|---|--|
| 44822 | QlikView Desktop - Interval not displayed in defined format beyond a certain value | |
| 44828 | Documentation: Data source File such as text file etc, should have different field name. | |
| 44895 | QV11 SR1 Desktop: Clear specific state label not translated | |
| 44904 | QlikView 11 -Desktop QVS - Whitescreen After Opening Application | |
| 44916 | Ajax/WebView is populating data from early selections in empty tables for another selection | |
| 45077 | AJAX: Unable to change language interface through settings.ini | |
| 45121 | Slider Object: Label Orientation Can Not be Applied | |
| 45146 | JavaScript API - Using the SetProperty method to set multiple properties in one call doesn't | |
| | work as expected | |
| 45156 | Print: Line thickness not taken into account | |
| 45164 | Ajax - Sheet Event Trigger "OnActivate" does not position tabrow correctly | |
| 45172 | Horizontal dimension label is hidden under scroll bar, if Stagger Labels is disabled | |
| 45241 | ServerSideExportEx - Plugin - Not working as expected | |
| 45294 | Error message when any application is opened in QV Desktop the first time after reboot | |
| 45330 | Developer/IE Plugin - Text as Pop-up - does not display hover over text | |
| 45331 | AJAX- Text as Pop-up - displaying prior values of preceded slices in a pie chart | |
| 45376 | Web Parts - Green Color - CSS creating Automatically | |
| 45410 | Problem with label on Popup line charts | |
| 45412 | The info function inside the only chart aggregation function | |
| 45425 | OEM Embedded License not working (NB! This is not OEM Island) | |
| 45432 | Popup labels don't display in chart when zoom differs from 100% | |
| 45445 | Dimension limits doesn't work as expected with negative values | |
| 45518 | LeasedLicenseCheck=INVALID | |
| 45541 | Macro execution during Dynamic Update crashes QVS.exe | |
| 45583 | Ajax - ShowRefreshDoc option disappeared | |
| 45611 | iPad/iPhone Safari AJAX touch client and input fields | |
| 45678 | Ajax/WebView Scroll Bar Not Shown Depending on Total Data in Multibox | |
| 45682 | Ajax - One color gradient does not cover the whole screen (Chrome) | |
| 45685 | One color gradient does not cover the whole screen (Firefox) | |
| 45686 | The "delete note" window is behind the note thus making it hard to delete the note(Firefox, | |
| 15501 | Chrome & Safari) | |
| 45721 | Task triggered on multiple events does not always get triggered even though tasks finish within time constraint | |
| 45747 | Pivot Table: Drop down functionality seems to use the wrong dimension | |
| 45776 | Document Bug: Pivoted Dimensions Not Saved with Include Layout State in Bookmark | |
| 45777 | Problem with Firefox when using advanced Styling mode | |
| 45791 | IE Plugin: Copied container object does not have properties | |
| 45801 | One particular Straight chart won't export to Excel(plug-in, Ajax, developer) | |
| 45859 | One color gradient does not cover the whole screen (Safari both IMac & IPad) | |
| 45960 | AccessPoint returns wrong document list for user | |
| 45961 | Not possible to undo a QVS service login typo | |
| 45964 | Ajax API - Get all objects sometimes creates invalid XML response | |
| 46003 | Trellis Chart does not show Info Tab | |
| 46017 | Long bookmarks name cause the bookmark control to extend out over the rest of the menu | |
| 46020 | AccessPoint login behavior after timeout - redirect to login.htm | |
| | | |

| ID | Title |
|-------|---|
| 46050 | Conditional Expression are slower as same Expression with if statement |
| 46080 | My Server Report: Cannot delete own report |
| 46087 | Adding a variable to the Input Box makes Qlikview freeze |
| 46097 | Custom Property control don't survive browser Refresh. |
| 46125 | Qlikview Desktop - Cannot disable Persistent Colors in a Trellis Chart, it is checked by default |
| 46145 | Jmeter - Using Jmeter to test load is crashing QVS, causing it to restart |
| 46197 | Qlikview Desktop - Conditional show not working properly when applied to a Report (still |
| | visible when condition not met) |
| 46252 | Publisher: QV 11 Sr1 - Tasks status in QMC says running but the task log says succeeded (Task Finished Successfully) |
| 46255 | Qlikview Desktop - Allocated memory exceeded with Count (Distinct) in the expression |
| 46309 | Qlikview Desktop - Script editor - When tab has been used to add spaces in script movement |
| 10307 | using arrow key is erratic |
| 46373 | Workbench - HTML text (using Div tag with text) cannot be highlighted in HTML Table after inserting a QlikView Workbench object into the table |
| 46375 | Documentation: The manual should be clearer the function Now(0) returns the time of the previously finished reload, and not the currently ongoing reload. |
| 46452 | QMC - System - Setup -Mail Server - Document Administrators Authorized Distribute via |
| | Email: The buttons (Add, Delete, and Delete All) are not lined up as they should be |
| 46461 | Documentation: Export to Excel needs note - "Export to Excel can fail when using large data |
| 46467 | sets in AJAX mode due to product limitations." |
| 46467 | AJAX - Actions do not work in text Objects when accessing the qvw from an iPad with iOS 5.1 |
| 46481 | Qlikview Desktop - Startup Page - Resources - Join Community: URL incorrect for community link |
| 46485 | Qlikview Desktop - Some Japanese/Chinese words in Chart Properties are cut off (in height) |
| 46510 | AJAX: Chrome context menus covered by other sheet objects |
| 46513 | Qlikview Desktop - Pivot Table: Pivoting a dimension causes background and text colors to be lost |
| 46529 | Ajax - Container Object - Properties - Presentation: Appearance field is missing (FireFox) |
| 46546 | Ajax - Sheet Properties - Use Custom Sheet Background: Pattern options does not work for Sheet background color |
| 46549 | Connectivity - OLEDB Connection ignores SQL Script syntax errors |
| 46550 | Connectivity - SQL Command sqlcolumns does not work when connecting to Oracle via ODBC: Error QVX_UNEXPECTED_END_OF_DATA: ErrorMsg: [Oracle][ODBC]Numeric value out of range. |
| 46562 | Mobile Client - When scrolling horizontal not all objects are displayed for that sheet |
| 46567 | Mobile Client - No options to switch back to "Small Device Version" in Full version mode |
| 46569 | Qlikview Desktop - Not possible to use a calculated expression with more than 501 components |
| 46577 | Ajax - Cycle through dimensions skips one dimension (iPads & table like devices) |
| 46594 | QMC - Not possible to use Fully Qualified Domain Name/machine name with domain suffix to send mails |
| 46611 | AJAX - Multiple selections cannot be made when dragging the scroll bar |
| 46633 | Documentation: Clear Other Fields action not defined clearly enough in the manual |
| 46651 | Wrong date returns with Today(0) and Now(0) when it reloads from QEMC/Local Client |
| 46677 | No options for adding or deleting objects to container object in properties |
| 46685 | QV11: Appendix regarding Actions and general matrix that describes differences between client and server - side functionality |

| ID | Title |
|-------|---|
| 46699 | Publisher - Task set up to trigger on Multiple Events Completed does not work |
| 46700 | Developer - using TEXT() as output for IF statement causes error |
| 46813 | Too long values are not displayed with # in tables |
| 46817 | QV11 SR1 chart error on Extensions: Failed to load extension. Make sure it is available at the |
| | correct location |
| 46872 | List box: Frequency truncated when using And Mode |
| 46876 | Cyclic group in pivot table with multiple dimensions fails |
| 46894 | Qlikview Distribution Service goes down with a .net socket exception |
| 46943 | Searching for something in ListBox and pressing <enter> causes particular document to switch tabs</enter> |
| 46961 | Firefox disregards return characters on tooltips |
| 46965 | Alignment /Justified/Bold – are changed on some objects when changing selections |
| 46966 | Pivot Table - Document - Drop down - Drop down showing wrong information when data is hidden |
| 46971 | Exporting excel as numbers does not work correctly |
| 46982 | "Allocated memory exceeded" when creating a Block Chart with 3 dimensions |
| 47001 | Documentation: unable to make a multi selection in calendar icon menu in Ajax |
| 47002 | Auto login when using direct Link to document with IEPlugin does not work |
| 47004 | Mailed bookmarks cause the plugin to crash |
| 47022 | AJAX Audit logging causes users to see "lost server connection" message |
| 47082 | Documentation bug: Event Trigger does not work with AJAX mode. |
| 47115 | Not possible to include sub via include |
| 47116 | Webview scrollbars are missing |
| 47122 | Documentation bug: Images in a table box not are printed from the Ajax client |
| 47128 | AJAX/WebView - Slider - Negative values are not shown correctly |
| 47134 | OCX registered in HEX format in the Registry instead of decimal |
| 47138 | Delete measurement button in Extension property page does not work |
| 47139 | Second measure cannot be changed |
| 47140 | Not possible to enter calculated dimensions in an extension |
| 47146 | AJAX Chart rendering takes very long in SSL/HTTPS mode |
| 47185 | Stacked bar chart: Values on datapoint missing for a value when one of the expression is 0 |
| 47186 | Ajax: Wildcard search not working in Ajax in the middle of a word |
| 47197 | Pie Chart: Million symbol not working in chart legend |
| 47204 | AJAX: Text color in caption not respected |
| 47218 | Qlikview developer and Plug-in V11- Hover over in chart not working if you zoom out to 75% |
| 47220 | or less |
| 47220 | Negative Values displaying on top of X axis on line chart |
| 47221 | Excel export is slower in v11 than v10 |
| 47222 | Input field usage in Table object expression requires aggregation function |
| 47231 | IE Plugin - Calendar object - select date Values issue |
| 47237 | Images in ListBox don't show correctly when only one value is selected |
| 47254 | AJAX: Unhide tabs place the tabs wrongly |
| 47257 | API method SetOffset does not work |
| 47264 | Qlikview - Script - Reload: Reload crashes QV.exe |
| 47270 | QV11 SR1 Client: Incorrect translation of French error message |

| ID | Title |
|-------|--|
| 47276 | Can't use @ in either username or password when using login to AccessPoint for a iPad client. |
| 47298 | Inconsistent amount of data is returned |
| 47302 | Can't search users in custom directory if you change name on directory from custom to "something" |
| 47304 | AJAX/WebView: Able to search across data fields in drop down menus in charts |
| 47326 | Qlikview - Developer - Autonumber is showing different results in V10 than V9 |
| 47347 | Developer - Update QlikView QV11 |
| 47349 | Desktop - OLEDB connection ignores errors |
| 47360 | QV11 Distribution Service FileSystemWatcher I/O Buffer Overflow Exceptions |
| 47396 | Document with show condition does not work same in SR1 as in IR |
| 47401 | Internet Explorer script error appears after upgrade to SR1 for a specific document |
| 47418 | ListBox on top layer appears behind chart on normal layer in Ajax/WebView in some circumstances |
| 47421 | QV fetches different Records each Reload with a Preload Command |
| 47436 | sending mail via VBScript non-QlikView API calls doesn't work in QVS |
| 47451 | QMC Custom Directory User Password Cannot be Modified in 32-bit Machine |
| 47452 | QMC Mail Server Send test-mail to Not Return Message |
| 47463 | Ajax: Problems with columns and cyclic groups in Pivot Table |
| 47492 | (Ajax/WebView) In V11: ListBox properties under presentation, 'Order by column' is enable this breaks 'Fixed number of columns' |
| 47494 | QlikView 11 - Document Properties - Field Event Triggers Disappear |
| 47495 | Stacked bar chart: Wrong values on data points when making a selection |
| 47525 | Desktop - Expression causing conflict and make application hang |
| 47540 | Management Console: QEMC - System - Setup - Server - Folder access does not provide scrollbar |
| 47549 | Server Management: Document Administrators unable to disable trigger on their documents |
| 47553 | License lease in Developer using third-party authentication/IIS Authenticate token reverts to machine logon in History as well and break the lease |
| 47554 | V11 and QMC - "Manual Input of User Names" section is not set for Assigning name Cals. |
| 47588 | Graphical issues for the icons on Charts/boxes when moving them (IE8) |
| 47598 | Dropdown for ListBox is not working (Firefox) |
| 47606 | Dropdown for Multibox does not work (Firefox) |
| 47737 | Ajax - Search Object : Unexpected exception occurred! message when deleting in a search box |
| 47740 | File Wizardxlsx named areas cannot be identified as possible table |
| 47754 | Distribution tasks with a Reduced Document Name set to include '\' fails. |
| 47757 | Ajax - IE 8/9 Zoom 125% Multiboxes Overlapped |
| 47772 | Adding Link Machine Name does not work in QEMC |
| 47814 | QV11- Hidden script option in the load script is greyed out, if the hidden script was created in V9 |
| 47819 | Ajax - it's possible to create bookmark(s) with duplicate name or without name |
| 47824 | QMC: Manage Users does not work in IE7 |
| 47825 | Desktop - "Shift inhibits macro" is missing from User preference |
| 47887 | QV11- Watermark is distorted and really dark that is very visually disrupting |
| 47898 | QlikView Webserver: Exception SolutionGlobal.QTLog.ApplicationName NULL when running IIS |

| ID | Title | | |
|-------|--|--|--|
| 47902 | Management Console: "Manual Input of User Names" field will change to scrollbar when more | | |
| | than 80 letters are written | | |
| 47918 | AJAX - charts not rendering after approx. 30 minutes | | |
| 47981 | IE Plugin - Not able to modify a shared bookmark | | |
| 47983 | Problems visualizing the data previously loaded on a chart after changing the type of this chart, | | |
| | if a note associated to it is showing. | | |
| 47987 | Restarting the server that holds root files causes the Document CALs to double. | | |
| 48043 | Custom User database information gets lost | | |
| 48046 | 'Allow Server Objects' not selected on the console makes the Ajax client to become | | |
| 40072 | irresponsive | | |
| 48073 | Workorder does not get sent from QMS to QDS | | |
| 48077 | IPad Safari - Excel export icon missing | | |
| 48093 | AJAX: 'lost connection to server' caused by slider object | | |
| 48143 | Problem with scroll bar and cyclic groups | | |
| 48204 | Problem with Polish character when distributing PDF via email | | |
| 48266 | V11 Document CAL automatically deleted, but it show the wrong message in the screen | | |
| 48290 | Expression causes QV to stop responding | | |
| 48292 | Remove @testserver from caption on test servers | | |
| 48347 | The Marker in "Search" for List Boxes is behind the two * signs as default, it should be | | |
| | between them as default (Transformer pad) | | |
| 48396 | Show Conditional on sheets not working as expected | | |
| 48398 | QlikView WebParts does not see the document if Document Information has been added | | |
| | (.Meta file has been generated) | | |
| 48420 | QV Desktop: ErrorMsg 'There was a problem sending the command to the program.' When | | |
| 48429 | opening QV doc saved in a different version. Qlikview Desktop - Function FILEBASENAME () returning name in lowercase | | |
| 48432 | Include statement is not correct when including multiple files | | |
| | | | |
| 48435 | Sheet Background Image Gets Distorted In Chrome When Zoomed In. | | |
| 48503 | All leading and trailing spaces on all fields removed with XLS and SQL, but works fine in XLXS | | |
| 48508 | Desktop: Show X-Axis Scrollbar/Container problem | | |
| 48509 | Distribution Service: FTP access to Data not working | | |
| 48517 | QlikView Enterprise Management Console - Users - Section Access Management - Section | | |
| 10017 | Access Tables - will only hold a limited amount of data | | |
| 48590 | Qlikview Publisher - Error in distribution, task finished successfully | | |
| 48598 | Data missing when doing 'loop and reduce' in a document which contains an inputfield object | | |
| 48621 | Documentation: Session recovery has a different behavior as in older version | | |
| 48635 | Impossible to manage User CALs above a count of 1700 - MaxRecievedMessageSize is too | | |
| | small | | |
| 48658 | Extremely difficult to use slider object on any touch device, due to size of the slider | | |
| 48680 | Ajax - List box without borders always have a thin border on the right | | |
| 48681 | Scrolling in long lists and straight tables is difficult when application is zoomed (AJAX on iPad) | | |
| 48690 | Document Bug: Comment using /**/ Function Extends over Several Tabs, but not Color Coding | | |
| 48696 | Extended search box moves relative to the list box when zooming | | |
| 48698 | Results from an expression or formula is not as expected | | |

| ID | Title |
|-------|---|
| 48711 | Publisher: Reduce with only 1 "Selected Values" returns Task Error, also system hangs |
| 48726 | File Wizardxlsx named areas cannot be identified as possible table |
| 48734 | Documentation: Bookmark Save layout only saves the layout of the active tab, not other tabs |
| 48773 | License lease lost after QlikView restart when using DMS with Custom Users |
| 48776 | Publisher external application task job does not show as error when process exits with non-zero code (failure) Qlikview v11 SR1 |
| 48828 | Can't see users or groups after importing custom directory v 11 SR1 |
| 48849 | Moving a column in a table box issue (IE10) |
| 48856 | Firefox and IE9: Issue displaying hidden Tabs |
| 48859 | QlikView 11 SR1 - iOS - Gradient Not Working in Web Clip or Mobile Safari |
| 48873 | FormLogin Submit button styling issues |
| 48880 | Subversion: Cannot undo pending changes |
| 48885 | AccessPoint: Incorrect login page shown |
| 48927 | Users with certain Cyrillic usernames cannot access the AccessPoint |
| 48938 | MultiBox Grid Style ignored (Ajax/WebView) |
| 48945 | QVS Reload from HTML File not working from Unix/Linux System (Case sensitive) |
| 48956 | Resizing a bar chart shows incorrect total value |
| 49047 | Double clicking on apply when adding users and groups in custom directory will clear the group list. |
| 49069 | Unexpected exception occurred when adding a dimension to a chart in AJAX |
| 49085 | AJAX - sessions not being ended |
| 49112 | QlikView 11 - Document Properties - Number Formatting Disappears for document saved in v10 last |
| 49136 | QEMC - Qlikview Server - Failed to retrieve Settings from QlikView Server with 10 QVS in QEMC and removes the webserver information from the Config.xml |
| 49140 | Last string in axis X of a chart object is not completely shown |
| 49157 | Developer Pivot Table Drop down values incorrect |
| 49165 | Multiple events on trigger get lost by disable/enable of task |
| 49323 | Ajax/WebView Current Selection Displayed in One Line, Not in Multiple Lines: Functionality broken |
| 49367 | Vertical Pivot/Straight Table does not show values in WebView / Ajax |
| 49379 | QlikView 11 SR1 - iOS - Web Clip Not Working |
| 50743 | Firefox - Custom User - Custom user session handling in Firefox is not working correctly |

9 Bugs corrected in SR1

| ID | Title |
|-------|---|
| 37092 | Bug in loading with Crosstable |
| 37621 | Security warnings when creating an extension generator project needs to be documented |
| 38217 | Vertical scroll is almost impossible without large zoom level (iPad, Galaxy Tab) |
| 39181 | User is not notified if a document extension is missing. |
| 39434 | Changing an annotations owner via the QMC causes meta problems |
| 39913 | The QvaPublic.BookMark, QvaPublic.BookMgr equivalent classes are missing in the JS API |
| | documentation |
| 39914 | The Qva.AddExtension and QvaLoadScript equivalent methods are missing in JS API |
| 20017 | documentations |
| 39915 | Qv.InitWebParts is obsolete |
| 39918 | QvaCore needs to be splitted |
| 40065 | AccessPoint: When having 500 doc in Accesspoint and 12 items per page and all doc visible |
| 40081 | the ListBox Items per page partly disappears Difficult to scroll through pivot table (Galaxy Tab) |
| 40256 | Word hangs if you try to work with objects from QlikView/Plugin |
| | |
| 40271 | When running plugin in IE 7 with leased licensed you can't drag drop or copy paste objects |
| 40392 | Drop down in tablebox may require multiple clicks to expand |
| 40393 | Previously shown drop down flashes by, before the one you clicked on is shown |
| 40440 | QlikView Server - When exporting and scrolling in Pivot table QVS crashes |
| 40529 | Hovering column titles in the plugin client (or OiS) |
| 40546 | List Box: Unchecking and then rechecking the Override Default Settings combobox does not |
| 10710 | save all current settings. |
| 40548 | List Box: When setting the Number Format combobox to Interval the Format Pattern is set to "hh:mm:ss" (which is a Time, not an Interval). |
| 40549 | Properties->Presentation Not possible to change the number of columns (with checkbox |
| | 'Multiple Columns' checked) |
| 40562 | JS API documentation does not contain the new documentation structure |
| 40571 | show as tree view changes the layout |
| 40582 | Extension object crashes QlikView in WebView |
| 40728 | AJAX - iFrame - Search Box - Backspace - Delete -Unexpected Error Occurred |
| 40753 | Open Document in the Reduce tab of the QEMC generates an "Object reference not set to an |
| | instance of an object" after exactly 10 minutes |
| 40867 | Server installation: No radiobutton preselected |
| 40906 | You are not able to create server bookmarks for yourself with SBE license |
| 40939 | It is not possible to slide to other objects after selections are made in object(s) [HTC DeZ] |
| 41078 | Use Expression Total-> cog wheel: possible to make selections even if checkbox isn't selected |
| 41084 | Total Position: How to test/activate drop down menu? |
| 41085 | In 'Label for Total' it's possible to write a text and press enter, but the label seems to have no |
| | effect on the object |
| 41114 | Total Position field is disable no way to test it |
| 41116 | When trying to change 'Field' of a 'Mini chart' the selection is troublesome |
| 41121 | Allow move column has no effect. |
| 41152 | Not possible to change Error Bar Color (or any of its properties) |
| | |

| 41165 | Select wizard crashes when trying to list tables containing binary data read with Oracle ODBC 10g |
|---------|--|
| 41166 | Blob preview not updated properly |
| 41167 | Add button in Select Wizard does nothing on first click |
| 41265 | Unable to reload SA MGMT docs through QDS |
| 41376 | Limit Labels (Characters) does not work properly |
| 41388 | Field "Use Expression Total" does not make any difference to chart |
| 41407 | Selections within Use "Expression Total" and "Accumulate Expression" has effect in the |
| 41482 | object even when checkbox(s) are unchecked) WebParts objects too large causing scrolls |
| 41531 | QMC:Documents>UserDocumnts>Server>ServerObjects>Authorization> When check and |
| 41331 | uncheck the checkbox sometimes the Add users and groups icon disappears. |
| 41550 | Container allow to add other containers to it (which might / might not have its own objects). |
| | But no way to delete added container. |
| 41653 | Not enough space for text Portuguese Documentation and Tutorial msi. |
| 41685 | JavaScript API callback not working for NewBookmark method |
| 41721 | QvObject are not removed from VS when uninstall/repair |
| 41727 | MSI upgrade doesn't detect previous x86/x64 installation |
| 41780 | De-selection and selection of either "Show Horizontal Scrollbar" or "Show Vertical Scrollbar" doesn't respond correctly. |
| 41810 | Color Picker needs two (2) clicks to respond Or need to click on Object once to show changes. |
| 41821 | AJAX UI Bug: Popups, including color picker, should be closed when clicking outside of them |
| 41932 | Single object container: Long object title causes tab to become really long |
| 41950 | The select report dropdown is active in Ajax although the QVS does not allow printing |
| 41982 | Unknown error in MSXML when parsing XML data using LOAD FROM_FIELD |
| 42016 | Long template names are truncated in the Select Template menu |
| 42022 | WebView: QvAjax.js error when loading table |
| 42032 | The label of the value of "0" doesn't display on stacked bars. |
| 42110 | Collaboration object manage users dialog |
| 42247 | Incorrect Source document location causes QDS to go offline permanently. |
| 42261 | Slider object not working properly (AJAX on iPad) |
| 42263 | Properties for an extensions created in QV10 does not work in QV11 |
| 42267 | Alt+Tab starts Search in Firefox |
| 42324 | QMC -Trigger - Weekly: Mismatch between task trigger details and actual trigger, when setting to run more seldom than every week. |
| 42451 | [Validation] EDX Task does not indicate failure properly |
| 42515 | QMC->SourceDoc->Distribute Manually->Mountpoint not updated |
| 42520 | Gauges not rendering properly |
| 42564 | User is not notified if a document extension is missing. |
| 42591 | Copy data, Copy image to clipboard, no icon is showing |
| 42601 | List Box: when you have one or two expressions active and have enabled show frequency in percent and you have a small window, the text gets very crowded and some numbers disappears |
| 42606 | Properties->Presentation Not possible to change the number of columns (with checkbox 'Multiple Columns' checked) |
| 42614 | Container object: Tabs on the left and Tabs to the right are not named equally. |
| | ı |

| | _ |
|-------|---|
| 42626 | AccessPoint (OSX) - When Signing in the View as option is greyd out and locked |
| 42642 | When trying to change 'Field' of a 'Mini chart' the selection is troublesome |
| 42644 | Total Position field is disable no way to test it |
| 42647 | Fast Type Change in Chart icon only shows in caption. |
| 42648 | If Fast Type Change in Chart is enabled and only the same Chart type as the current chart is choosen the Fast Type Change Icon is showing in the chart. |
| 42661 | The Border Above Spacing option in the Cell Borders dialog does not seem to have any visual effect. |
| 42662 | In 'Label for Total' it's possible to write a text and press enter, but the label seems to have no effect on the object |
| 42663 | Total Position: How to test/activate drop down menu? |
| 42669 | Use Expression Total-> cog wheel: possible to make selections even if checkbox isn't selected |
| 42676 | Include Total, Include Others check boxes are disabled |
| 42694 | Allow move column has no effect. |
| 42695 | AJAX UI bug: Alignment and margins on input fields in lists |
| 42697 | JavaScript API callback not working for NewBookmark method |
| 42701 | In case of "Single object" and Object with large tab / Caption (label) there is not name to view full name (no resize option) |
| 42704 | Background setting interface is not consistent with other object's setting. |
| 42706 | Not possible to open a Qlikview Document through a URL with a action on a Button |
| 42710 | Selections within Use "Expression Total" and "Accumulate Expression" has effect in the object even when checkbox(s) are unchecked) |
| 42713 | Suppress Zero-Value and "Zero on Bar" are checkboxes should be radio button as are alternative of each other. |
| 42716 | Field "Use Expression Total" does not make any difference to chart |
| 42720 | Chart Major/ Minor Labels overlap with Axis Line (X-Axis) |
| 42722 | Limit Labels (Characters) does not work properly |
| 42725 | Unable to reload SA MGMT docs through QDS |
| 42730 | Alignment inside the Reference lines Tab is not correct |
| 42732 | Dotted Line Style for a Reference Line is not drawn correctly if Line Weight equals 1. |
| 42733 | Not possible to change Error Bar Color (or any of its properties) |
| 42749 | Background Style Combo box have small width to show long text within it |
| 42751 | AJAX UI Bug: Popups, including color picker, should be closed when clicking outside of them |
| 42757 | Color Picker needs two (2) clicks to respond Or need to click on Object once to show changes. |
| 42787 | Two label fields for Line/Arrow properties dialog (IE7) |
| 42792 | Line Orientation values "Diagonal Climbing" and "Diagonal Falling" are working the opposit way |
| 42795 | Line Orientation is improperly designed and overlapping with field below it. |
| 42796 | Collaboration object manage users dialog |
| 42800 | Memory initialization should not be needed in QV memory management system |
| 42803 | Multibox: Gridstyle not working in Ajax/WebView |
| 42822 | Single object container: Long object title causes tab to become really long |
| 42843 | Text on Axis within Expression Tab shows Text distant from other corresponding values |
| 42844 | Axis Position is not working correctly |
| 42849 | QMC -Trigger - Weekly: Mismatch between task trigger details and actual trigger, when setting to run more seldom than every week. |
| | |

| 42852 | Improperly designed scrollbar and difficult to use |
|-------|--|
| 42856 | Not possible to create any "Chart" from scratch as it's not possible to access or add |
| | Expressions (IE7) for All Charts |
| 42858 | 'When Chart is resized vertically to some extent. It hide its Y-axis (values) dimension behind chart area. |
| 42888 | Tooltip for "Help" in Ajax is displayed as "&Help" |
| 42909 | QMC: Mail Server Setup layout |
| 42922 | free input of user names in QMC |
| 42928 | Qlikview - Chart - Pivot Table: When using the Dual Function in a pivot table both the literal and numeric are being exported in SR3 |
| 42930 | System.Net.HttpListenerException |
| 42940 | Word hangs if you try to work with objects from QlikView/Plugin |
| 42948 | [Validation] Document Toolbar not visible when browser is minimized (Sharing enabled) |
| 42964 | QVS stops and does not recover, goes Off Duty |
| 42970 | QDS: Failed to update notification file |
| 42974 | Drop down in tablebox may require multiple clicks to expand |
| 43005 | Extensive information in Document Support Information |
| 43013 | Header error in Status > Task > Task history |
| 43028 | AccessPoint: Retrieving document list from "off duty" or "unlicensed" server |
| 43046 | When changing objects in a grid container, they do not appear where expected |
| 43048 | QMC - Mail Server: "Email was sent" notification message is cut off |
| 43054 | Partial reload with more than one inputfield results in "General Script Error" |
| 43055 | QMC: Broken Help link |
| 43065 | Edit/Delete menu (for Comments) does not appear in Tabs. Unable to edit and Delete comments |
| 43079 | Task status not in sync with Task history/log upon QDS crash/stop |
| 43083 | # character in "Link" type url passes "%23" to Browser URL |
| 43086 | Reports created in QV 10 does not display table data in QV 11 (11095 and later) |
| 43088 | Qlikview - Migration of non-Publisher tasks from V9 to V10, Migration stops if it reaches a task that is reliant on the completion of another task and that task is lower down in the xml file |
| 43100 | Wrong help file shown for templates |
| 43102 | Certificate: QV Settings service will not start automatically after adding certificates |
| 43103 | Desktop - Bar Chart - X-axis Legend - Not always visible |
| 43104 | Certificates: QDS service will not start automatically after adding certificates |
| 43105 | Documents unavailable when 1 QVS node goes offline |
| 43144 | Access Point: Links to unavailable document are not disabled |
| 43146 | Unable to horizontal scroll in Ajax for small devices |
| 43165 | AJAX - not rendering images correctly works fine in IE Plugin |
| 43169 | New documents can't be created in WebView mode |
| 43178 | Clear all function removes wrong kind of bookmarks |
| 43179 | Clear all function does not work for User Bookmarks |
| 43188 | MSI: The installation flow changes when using Config and playing with next and back |
| 43194 | Memory increasing with several MB when you open, close, and open a document. |
| 43195 | QEMC: Task triggers on success of other tasks i.e. in a loop can be expanded too many times in Status>Task tab |
| | |

| 43213 | General script error when storing QVD |
|-------|--|
| 43221 | Export file naming |
| 43224 | Memory leak in QVManagementService.exe |
| 43225 | Total differ in QV11 from QV10 (due to Dimension Limits) |
| 43236 | Unexpected Exception when trying to add QVW to Source Control |
| 43237 | Source Control operations cause QV to lose focus |
| 43256 | When Bookmark created with settings i.e. "show description as a pop-up message" is accessed |
| | it show pop-up message whenever left clicked is done by mouse. |
| 43262 | Plugin: Certain sheet objects almost disappear in container on clear/selection/resizing |
| 43264 | Setting for "Bookmark Access" within repository does not work correctly (For user define bookmark). |
| 43266 | Plugin: After minimizing a grid container a few times and then restoring it, charts may become unresponsive |
| 43276 | Upgrading XML project files from 10 - 11 unable to handle container object |
| 43291 | Installation: Erroneous source folder (but identical files) |
| 43292 | Time Drill to go up is not working correctly |
| 43295 | Delete note is not working correctly in iPad |
| 43296 | Dropdown menu for selection of dimension within Properties does not close with closing of property window |
| 43297 | Close QV.exe before welcome splash screen has vanished causes windows "stopped working" error |
| 43302 | Ajax: Grid Container: Not possible to collapse a fully expanded pivot table |
| 43308 | working with extensions in WebView crashes qv desktop |
| 43310 | QMC: Task Dependencies->each retry generates individual logs with mixed Success and Failure |
| 43313 | Searched list in Help-> Search [Tab] is not sorted correctly (when clicked on sort icon at "Title" heading (caption) to sort result in ascending or descending order. |
| 43315 | Could not refresh gracefully has increased very much |
| 43317 | 181 auth rows in DMS is not possible via QMS API |
| 43319 | Force Tunnel with QVWS using a different port does not work |
| 43329 | Wrong association to bookmarks when you try to delete a minimized extension |
| 43348 | Server installation: No radiobutton preselected |
| 43349 | The select report dropdown is active in Ajax although the QVS does not allow printing |
| 43350 | There is no Option to switch between the dimensions when there more dimensions in Radar |
| 43351 | Chart Single Object Mode for SharePoint as a service integration. |
| 43355 | Configurable LDAP entries will changed from "dn" to "ADSPPATH" |
| 43356 | AJAX - Possible to drag an object inside a Container Object and even hide it |
| 43357 | Loading a text file with more than 66 million lines using http load |
| 43359 | |
| | Reload Issue using QlikView OCX version 10 SR3 and a OLEDB connection in the script |
| 43360 | Variable OnChange trigger not working with variable set with now() |
| 43370 | QMC: Document Administrators not able edit Authorization for "their own" User Documents |
| 43372 | Send to excel and "Print", icons does not appear in caption neither in context menu (as well as 'Export' and 'Note' are missing in Context menu for objects. (WebView) |
| 43373 | Search Object: when moving the object and the mouse marker/text remains in the previous place |
| | |

| 43374 | Distributions made to "All Users" distributes to both IQVS and QTSEL\Anonymous |
|-------|---|
| 43377 | QDS cluster environment: The first qds memory increase to 7 GB during a period of time of two days, the other seven qds's are still on 1 Gb. Memory leak? |
| 43382 | Qlikview server displaying old images using Bundle Info Load |
| 43385 | QMC: Strange Settings Service info on About page |
| 43388 | QlikView - Sorting doesn't work as expected |
| 43391 | Desktop - Dimension in pivot chart using indent mode doesn't resize as expected |
| 43392 | Property windows, Repository window, Add New Sheet Object window jumped left whenever moved (drag to new place) |
| 43393 | QV crash when scrolling in pivot table |
| 43396 | QVS - High memory usage when using Inputfield with thousands of values in IE Plugin |
| 43398 | Straight table height not correct in IE8 and Chrome with workbench |
| 43399 | Document randomly disappearing from Access Point |
| 43400 | RecNo() starts with 0 not with 1 |
| 43404 | Objects not populated in IPad/Ajax for a specific application |
| 43405 | Bookmark setting i.e. "Show in my favorites" is not de-selectable it got selected automatically. |
| 43403 | (web view) |
| 43408 | QMC: Datepicker not working when IE ESC is on and if "about:blank" isn't added to trusted sites |
| 43416 | Tasks get stuck reloading, and cannot be aborted manually |
| 43417 | Ajax - Bug / Requirement Button for Refresh in Ajax - Version 10 |
| 43434 | Shared reports in Ajax differ from the same report in plug-in and open-in-server |
| 43437 | Sheet background image vertical alignment not properly calculated |
| 43439 | I sometimes get internal inconsistency when I run stress tests |
| 43443 | Lock icon in caption in MultiBox is wrong |
| 43445 | Sort expression in straight table not working if expression is preceded by a disabled expression |
| 43450 | Colored spot in Edit Expression dialog |
| 43453 | Double click to add server object doesn't work anymore version 10.00.8932 |
| 43454 | Web Server - CPU 100% - QlikView 10 SR3 |
| 43463 | Garbled characters in Chinese Customize dialog (+ Russian + Chinese) |
| 43483 | QMC : SourceDoc -> AddTaskWizard -> Distribute is always saved to first QVS in list |
| 43484 | Extension Examples contains a direct link to QvAjaxZfc |
| 43495 | QMC: Orphan task issues |
| 43502 | IE 7 and 8: Can't export file or save to Excel when running https. |
| 43503 | No logging in QVS for connection from distribution tasks |
| 43509 | Certificates, QMS: QDS service not removed from QVPR thus generating error log every ~20 sec |
| 43510 | Certificates, QMS: Unable to remove a QVS node from cluster |
| 43512 | Unable to Select multiple characters by Holding Shift Key + using Arrow key in Input Box |
| 43517 | Error in QVB when loading from Excel macro-file (.xlsm) |
| 43519 | QMC: "Object reference not set to an instance of an object." when selecting a user document that has been configured to be preloaded on a cluster node that has been removed. |
| 43522 | WebParts objects too large causing scrolls |
| 43535 | Invisible property within Expression Tab is not valid/applicable for Grid/Block Chart but present and selectable with no reflection on chart |
| | I = |

| 43536 | Highlight property does not reflect changes in chart |
|-------|--|
| 43539 | Comments in the Expressions are not shown anywhere on the chart |
| 43548 | Show Axis Legend checkbox is inappropriate field for Block chart(with reference to desktop version) |
| 43553 | Text Style within "Text" tab is not working correctly. |
| 43560 | No logging in QVS for connection from distribution tasks |
| 43561 | Document Reload Fails with Inputfield |
| 43564 | Gradients in unpatched IE 8 do not work. |
| 43569 | Impossible to change printer default settings from within Qlikview Developer |
| 43570 | Zoom function destroys Edit Expression for input Box |
| 43571 | AJAX - internal spaces removed |
| 43575 | If you can't open a file in plugin due to cal limitation the AccessPoint stops responding |
| 43584 | AJAX: Tooltip doesn't go away |
| 43595 | Loading Content on Access Point on pub11.qliktech.com |
| 43597 | QDS : Changing supervisors will not have any affect until a task is edited+distributed or QDS is restarted |
| 43602 | When changing objects in a grid container, they do not appear where expected |
| 43605 | Edit/Delete menu (for Comments) does not appear in Tabs. Unable to edit and Delete comments |
| 43607 | IE7: Some settings doubled in sheet object properties |
| 43612 | Certificate: QV Settings service will not start automatically after adding certificates |
| 43613 | Certificates: QDS service will not start automatically after adding certificates |
| 43614 | Documents unavailable when 1 QVS node goes offline |
| 43628 | Unable to horizontal scroll in Ajax for small devices |
| 43633 | MSI: The installation flow changes when using Config and playing with next and back |
| 43639 | Unexpected Exception when trying to add QVW to Source Control |
| 43640 | Source Control operations cause QV to lose focus |
| 43654 | Delete note is not working correctly in iPad |
| 43655 | Dropdown menu for selection of dimension within Properties does not close with closing of property window |
| 43658 | working with extensions in WebView crashes qv desktop |
| 43660 | QMC: Task Dependencies->each retry generates individual logs with mixed Success and Failure |
| 43665 | Send to excel and "Print", icons does not appear in caption neither in context menu (as well as 'Export' and 'Note' are missing in Context menu for objects. (WebView) |
| 43666 | Distributions made to "All Users" distributes to both IQVS and QTSEL\Anonymous |
| 43667 | QMC: Strange Settings Service info on About page |
| 43669 | Document randomly disappearing from Access Point |
| 43670 | QMC: Datepicker not working when IE ESC is on and if "about:blank" isn't added to trusted sites |
| 43675 | Lock icon in caption in MultiBox is wrong |
| 43676 | Sort expression in straight table not working if expression is preceded by a disabled expression |
| 43696 | QDS: Replacing DSC cluster will remove DSC cluster info from QDS-settings |
| | |
| 43705 | Remove contents of API calls ActivateAll, DeactivateAll |

| 43710 | CWE-732: Incorrect Permission Assignment for Critical Resource - Case 1 |
|---------|--|
| 43711 | CWE-732: Incorrect Permission Assignment for Critical Resource - Case 2 |
| 43712 | CWE-732: Incorrect Permission Assignment for Critical Resource - Case 3 |
| 43720 | CWE-532: Information Exposure Through Log Files |
| 43730 | QDS: Upon task distribution any changes in QVS cluster is not accounted for |
| 43734 | E9: Unnecessary scroll bar added to session collaboration invitation dialog |
| 43736 | Treeview list box scroll back to the top when expanding in Ajax (IE9, Safari) |
| 43738 | QMC: Last added/removed user to distribution list doesn't get added/removed when |
| | distributing via E-mail |
| | QMC: Layout for Document Control part in User Docs moves in IE8 |
| | Showing Dbg button in Ajax toolbar should be possible in release mode |
| | Treeview list box not working in Ajax |
| | QMC: Last added/removed user to distribution list doesn't get added/removed when |
| | distributing via E-mail QMC: Layout for Document Control part in User Docs moves in IE8 |
| | Unchecked "Size to data" not working |
| | Treeview list box is difficult to expand in the Touch client |
| | Treeview list box is difficult to expand in the Small Devices client |
| | Personal Edition error prompt when double clicking a qvw on the Standalone server although |
| | user has a valid leased license |
| | Documentation and tutorial is opened in different language every time if using shortcut. |
| 43777 | AccessPoint slow when choosing categories or searching |
| 43780 | Text rendering different in version 11 compared to version 10 |
| 43788 | Orientation in Printing Settings wrong when using Properties |
| 43790 1 | Drawing of chart failed internally in pie chart |
| 43798] | Inconsistency in QEMC, Management Service, Summary tab vs. Help text |
| 43800 | Very small watermarks in QlikView and Ajax with Test edition = Yse license |
| 43801 | No watermarks when using Test edition = Yes in Open in server and plugin |
| 43812 | Fouch - Cycle and Drill Down groups do not work in charts |
| 43813 | Touch - No right click option available for cycle groups |
| 43814 | Small Devices - No right click option available for cycle groups |
| 43823 | View documents as list/thumbnails are both selected |
| 43824 1 | Bookmarks created on server not visible on Motorola Xoom and Vice Versa |
| 43830 | Update hover tooltip and loader overlay on objects |
| 43831 | Multiple Columns is not working correctly for List box |
| 43834 | Unable to make multiple selections in Table Box- Motorola Xoom and IPad |
| 43835 i | Pad and Ajax: Font Overlay when using the associative search |
| 43838 I | Possible to CLEAR locked selections - Xoom/IPad |
| 43842 I | Extension pie charts are not displayed in one of our Example documents |
| 43865 | AJAX - Right clicking for fast change icon display error |
| 43866 I | Rename field doesn't work when field name already exists |
| 43867 I | Rename field doesn't work when field name already exists |
| 43868 | ServerSideExportEx exported files are not in the correct format in charts |
| | |

| 43871 | AJAX loses connection when making search in chart with mixed dimensions and expressions |
|-------|---|
| 43872 | I don't get any session log when I open documents on QVS |
| 43873 | QlikView - Chart - QV crashes after changing first character of typed Expression in Expression editor |
| 43874 | A bar chart dimension legend with scroll list (up/down arrow) results in "drawing of chart failed internally" |
| 43875 | Not possible to click and drag scrollbar in Trellis bar chart |
| 43886 | QMC: Date format in Started/Scheduled filter is hardcoded to "yyyy-mm-dd" |
| 43887 | Drawing of chart failed internally in Combo chart |
| 43895 | WebParts - Two session/usage CALs are used for each action |
| 43898 | Script parameters - changed behavior on Reload only tasks |
| 43899 | Clear All Selections from menu does not work |
| 43900 | Group resize of sheet objects is not retained upon save |
| 43904 | Tasks fail if you run the QDS service with an account that is not local administrator |
| 43908 | QVS stops and does not recover, goes Off Duty |
| 43909 | QDS: Failed to update notification file |
| 43911 | Extensive information in Document Support Information |
| 43912 | Header error in Status > Task > Task history |
| 43914 | Wrong help file shown for templates |
| 43915 | Installation: Erroneous source folder (but identical files) |
| 43918 | QMC : SourceDoc -> AddTaskWizard -> Distribute is always saved to first QVS in list |
| 43919 | WHERE clause with '+' or '-' in a LOAD statement not working |
| 43921 | Mixed case directory groups not resolved by Section Access NTNAME |
| 43922 | Section Access OMIT column field value is still visible under Search Objects results |
| 43923 | QlikView OCX Developer license should work as QlikView Desktop license as well |
| 43924 | QlikView OCX not issuing a runtime license |
| 43925 | QEMC - Group resolution with OpenLDAP doesn't work |
| 43926 | IE 7 and 8: Can't export file or save to Excel when running https. |
| 43950 | JavaScript error in QMC |
| 43962 | Section Access Management : Cannot delete Default Table |
| 43973 | Compilation of bug fixes and improvements merged from \$/Ver10.00/Sandvik branch |
| 43976 | QMC > Licenses: Cannot read confirmation or error message |
| 43977 | Sheets with conditional show don't appear where expected |
| 43982 | Not possible to scroll a chart using touch/swipe (AJAX on iPad) |
| 43983 | It is not possible to scroll in a list in a chart in Ajax on iPad |
| 43997 | Cannot single tap a bar or slice to make a selection |
| 44004 | QMC: Not possible to set access method to Download only on task |
| 44015 | Category for any kind of task not sorted/not wad |
| 44018 | New cell icons |
| 44041 | Help file generation command line "-x file1.h file2.h file3.h" will crash when exiting |
| 44057 | Plugin - Replacing bookmark removes the shared permissions |
| 44064 | Blurry text in grid objects (tables) in Chrome, Safari, iPad, iPhone |
| 44067 | QV crash when adding a non saved document to SC and then trying to save, when document has existing objects. |
| - | |

| 44069 | Remove Assert in DoGetUtilizationData |
|-------|--|
| 44076 | QVS restarts under heavy load conditions due to bad formed QVPX2 request |
| 44079 | Selecting in chart can cause a crash |
| 44095 | SVN: Entered Repository URL is cut next time you Add a project to Source Control |
| 44097 | SVN: User Name and Password not entered together with SVN Server |
| 44099 | SVN: Multiple "Select SVN Folder" pop-up windows can be opened. |
| 44102 | SVN: The Browse button is useful first when an URL has been entered; therefore it should be |
| 44108 | outgreyed until then. SVN: Progress bar needed to indicate that something is happening |
| | |
| 44111 | SVN: Password still entered after checkbox has been removed |
| 44112 | Every time a distribution task without reload and with EDX trigger runs from QMS API Client an extra "All Users" will be added under Authorization tab in User Documents |
| 44114 | SVN: Enter in comment field with several rows - OK button is clicked instead of getting to the |
| | next row |
| 44116 | Text is cut, not wrapped in QMC labels |
| 44119 | SVN: "In SC" changes to "In SC*" after performing a reload. |
| 44122 | SVN: QV hangs after merging |
| 44141 | (AJAX) Poor rendering in tables in Chrome. |
| 44142 | (AJAX) Refine and update Autocomplete in dropdowns in Properties |
| 44144 | (AJAX) Loader screen for documents |
| 44149 | SVN: Browse for Local Destination is shown from scratch even though a path has been entered |
| 44153 | SVN: QV is not requesting password if it has not been entered in Settings |
| 44171 | TriggerEDXTask with NULL password gives TaskStartResult as OtherError |
| 44174 | SVN: Sometimes no action in QV after merge with TurtoiseMerge |
| 44182 | Note window "X" gets practically hidden with the right corner of the document in AJAX client |
| 44187 | SVN: It is possible to move objects in document while merge window is open |
| 44190 | QMC : CPU affinity displays max 25 cores |
| 44193 | Container object jumps in Ajax when making a selection |
| 44195 | Search object loses its focus in Ajax |
| 44199 | IE Plugin - Letter "Z" does not work in notes |
| 44215 | Desktop - When a Static Min value is defined for dimension in a bar chart, bars are no longer displayed when a selection is made |
| 44262 | SVN: Change in QV window size from maximized to smaller or the other way around causes |
| | "In SC*" |
| 44266 | QV 11 Tutorial with QV PE does not work as expected |
| 44270 | Reload tasks (QVS only or with Publisher) finishes with warning |
| 44284 | Dynamic update: With Insert Replace Each the replaced value are still visible |
| 44297 | QV Server only: Task Reload fails if a space is in the mounted folder name |
| 44306 | Inputfields - while doing loop and reduce |
| 44311 | Mobile Client - Unable to remove tabs |
| 44336 | Carriage return chr(13) not working as in previous versions |
| 44339 | Apply button grayed out when using Totalsl Use Label with Straight Table |
| 44346 | Not possible to add project to SC when having Unicode in filename |
| 44348 | SVN: New document not deleted when cancel Get Project |
| 44350 | If QlikView WebServer does not start, port 4750 cannot be changed |
| ь | |

| 44358 | Export/Import sheet layout no longer possible to do in version 11, but still mentioned in help/ref manual |
|-------|--|
| 44362 | SVN: In SC still visible after Save As |
| 44363 | Single machine server - tasks stuck in Running state : "Task is running at other cluster |
| | member" |
| 44372 | iPhone/iPad Multiple Selection in Multi Box Not Work |
| 44385 | Internet Explorer: Direct Link to document with IEPlugin does not work |
| 44389 | Download Document or Print and Export to Excel does not work when set to All Authenticated in tasks |
| 44391 | Qlikview Distribution Service - Batch Reload: When reloading via |
| | qlikviewdistributionservice.exe with command line task errors with: Error |
| | Exception=System.NullReferenceException: Object reference not set to an instance of an |
| | object. |
| 44391 | Qlikview Distribution Service - Batch Reload: When reloading via |
| | qlikviewdistributionservice.exe with command line task errors with: Error |
| 44407 | QMC: Unable to add and run two QVS servers in parallel |
| 44423 | Documentation - Qlikview Server Reference Manual are referring to AccessPointSettings.aspx file |
| 44426 | The status of tasks shows as failed in Task History Details while they are running |
| 44459 | QMC broken due to added jQuery dependency |
| 44479 | Application created in version 9 cannot be opened in version 11 |
| 44483 | QMC: Tables in UI does not show the correct information. |
| 44514 | QlikView Server - Temporary bookmarks not removed from .shared file |
| 44517 | Linebreak "\n" in Text object does no longer work |
| 44518 | Cannot create Bookmarks in Ajax unless in document properties/server you have "Allow Server Objects" checked |
| 44520 | Ajax/WebView - Object Properties German translation of label "More" is wrong |
| 44534 | Labels in DSPSettings Dialog get truncated |
| 44536 | Ajax/WebView: Some Special Icons in objects are not shown |
| 44538 | Check that the QMC Webhelp works properly after removal of chunk files from the MSI |
| 44541 | QVS German Interface language setting issues - More button |
| 44542 | QVS Portuguese Interface language setting issues - Broken tabs on foldout |
| 44546 | SVN: Progress bar not always visible when performing Get Project several times |
| 44563 | Problems with Portuguese interface language for iPad & IPhone |
| 44564 | Problems with German interface language for iPad & IPhone |
| 44566 | Source control-same change as server |
| 44568 | Document access is downgraded from Admin to User when opening a document created in QV9 in QV11 |
| 44570 | Application created in v10 cannot be opened in v11 |
| 44578 | French Tutorial PDF not so pretty |
| 44587 | QV11 Expression group shows wrong expressions no in Combo Chart |
| 44588 | Dimension Limits>Show Others: Unable to Choose Other in Pie/Bar Chart but Able to in Straight Table |
| 44589 | QlikView 11 - Conditional Dimension - Sort Not Functioning Properly |
| 44598 | AJAX - The Current Selection box is not emptied with Clear |
| 44615 | QEMC - Script - QVD generation: If you store to a QVD, the user name and password are stored in clear text in the XML portion of the QVD |
| | |

| 44618 | SVN: No good way to abort an Add project |
|-------|---|
| 44628 | Persistent Cross-Site Scripting (XSS) via bookmark name |
| 44630 | SVN: Error message window can be closed prior to closing the browser window |
| 44633 | SVN: Data missing when reloading after SC |
| 44679 | Grid Multibox resize can cause error |
| 44681 | Publisher - Read Document Log was Aborted - Warning |
| 44683 | Ajax Client "Allocated memory Exceed" issue |
| 44707 | Straight Table: Expression shows empty result |
| 44722 | Problems connecting to a server from workbench project |
| 44723 | Workbench: QlikView WebServer via JavaScript div Tag - pops up "no connection" message |
| 44725 | Workbench JavaScript div Tag" search icon can't be replaced with custom icon |
| 44729 | Custom Format Cell does not format header row |
| 44734 | QlikView Management Console - "Send test-email to" return message from Mail server gets truncated |
| 44780 | Unexpected exception when clicking in "Select one metric" ListBox in the What's new QlikView 11.qvw |
| 44783 | SVN: Variable value not saved after SC |
| 44803 | QVS 11 IR QVS.exe crashes when a document is opened in AccessPoint and the user gets a response in both AJAX and IE Plugin "You're out of session/Usage CALs" |
| 44814 | Pivot Table: problem with header color |
| 44819 | SVN: Field properties not saved |
| 44822 | QlikView Desktop - Interval not displayed in defined format beyond a certain value |
| 44839 | Include Japanese server PDF in installation build |
| 44840 | The cursor is not right placed in the script. |
| 44850 | V11- Enable Conditional dimension under the pivot table properties the layout would shift very randomly |
| 44877 | Module File is Saved in .js or .vbs instead of .qvs |
| 44879 | Default values for project files not correctly interpreted |
| 44894 | Remove the active thumbnails from the small devices client |
| 44908 | (WebView/Ajax) "Allow Drag and Drop" setting does not work on Table Box Object |
| 44962 | License lease lost after QlikView restart when using DMS with Custom Users |
| 44966 | Open URL with special characters is inconsistent. |
| 45041 | AJAX/WebView: ListBox in Container within Container Grid Style gives trouble in AJAX/WebView |
| 45102 | Server - anonymous users are treated as one user |
| 45104 | iPad Small Device Version Menu Empty with Japanese interface |
| 45181 | QMC: Created QVD doesn't refresh automatically in the left pane |
| 45187 | Export to Excel formatting cells with missing values |
| 45197 | QVS German Interface language setting issues - Three line string |
| 45202 | QVS German Interface language setting issues - Broken tabs on foldout |
| 45207 | QVS non English Interface language setting issues - Document Info |
| 45208 | QVS German Interface language setting issues - Context menus |
| 45209 | QVS German Interface language setting issues - Help |
| 45212 | QVS Portuguese Interface language setting issues - Context menus |
| 45218 | QVS Portuguese Interface language setting issues - Mixed German and Portuguese |
| · | |

| 45220 | QVS Portuguese Interface language setting issues - String overlap |
|-------|---|
| 45226 | Server - Distribution - QDS hanging with Exception=System.OverflowException: Value was |
| | either too large or too small for an Int32 error |
| 45303 | AJAX - IE - Report -Report Titles get cut off in the drop down |
| 45348 | Table blank, no data visible |
| 45393 | Documentation is lacking on OpenDocumentEx |
| 45419 | Unable to Make Selection by Choosing Text in Legend |
| 45461 | Document Bug: ServerSideExport is outdated and has been replaced by ServerSideExportEx the API guide should be updated to reflect this |
| 45474 | Russian: Russian does not work at all |
| 45488 | File over 5 GB fails to reload from QMC |
| 45498 | AJAX gives Unexpected Error in QV11 (same as bug 43764) |
| 45613 | Runtime Error! when clicking in a Search Object after document has been reloaded on server |
| 45680 | The "Bookmark" and "Select Report" dropdowns does not work in Ajax (Chrome) |
| 45687 | Dimensions dropdowns does not work for charts(Firefox) |
| 45691 | The dropdowns for "Bookmark" and "Select Report" does not work in Ajax (IE9) |
| 45698 | Calendar and Slider object not working properly (iPad - Small Device mode) |
| 45711 | QDS service does not start if run on a machine with American date format |
| 45819 | Ajax: Toolbar Show/Hide notes does not work properly |
| 45963 | iPad Safari IOS5.0 Multibox MultiSelection does not Work |
| 46221 | QlikView Desktop unable to save changes to Document Extensions |
| 46233 | User , Documents and Sheets properties cannot be saved in QV 11 Sr1 |
| 46235 | Creating an expression in AJAX properties, field get shift at front of the aggregation using the drop down tools. |
| 46249 | Access Point: Image as Thumbnail does not work |
| 46251 | Desktop: Create executable does not work anymore |
| 46446 | V11 - AJAX : When you have windows open behind the browser you have the current QV App and make a selection in any chart, all the windows behind the browser will shift on front of your browser/ screen. |
| 46606 | Ajax in IE and iFrame not working v11 SR1 initial release |