Qlik Connector for use with **SAP NetWeaver**

Installation guide for release 8.0.0 Published: June 2021

QLIK.COM

LEAD WITH DATA" QIKO



Contents

General configuration	3
Installing the connectors Prerequisites Backwards compatibility Installation package Installing and updating the license Check the version of the installed release	3 3 3 3 4 4
SAP Installation	5
Qlik SAP connectors and SAP user IDs Creating and maintaining an SAP User ID	5 5
SAP Transports Transports for release 8.0.0 Import transports	6 6
Passing through a Message server	8
Passing through a SAP Router	8
Passing through a Firewall	8
Error handling	8
BAPI connector configuration	9
Assign roles to Qlik SAP user	9
BEx connector configuration	10
Assign roles to Qlik SAP user	10
BW connector configuration	11
Assign roles to Qlik SAP user	11
DSO connector configuration	12
Assign roles to Qlik SAP user	12
Extractor connector configuration	- 13
Assign roles to Qlik SAP user	13
Install Qlik SAP Network Server	13
Extractor configuration in SAP	14
Temporary changes in SAP system configuration	15
Creating the Extractor Environment in the SAP system	16

Activating Extractors	19
Migrate Extractor Environment	21
Migrate activated Extractors	24
RFC connection error messages that can occur after configuration	28
Troubleshooting of the Extractor connector	29
InfoProvider connector configuration	30
Assign roles to Qlik SAP user	30
OLAP connector configuration	31
Assign roles to Qlik SAP user	31
Report connector configuration	32
Assign roles to Qlik SAP user	32
SAP Query configuration	34
Assign roles to Qlik SAP user	34
SQL connector configuration	36
Assign roles to Qlik SAP user	36
Testing SQL statements	36

General configuration

The purpose of this document is to guide you through the installation and configuration of the Qlik Connector for use with SAP NetWeaver. For information about how to use the connectors, please consult the online help: <u>SAP NetWeaver</u> <u>Connector</u>.

Installing the connectors

The Qlik Connector for use with SAP NetWeaver is installed with the QlikSAP_x64Setup.exe, which is the 64-bit (x64) installation package for Windows. The package can be installed on Qlik Sense or QlikView systems.

It is also required to import SAP transports. Please see the SAP Transport section for more information.

Prerequisites

See the online help: SAP NetWeaver Connector.

Backwards compatibility

The following table shows the current backwards compatibility of the SAP connectors available in Windows.

Connectors	Windows files	SAP transport (data extraction)
SQL	8.0.0	6.1.2 or later
SAP Query	8.0.0	5.80 SR2 or later
Report	8.0.0	5.80 SR2 or later
Extractor	8.0.0	5.80 SR2 or later
BAPI	8.0.0	5.80 SR2 or later
BW	8.0.0	7.0.6 or later
BEx	8.0.0	6.1.2 or later
InfoProvider	8.0.0	6.5.0 or later

Installation package

Do the following:

1. Download the *QlikSAP_x64Setup.exe* file from the Qlik download site.

This document covers the following releases:

Qlik Connector 8.0.0 for use with SAP NetWeaver

Release: June, 2021

The Qlik connectors are obtained from <u>www.qlik.com</u>. Log on with a registered customer or partner account, select Services > Customer Downloads and then select the **Qlik Connectors** tab.

- Double-click the *QlikSAP_x64Setup.exe*. The Qlik Connectors installation wizard starts.
- 3. Select I agree... and then click Install.
- If User Account Control (UAC) is disabled, the installation starts. If UAC is enabled, the User Account Control dialog is displayed. Click Yes to start the installation.
- When the installation has completed, click Close.
 A folder structure is created for Qlik Sense and QlikView.
 QlikView: C:\Program Files\Common Files\QlikTech\Custom Data
 Qlik Sense: C:\Program Files\Common Files\Qlik\Custom Data
 The folders contain all files required to use the connectors.

Installing and updating the license

See the online help: Installing and updating the license.

Check the version of the installed release

To check the release version, look at the Details tab on Properties for one of the connector dll or exe files. If the release version is not correct, manually delete all sub folders of C:\Program Files\Common Files\QlikTech\Custom Data and ...Qlik\Custom Data. Uninstall the 'Qlik Connector for SAP x64' from the 'Control panel' in Windows. Then install the connector package again.

SAP Installation

All the connectors except OLAP and DSO use Qlik objects in the SAP system for communicating between the client and the SAP parts of the connectors and for extracting data. The Qlik connector objects are stored in two SAP packages: /QTQVC/QTDEV and /QTQVC/QTDEV_BW (for the BW, Bex, and InfoProvider connectors). All objects are prefixed with the Qlik-reserved namespace at SAP, /QTQVC/. This makes the objects unique for Qlik.

After the objects have been imported into an SAP system, it is possible to import a Qlik deletion transport to remove them (if they should not be used anymore).

Qlik also provides roles that must be assigned to the SAP user ID to authorize it for use with the connectors. The SAP connector roles contain the required authorization objects. Authorization objects may be checked both by the Qlik SAP connector objects and by standard SAP objects called from the Qlik objects. The Qlik roles are not mandatory, and you can copy or modify the Qlik roles if necessary. You can also create your own authorizations.

The Qlik objects and roles are distributed to customers in SAP transports. There are two types of Qlik SAP connector transports. One type contains the Qlik SAP connector objects such as ABAP programs, function modules and dictionary objects (used for data extraction), and the other contains the Qlik SAP connector roles (used for user profile).

The transports are imported into the SAP system with the SAP transport management system.

See: Import transports.

Qlik SAP connectors and SAP user IDs

Creating and maintaining an SAP User ID

Create one or more SAP user IDs that will be used for back-end jobs for Qlik and for administration tasks in the SAP system. These users are not intended as Qlik end-users, so only a limited number of SAP users should be created. Creating multiple users increases traceability and enables you to give them different authorizations.

Do the following:

- 1. In the SAP system, go to transaction SU01.
- 2. Click Create (F8).
- 3. Give the user a name and a password.
- 4. On the Logon data tab, assign the user to User Type: Service.
- 5. Click Save.

If the installation is an upgrade from a previous version and any of the Qlik roles have been updated, update all users assigned to that role:

- 1. Go to transaction PFCG.
- 2. Enter the role name and click Change Role.
- 3. On the **User** tab, enter the name of the user(s) created above.
- 4. Click User comparison.

- 5. Click Complete comparison.
- 6. Click Save.

After SAP user IDs have been created, each of the Qlik Connectors for SAP can be configured. See chapters for each connector below.

SAP Transports

The SAP transports are found on the <u>Qlik Download site</u>. Download and extract the file '800 SAP transports.zip'. The zip file has the following content:

800 SAP transports
 BW systems
 Basis 731-73x
 Basis 740-75x
 Basis 740-75x (not HANA)
 ERP & BW systems
 Basis 731-740 SP07
 Basis 740 SP08-75x

The transports must be imported in the correct order:

- 1. Data extraction transports
- 2. Role transports (user profile)

The Data extraction transport is cross-client. It must be imported into the base client (usually 000). The Role transports are client-specific and must be imported into all clients where they will be used.

See: Import transports.

Transports for release 8.0.0

Information about which transports to import can be found in the online help: Installing the SAP transports on Windows.

Import transports

It is recommended that the transports are imported into the SAP system by SAP Basis experts. There is normally no need to delete the Qlik objects from a previous release before import, because the objects from the latest transport overwrites previous ones.

Depending on SAP Basis, the following options might need to be selected in transaction **STMS** (see example below):

🕞 Import	Transport Red	quest		×
Transport F Target Syst Target Clie	Request tem nt	H7TK900 H7R 000	0299 Package /QTQVC/QTDEV_BW release 8.0.0 for basis >= H7R SAP AG Konzern	
Date	Execution	Options		
Import	Options			
🗸 Leave	e Transport R	equest in Queue	e for Later Import	
Impo	ort Transport I	Request Again		
V Over	write Originals	5 1	Develop	
V Over	write Objects	tod Transport T	Repairs	
	re Non-Permit	ted Table Class	ype	
✓ Iano	re Predecesso	r Relations		
Igno	re Invalid Con	nponent Version		
			S = 1	u v

After import, check the transport log like below.

Import Q	ueue: System I	H7R				
🚱 🏛 🗄	🕻 🕀 📋	🍸 🚰	66	🖹 🖃 % <mark>ß</mark>	🔒 🚐 🖳 🖽 🗃 😰 📰 🗐	
뵺 Reque:	Requests for H7R: 0 / 2					
Number	Request	Clt	RC	Owner	Short Text	
1	н7тк900297 <mark>Н7тк900299</mark>	000		HRG HRG	Check release Package /QTQVC/QTDEV_BW release 8.0.0 for basis >= 7.40	

Put the cursor on the transport and press the 'Logs' button.

The log example below illustrates a successful import. Warnings normally do not indicate a problem, but if the log lists errors, they must be corrected.

Overview of Transport Logs	s				
🚱 🗟 60 🛅 🛅 🗐	1				
Display restricted to targ	get system H7R				
Log Overview for H7TK9 H7TK900299 H7R H7R H7R H7R H7R H7R H7R H7R H7R	900299 (HRG) Package /QTQVC/QTDEV_BW releas R lection for Import port ABAP Dictionary Objects AP Dictionary Activation port eck Versions thod Execution neration of Programs and Screens eps not specific to transport request	<pre>07.06.2021 07.06.2021 07.06.2021 07.06.2021 07.06.2021 07.06.2021 07.06.2021 07.06.2021</pre>	08:28:32 08:30:43 08:30:58 08:31:12 08:31:17 08:31:21 08:31:39	(0) (0) (4) (0) (0) (0) (0)	Successfully Completed Successfully Completed Ended with Warning Successfully Completed Successfully Completed Successfully Completed Successfully Completed

Passing through a Message server

If passing through a message server, an entry (for the Message server Port) may have to be added in the 'services' file. Add sapmsxxx 36nn/tcp, where xxx is the system ID and nn is the system number (of the Message server). If it is the last line in the file, add a new line break after the entry.

As an alternative to updating the 'services' file, you can enter the Message server Port number directly, instead of the System ID, when creating the connector connection. The Port number is of the form 36nn where nn is the system number.

Passing through a SAP Router

Paste a string like this in the 'Host' field when creating the connection:

/H/<Host name or IP number of SAP Router>/S/3299/H/<Fully Qualified Domain Name of target system> The port which the SAP Router is listening to is always 3299.

If passing through a Message server, please read that section above as well! Note that the 'services file' also must be updated on the SAP Router server. In that case the SAP Router needs to be restarted. For some reason the first try to connect via the SAP Router after a restart may fail. If so, try again!

New Connection String Properties are available to assure that the routing through a SAP router goes the expected way. They are:

SAPRouter (If the connection needs to be made through a firewall via a SAP Router, specify the SAPRouter parameters here in the following format: /H/hostname/S/portnumber)

GatewayHost (The (Fully Qualified) hostname of the gateway at which you want to register (usually the host name of Message server))

GatewayService (The service name (as defined in etc/services) or the port number under which the gateway is listening)

Connection string example:

;SAPRouter=/H/99.99.99.99/S/3299;GatewayHost=SAPMSHOST;GatewayService=9999;

Passing through a Firewall

If there is a firewall between the connector and the SAP system, port 33nn must be open (where nn = system number of the SAP system).

Error handling

When a connector error occurs, check the corresponding log file. Note that some connectors create more than one log file for the same job.

The log files are located in the log directories for the individual connectors. The path to the log files for QlikView is:

C:\ProgramData\QlikTech\Custom Data\QvxxxConnector\Log

For Qlik Sense it is:

```
C:\ProgramData\Qlik\Custom Data\QvxxxConnector\Log
```

The xxx represents the connector-specific name, such as QvBexConnector.

BAPI connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the BAPI connector. Qlik provides roles that contain the necessary authorizations. It is possible to assign different roles to different users dependent of need, or all roles can be assigned to one user. The roles are:

- 1. QTQVCADMIN: There are some Qlik transactions in the SAP GUI. Most of them require that this role is assigned to the user.
- 2. QTQVCACCESS: To be used by a connector back-end user for doing extraction jobs from Qlik.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction SU01.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired role(s).
- 4. Click Save.

If the installation is an upgrade from a previous version and any of the Qlik roles have been updated, please see: <u>Creating and maintaining a SAP User ID</u>.

A BAPI might check authorization objects that are not part of the Qlik roles. In that case, they can be added to the role QTQVCACCESS or added to an additional customer developed role that is assigned to the Qlik SAP user.

BEx connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the BEx connector. Qlik provides roles that contain the necessary authorizations. It is possible to assign different roles to different users dependent of need, or all roles can be assigned to one user. The roles are:

- 1. QTQVCADMIN: There are some Qlik transactions in the SAP GUI. Most of them require that this role is assigned to the user.
- 2. QTQVCACCESS: To be used by a connector back-end user for doing extraction jobs from Qlik.
- 3. QTQVCBWACCESS: To be used by the OLAP, DSO/ODS, BEx, InfoProvider, and BW Connectors back-end user for doing extraction jobs on an SAP BI/BW system.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction *SU01*.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

BW connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the BW connector. Qlik provides roles that contain the necessary authorizations. It is possible to assign different roles to different users dependent of need, or all roles can be assigned to one user. The roles are:

- 1. QTQVCADMIN: There are some Qlik transactions in the SAP GUI. Most of them require that this role is assigned to the user.
- 2. QTQVCACCESS: To be used by a connector back-end user for doing extraction jobs from Qlik.
- 3. QTQVCBWACCESS: To be used by the OLAP, DSO/ODS, BEx, InfoProvider, and BW Connectors back-end user for doing extraction jobs on an SAP BI/BW system.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction *SU01*.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

DSO connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the DSO connector. Qlik provides a role that contain the necessary authorizations. The role is:

1 QTQVCBWACCESS: To be used by OLAP, DSO/ODS, BEx and InfoProvider Connectors back-end user for doing extraction jobs from SAP BI/BW system from Qlik.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction *SU01*.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

Extractor connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the Extractor connector. Qlik provides roles that contain the necessary authorizations. It is possible to assign different roles to different users dependent of need, or all roles can be assigned to one user. The roles are:

- 1. QTQVCEXTRACTOR: To be used by Extractor Connector Back-end user for doing extraction jobs from Qlik.
- 2. QTQVCEXTRADM: This role is used to activate and generate the extractors in an SAP system. It can also be used to test Extractors in the SAP system and to monitor Extractor jobs.
- 3. QTQVCEXTRSETUP: This role can be used to create, delete, and verify the setup of the logical system in an SAP system for later use by the Extractor Connector. It can also be used for administration tasks like migrating Extractors and the Extractor Environment.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction SU01.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

If the installation is an upgrade from a previous version and any of the Qlik roles have been updated, please see: <u>Creating and maintaining a SAP User ID</u>.

Install Qlik SAP Network Server

A service is required when using the Extractor connector. The main reasons to use a service are to support parallel loads and be able to use Extractors containing many fields (field character sum greater than 1000).

SrvService.exe	2017-05-29 08:54	Application	878 KB
SrvService_Console.bat	2017-05-02 09:40	Windows Batch File	1 KB

These service files are installed in:

C:\Program Files\Common Files\QlikTech\Custom Data\QvSAPConnector.

NOTE: The Service setup file is installed in the folder above and **not** in the folder C:\Program Files\Common Files\Qlik\Custom Data\QvSAPExtractorConnector (even though only Qlik Sense is used).

Do the following:

- 1. Start a new command prompt using **Run as administrator** and enter the path to the folder of *SrvService_Console.bat*.
- 2. At the command prompt, start *SrvService_Console.bat*.
- 3. Install the service by selecting option 2: Install Server Service.
- 4. Once installed, select option 3: Start Service.

The service can optionally be started from the Microsoft Management Console (MMC). In MMC, the service is called Qlik SAP Network Server.

It is only possible to have one service per SAP environment running, to avoid a mismatch. For example, if a customer has different Develop, Test and Production environments, it is recommended that you have one service per environment. However, they cannot be installed on the same server. The servers must have different IP addresses.

The service must be stopped during an upgrade of the connectors, and the file *SrvService.exe* should be replaced with the new version before starting the service again.

NOTE: The Qlik SAP Network Server Service is from release 7.0.0, for security reasons, limiting the connections from incoming client so only localhost clients are allowed by default. However, this restriction can be adjusted be altering the settings file (C:\ProgramData\QlikTech\Custom Data\QvSAPConnector\settings.config), see Qlik Online Help or the settings file for details on how to do this.

Extractor configuration in SAP

A series of standard extractors are delivered within SAP for data transfer to the SAP Business Information Warehouse. If BI/BW is not used, proceed as follows to activate a series of processes within SAP:

Do the following:

- 1. In some cases, the set up must be performed from the customizing side, which is reached through the *SPRO* transaction and the **Activate Business Functions** menu.
- 2. In the SAP system, go to transaction SBIW to transfer and activate the BI/BW DataSources.



- 3. Check that the tree hierarchy and data sources are activated.
- 4. If this is not the case, transfer the Application Component Hierarchy and then the Business Content DataSources.



5. Transfer Application Component Hierarchy:

Co.	nfirmat, prompt			\boxtimes			
0	Do you want the content application Transfer Component Hierarchy?						
	Yes	No	×	Cancel			

Click Yes.

6. Transfer Business Content DataSources:

Start by activating the tree hierarchy and then activate each data source to be used.



Installation of DataSource from Business Content

Temporary changes in SAP system configuration

Some changes to the SAP system configuration are necessary to make it possible to create the Extractor Environment (described in the next section). The SAP system configuration can be restored after the Extractor Environment has been created.

Do the following:

- 1. In the SAP system, go to transaction SCC4.
- 2. Select Client.
- 3. Change the system to reflect the following options:

Changes and Transports for Client-Specific Objects

- Changes without automatic recording
- Automatic recording of changes
- No changes allowed
- Changes w/o automatic recording, no transports allowed

Select one of the first two options.

-
-

- 4. Go to transaction *SE03*. Double-click **Set System Change Option** under **Administration**.
- 5. Check that the following options are set to Modifiable:
 - Global Setting
 - Local Developments (No Automatic Transport)
 - Customer Name Range

Creating the Extractor Environment in the SAP system

The Extractor Environment must be created before the Extractor connector can be used. It is possible to have many Extractor Environments (one per Logical system). In that case, repeat the 'Create' procedure and use a different name in the field 'Logical system of receiver'.

Do the following:

1. In the SAP system, go to transaction /n/QTQVC/EXTRACTOR_ADM and select the Create option.

Maintain Extractor e	environment
•	
Select maintenance option regard	ding Extractor environment:
Create	
O Verify	
ODelete	
OModify (RFC Destination)	
Logical system of receiver	QTQVCEXTR2
Server name for RFC	SAP1BW73LD_B7D_00

2. Select a Logical system of receiver name.

When selecting a Logical system name, it must be one word like QTQVCEXTR1 and not QTQVC_EXTR1. To prevent a mismatch, fill the whole field with 10 characters.

3. Select a Server name for RFC.

Select the server that the Extractor Connector will use for the RFC Communication. The user can look

up possible servers in the SAP system cluster (same as in transaction *SM51*) under Server Name, and select one of them to enter in the field Server Name for RFC.

- 4. Press the 'Execute' button.
- 5. When finished, restore the SAP configuration changes made in the previous section.

Create

- Creates the logical system of the receiver.
- Creates the RFC connection (same name as the logical system).
- Creates the partner profile of type LS (same name as the logical system).
- Creates the Basic IDoc type for data transfer. The name is hard-coded like "ZSQAQTQVCEXTR1".

Verify

• Verifies that all necessary components of the Extractor environment are configured.

Delete

• Deletes all components in the Extractor environment.

Modify

• Modifies the RFC Destination.

In this transaction, the RFC Destination used for RFC communication is created or modified. The following information is applicable to both the **Create** and **Modify** options.

You must select a server that the Extractor Connector will use for the RFC communication. The user can look up possible servers in the SAP system cluster (same as in transaction *SM51*) under **Server Name**, and select one of them to enter in the field **Server Name for RFC**:

🔄 Server Name (2) 3	Entries found
Restrictions	
ਂ⊠₿₿₿₽]
Server Name	Host Name
SAPDBW73LD_B7D_00	SAPDBW73LD
SAP1BW73LD_B7D_00	sap1bw73ld
SAP2BW73LD_B7D_00	sap2bw73ld

If the Central instance is part of the list, it can also be selected. The selected server should have dialog processes.

In this example the Gateway Host (*SAP1BW73LD.RDLund.qliktech.com*) and Gateway Service (*sapgw00*) of the selected server are used when the RFC Destination is created or modified. Check the result in transaction *SM59* under TCP/IP connections:

RFC Destinatio	n QTQVCEXT	R2		
Connection Test Uni	code Test 🛯 🎾			
RFC Destination Connection Type 1	QTQVCEXTR2 TCP/IP Connect	ion	Description	tRFC
Description 1 Au Description 2 Description 3	itomatically general	ted by QlikView - please o	lo not modify.	
Administration	Technical Settings	Logon & Security	Unicode St	oecial Options
Activation Type Ostart on Applicati Ostart on Explicit H Ostart on Front-En	on Server lost d Work Station	Registered	Server Program	1
Registered Server Pr	ogram			
Program ID	QTQVCEXTR	12		
Start Type of Extern	al Program			
 Default Gateway Remote Execution Remote Shell Secure Shell 	r Value on			
CPI-C Timeout				
 Default Gateway V Specify Timeout 	alue	60 Defined Value in	1 Seconds	
Gateway Options				
Gateway Host	AP1BW73LD.RDLu	nd.qliktech.com	Delete	2
Gateway service s	apgw00			

The Windows part of the connector will always use the Gateway Host and Gateway Service of the selected server when registering the Program ID of the RFC Destination (starting up the 'listener').

It is possible to change to another server anytime. The RFC Destination can easily be updated with the Gateway Host and Gateway Service of the new server and the connector will automatically use the new settings when starting up the 'listener'.

The RFC Destination can be updated in the transaction */n/QTQVC/EXTRACTOR_ADM* by using the option **Modify** or by using the SAP transaction *SM59*.

If connecting through an SAP Router, the RFC Connection in SAP needs to be manually changed in transaction SM59. The 'Gateway Host' needs to be changed to:

/H/addr.to.SAPRouter/H/addr.to.SAPsystem

The 'Gateway service' value can be kept if correctly set in /N/QTQVC/EXTRACTOR_ADM. If the server is changed in SAP, the Service Qlik *SAP Network Server* must be restarted.

The SAP parameter SAPLOCALHOSTFULL must contain the correct value for each server. Log on directly to each SAP server and check the value in transaction *RZ11*. SAPLOCALHOSTFULL should contain the Fully Qualified Domain Name of the server.

Activating Extractors

The Extractors must be activated in the SAP system before they can be used by the connector.

Note that in a SAP BW system, the Extractor source must be generated as Export DataSource before it can be activated in this transaction.

Finding Extractors:

- 1. In the SAP system, go to transaction RSA6.
- 2. Select a DataSource/Extractor in the transaction by high-lighting it and copying the technical name (using **Ctrl+Y** on the keyboard). This can also be done manually.

- 🖂	L0-I0	Logistics Master Data
-	OARTICLE_ATTR	🔚 Article Number

3. Go to transaction /n/QTQVC/ACTIVATE.

Logical system of receiver	QTQVCEXTR1 Language EN Transfer Method • tRFC	OIDoc	
Extractor name	OARTICLE_ATTR Get Extractor		
Activate Extractor	OARTICLE ATTR Article		_
	(
FIELDNAME	DESCRIPTION	SELECT	
AEKLK	Stock Transfer Net Change Costing	х	
AENAM	Name of Person Who Changed Object	х	
AESZN	Document change number (without document management system)	х	
ATTYP	Material Category	х	
BEGRU	Authorization Group	х	
BEHVO	Container requirements	х	
BFLME	Generic Material with Logistical Variants	х	
BISMT	Old material number	х	
BLANZ	Number of sheets (without Document Management system)	Х	
BLATT	Page number of document (without Document Management system)	х	
BMATN	Number of firm's own (internal) inventory-managed material	х	
BRAND_ID	Brand	х	
BREIT	Width	х	
BRGEW	Gross Weight	Х	
BSTME	Purchase Order Unit of Measure	Х	
BWSCL	Source of Supply	Х	
BWVOR	Procurement rule	Х	
CADKZ CAD Indicator		Х	
CARE_CODE Care Codes (such as Washing Code, Ironing Code, etc.)		Х	
CMETH	Quantity Conversion Method	Х	
COLOR	Characteristic Value for Colors of Variants	Х	
∢ ▶		4 1	۲

- 4. Enter the name of the **Logical system of receiver** or select it from the drop-down menu.
- 5. Select a Language.
- 6. Paste the selected Extractor name in the **Extractor name** field or select an Extractor from the dropdown menu.
- 7. Click Get Extractor.
- 8. Select the field(s) to activate (X) or select all fields.
- 9. Choose transfer method **tRFC** or **IDoc**.
- 10. Click Activate Extractor.

Migrate Extractor Environment

When the Extractor environment has been created, it is possible to migrate it to other SAP systems in the landscape by using the SAP transport management system. This functionality can be used by customers who do not want to change the SAP configuration in production systems. Instead the Extractor environment can be created in a development system and migrated to the production system.

Do the following:

- 1. Create the Extractor environment in the unlocked source system with the existing transaction /N/QTQVC/EXTRACTOR_ADM.
- 2. Then check the database table RSBASIDOC in the source system with transaction *SE16*. Enter the name of the Extractor Environment Logical System and click **Execute**.

Data Browser: Table RSBASIDOC: Selection Screen				
(b) 🌵 🖶	Number of Entries			
SLOGSYS		to		
RLOGSYS	QTQVCEXT51	to		
Table R	SBASIDOC Display			
Check Tabl	e			
SLOGSYS	T90CLNT090			
RLOGSYS	QTQVCEXT51			
	_			
OBJSTAT	ACT			
BIDOCTYP	ZSQEQTQVCEXT51			
TSIDOC3X	0			
TSPREFIX	QE			
SRCTYPE	3			
SAPREL	700			
TSTPNM	HRG			
TIMESTMP	20.140.806.084.201			
SBWBCRL	710			
RBWBCRL	30B			

3. Then enter the name of the TSPREFIX (Transfer structure prefix), from the source system, in the same table in the target system and click **Execute**.

Data Browser: Table RSBASIDOC: Selection Screen				
🕒 🚸 🔜 🚺 Number of Entries				
SLOGSYS		to		
RLOGSYS		to		
OBJSTAT		to		
BIDOCTYP		to		
TSIDOC3X		to		
TSPREFIX	QE	to		
SRCTYPE		to		
SAPREL		to		
TSTPNM		to		
TIMESTMP		to		
SBWBCRL		to		
RBWBCRL		to		
Width of Output List	250			
Maximum No. of Hits	200			

If a record is found with the same TSPREFIX in the target system, the transport function cannot be used. A workaround is to create a new Extractor environment in the source system to get another TSPREFIX that is not already used in the target system.

- 4. If the prerequisite above is fulfilled, then execute the transaction /N/QTQVC/MIGRATE_ENV in the source system to put the Extractor environment into a transport.
- 5. Migrate and import the transport into the correct client in the Target system.
- After the import, execute the transaction /N/QTQVC/CONNECT_ENV in the target system. Enter Logical system of receiver, User name and Transfer structure prefix (found above in the source system) and click Execute.

Store a Connection to QV		
•		
Logical system of receiver	QTQVCEXT51	
User name	HRG	
Transfer structure prefix	QE	

7. Go to transaction *WE21* (under Transactional RFC) in the target system and generate a new port name and save it. The RFC destination should contain the Extractor Environment Logical System name.

Port	A00000068	
Description	QlikView generated	
Version		
 IDoc rec.types SAP Release 3.0/3.1 IDoc record types SAP Release 4.x 		
RFC destination	QTQVCEXT51	

8. Go to transaction *WE20* and find the partner profile for the **Partner Type** LS and the Extractor Environment Logical System name.

Partner profiles						
∟≫₽₽₫₩	ù # 🟭 🗖	M]			
Partner	Description		Partner No.	OTOVCEXT51	OlikView generate	ь
 MDM55 	MDM	•	Partn Tyne	LS	Logical system	
 MDM_001 	MDM	Ŧ	Parentitype	10	Euglear system	
• MDM_002	MDM					
• MDM_003	MDM		Post proces	ssing: permitted	agent Classifica	atior
• MDM_004	MDM					
• MDM_005	MDM		Tv.	US	llser	
• MDM 007	MDM			unc		
 MDM_008 	MDM		Agent	HKG	Hakan Konningt	beič
 MDM_009 	MDM		Lang.	EN	English	
 MDM_010 	MDM					
 MDM_MIGRAT 	MDM					
 MDS_00_800 	Master Data Ma					
OMOCLN 1800	D12 Cleant 000					
• PI3CEN1800	P13 Client 800		Outbound parmt	rs.		
• PFS_ID_M	Logical System		Partner Role	Message Type	Message va	Me
PRODUCTION	Productive syst			RSINFO		
• PS 02 200	PS 02 200			PCCEND		-
OTOVCEXT51	QlikView gener			NODEND		-
 QTQVCEXT77 	QlikView gener					
 QTQVCEXT88 	QlikView gener					
 QTQVCEXTR1 	QlikView gener		 ▲ ▶			
QTQVCEXTR2	QlikView gener		origi			
• QVVBCLN1705	QWBCLN1705	:				
REC_00_800 REC_00_800	vRPM client 80(÷				
• RPM 00 800	ANT PL CIETIC OUL		Inbound parmtrs	L		
 SALES 	Sales system (c		Partner Role	Message Type	Message va	Me
 SAPQ30800 	Q30 800			PSPOST	rissage fam	
 SEMCLNT800 				NSKQ51		

9. Double-click the **Message Type** *RSINFO*.

Partner profiles:	Partner profiles: Outbound parameters			
*9				
Partner No.	QTQVCEXT51	QlikView generated		
Partn.Type	LS	Logical system		
Partner Role				
Message Type Message code Message function	RSINFO	Test		
Outbound Options	Message Control	Post Processing: Per		
Receiver port	A00000068	Transactional RFC		
Pack. Size	1			
Queue Processing				

- 10. Assign the port name which was generated for **Receiver port**, click **Enter** and **Save**.
- 11. Do the same for the **Message Type** *RSSEND*.
- 12. Finally perform the **Modify** option in the transaction */n/QTQVC/EXTRACTOR_ADM* to update the Gateway Host and Gateway Service of the RFC connection used by the Logical system.

The Extractor environment is ready to use.

Migrate activated Extractors

Use this functionality to migrate activated Extractors within the system landscape by utilizing the SAP transport management system.

In the source system in the SAP system landscape, put the activated Extractors that should be migrated into the database table /QTQVC/EXTRACT.

Do the following:

1. Use the transaction /QTQVC/MIGRATE_PREP:

Put activated Extractors into migration table				
Logical system of receiver	QTQVCEXTR1 Language EN Transfer Metho	od ⊙t	RFC OIDoc	
Get Extractors	Put selected Extractors into migration table in: Foreground or Background			
EXTRACTOR	DESCRIPTION	SELECT	•••	
/QTQVC/VBAK_VBRP	Biling	х		
OARTICLE_ATTR	Article		Ψ.	
OBILL_CAT_TEXT	Billing Category	х		
OBILL_TYPE_TEXT	Billing Type			
0COMP_CODE_ATTR	Company code			
0COMP_CODE_TEXT	Company Code			
0CO_AREA_ATTR	Controlling Area	х		
0CO_PC_ACT_02	Ending Inventory Material Valuation Rec.	х		
0CO_PC_ACT_05	Material Valuation Record Prices			
OCURTYPE_TEXT	Currency Type X			
0CUSTOMER_TEXT	Customer			
0CUST_GROUP_TEXT	Customer Group			
0CUST_SALES_TEXT	T_SALES_TEXT Customer			
0DISTR_CHAN_TEXT	Distribution Channel	х		
0DIVISION_TEXT	Division			
0DOC_CATEG_TEXT	Document cat.			
0EC_PCA_1	Profit Center: Account Transaction Data			
0EC_PCA_3	Profit Center: Actual Line Items	х		
0FI_AP_3	Vendors: Line Items			
0FI_AR_3	Customers: Line Items	х	Ψ.	
↓ →		4 >		
Select al Deselect al				

2. In the same system in the SAP system landscape, create a Transport request containing activated Extractors for the specific Logical system. Perform step 1 in the transaction /QTQVC/MIGRATE_EXTR:

Migrate Activated Ext	Migrate Activated Extractors			
Step 1. Create Transport Request Transport Request if there alread	in first system in landscape. Do not create a new dy is one which is not migrated.			
Logical system of receiver	QTQVCEXTR1			
Transport Owner	HRG			
Target System	E6V			
Step 2. Migrate Transport Request and import in correct client in next system in landscape. Step 3. Check that Extractor environment with the Logical system name used in step 1 is created in this system. In SAP BW systems the Extractor source needs to be generated as				
Step 4. Execute this transaction in	the same system and press the button below:			
Upload and activate Extractors For Logical system				
Step 5. Repeat step 2 to step 4 fo	or each subsequent system in landscape.			

- 3. Perform step 2 and step 3 described in this transaction dialog.
- 4. Execute the same transaction /QTQVC/MIGRATE_EXTR in the SAP system where step 2 and step 3 were performed. Then perform step 4:

Migrate Activated Extractors		
Step 1. Create Transport Request Transport Request if there alrea	in first system in landscape. Do not create a new ady is one which is not migrated.	
Logical system of receiver	R	
Transport Owner	HRG	
Target System		
Create Transport Request	Customizing Request:	
Step 2. Migrate Transport Reques	reament with the Logical system name used in step 1 is	
created in this system. In SAP F	W systems the Extractor source needs to be generated as	
Export DataSource, before activ	vated.	
Step 4. Execute this transaction in	the same system and press the button below:	
Upload and activate Extractors	For Logical system QTQVCEXTR1	
Step 5. Repeat step 2 to step 4 f	or each subsequent system in landscape.	

5. Then perform step 5 in each system in the SAP system landscape.

General rules

The database table /QTQVC/EXTRACT will contain the activated extractors from the latest execution of the transaction /QTQVC/MIGRATE_PREP. That is, the transaction overwrites the previous content in the table for a Logical system. Therefore, it is important to execute the transaction /QTQVC/MIGRATE_PREP before executing the transaction /QTQVC/MIGRATE_EXTR which creates the Transport request. When the Transport request is created, it is not allowed to change the content of the database table /QTQVC/EXTRACT until the Transport request has been migrated. No new Transport request should be created until the last one has been used in all affected systems in the landscape.

However, the database table /QTQVC/EXTRACT is using Logical system as key, so it is possible to put activated extractors for a different Logical system in the table and to create a separate Transport request in parallel for that Logical system.

When the Extractors are uploaded and activated in the target system in the landscape there is a check that an Extractor is not already activated. If so, there will be a warning in the log file, the activation of the Extractor is skipped and the program continues with the next Extractor from the Transport request. If the user wants to change the used fields of an activated extractor by using this functionality, the Extractor must be manually deactivated in each system before uploading and activation takes place.

RFC connection error messages that can occur after configuration

ERROR registration of tp <program id> from host <external host> not allowed

An RFC connection fails when an external program / application tries to register a program in the gateway with the error message:

LOCATION SAP-Gateway on host <hostname>/sapgw,nr> ERROR registration of tp <program id> from host <external host> not allowed

This indicates that the gateway does is not allowing the program identified by <program id> to be registered from the host <external host>.

Cause

There are two possible reasons:

- Parameter "gw/acl_mode = 1" has been set but the "reg_info" file has not been set. This is the default value for NEW INSTALLATIONS for NetWeaver 7.0x since December 2012 (including 7.20) and for NetWeaver 7.3X since August 2012.
- There is a "reg_info" file that does not allow the registration of that external program.

Resolution

Update the "reg_info" file from the SAP gateway that appears in the error message ("SAP-Gateway on host <hostname> / sapgw<nr>") creating a line that allows this registration. The location of the "reg_info" file is specified by parameter "gw/reg_info" and should contain lines like:

#VERSION=2

P TP=<program ID> HOST=<external host> CANCEL=internal,<external host> ACCESS=* ... # the following lines should be the LAST lines in the reginfo # P TP=* HOST=<LIST> CANCEL=<LIST> ACCESS=<LIST> P TP=* HOST=local

Following recommendations from SAP Note 1408081 :Basic settings for reg_info and sec_info and settings for ACCESS clausule from SAP Note 1592493 : GW: Problems during reginfo configuration

Then, reload the new settings via transaction SMGW

And try to register the program again.

Illegal parameter value (function=SAP_CMACCPTP /parameter=handle / value=548

For an error message like:

"illegal parameter value (function=SAP_CMACCPTP /parameter=handle / value=548".

Solution:

Add a line to the "reg_info" file (the location of the "reg_info" file is specified by parameter "gw/reg_info"):

P TP=QTQVCEXTR1 HOST=<Servername>,<FQDN Servername> ACCESS=<SAP Servername>,<FQSN SAP Servername>,internal CANCEL=internal

Troubleshooting of the Extractor connector

Some good guidelines for testing the Extractor connector:

- 1. Start with a clean system. No Extractor jobs should be running (check in transaction SM51). From the connector make sure to remove any active status records (see the online help about how to do this).
- 2. Restart the Extractor Connector Service.
- Execute one Extractor job at a time. When an error occurs, check the Extractor connector log (named like QvSAPExtr_20160830_122350.txt) and the service log (named like SrvService_20160614_091022.txt or Server_20160516_111212.txt) and analyze the error. (see Error! Reference source not found.).
 he service log is located on the server where the service is running.
- 4. Also, check the corresponding SAP extraction job log. Prefix the job name from the Extractor connector log with 'BI' like BIREQU_QTQVCEXTR1_20160420125150. Check job log for this job name in transaction SM37.
- 5. Continue like above and try to resolve one error at a time.

InfoProvider connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the InfoProvider connector. Qlik provides roles that contain the necessary authorizations. It is possible to assign different roles to different users dependent of need, or all roles can be assigned to one user. The roles are:

- 1 QTQVCADMIN: There are some Qlik transactions in the SAP GUI. Most of them require that this role is assigned to the user.
- 2 QTQVCACCESS: To be used by a connector back-end user for doing extraction jobs from Qlik.
- 3 QTQVCBWACCESS: To be used by the OLAP, DSO/ODS, BEx, InfoProvider, and BW Connectors back-end user for doing extraction jobs on an SAP BI/BW system.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction *SU01*.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

OLAP connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the OLAP connector. Qlik provides a role that contain the necessary authorizations. The role is:

1 QTQVCBWACCESS: To be used by OLAP, DSO/ODS, BEx and InfoProvider Connectors back-end user for doing extraction jobs from SAP BI/BW system from Qlik.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction *SU01*.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

Report connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the Report connector. Qlik provides roles that contain the necessary authorizations. It is possible to assign different roles to different users dependent of need, or all roles can be assigned to one user. The roles are:

- 1. QTQVCADMIN: There are some Qlik transactions in the SAP GUI. Most of them require that this role is assigned to the user.
- 2. QTQVCACCESS: To be used by a connector back-end user for doing extraction jobs from Qlik.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction SU01.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

If the installation is an upgrade from a previous version and any of the Qlik roles have been updated, please see: <u>Creating and maintaining a SAP User ID</u>.

A Report might check authorization objects that are not part of the Qlik roles. In that case, they can be added to the role *QTQVCACCESS* or added to an additional customer-developed role that is assigned to the Qlik SAP user.

To detect missing authorization, an authorization trace can to be performed on each Report to be used. Do the following:

- 1. In the SAP system, go to transaction ST01.
- 2. Start an authorization trace.

Irace Edit Goto System He	elp
8	4 🕒 😋 😪 🗅 🕅 👪 🏷 ଅଟେ ଅ 🗔 🖉 🖀 🗌
System Trace	
🗿 📑 Trace on 💿 Trace off	🔹 🕞 🥵 Analysis 🚭 Save 🔹 🖬 Online Documentation
Trace Status : Trace switche	d off (main switch off)
Trace Components Authorization check Kernel Functions General Kernel DB Access (SQL Trace) Table Buffer Trace	Last Change LVT 08.02.2010 10:36:41 Settings Settings
Lock Operations	

- 3. Run the report with a user that has sufficient access. The results show the authorization objects used.
- 4. Add the missing authorization objects to one of the roles which are assigned to the Qlik SAP user.

SAP Query configuration

Assign roles to Qlik SAP user

Authorizations are required to use the SAP Query connector. Qlik provides roles that contain the necessary authorizations. It is possible to assign different roles to different users dependent of need, or all roles can be assigned to one user. The roles are:

- 1. QTQVCADMIN: There are some Qlik transactions in the SAP GUI. Most of them require that this role is assigned to the user.
- 2. QTQVCACCESS: To be used by a connector back-end user for doing extraction jobs from Qlik.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction SU01.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the **Roles** tab, add the desired roles.
- 4. Click Save.

If the installation is an upgrade from a previous version and any of the Qlik roles have been updated, please see: <u>Creating and maintaining a SAP User ID</u>.

An SAP query might check authorization objects which are not part of the Qlik roles. In that case, they can be added to the role *QTQVCACCESS* or added to an additional customer developed role which is assigned to the Qlik SAP user.

In most cases, the connector log reveals the missing authorization object. If not, the Infoset definition or logical database definition must be checked.

In addition, go to transaction *SQ03* and provide the user with access to the relevant SAP query user groups. All queries in the user groups assigned are available via the SAP query connector.

Do the following:

- 1. In the SAP system, go to transaction SQ03.
- 2. Enter the user ID in the User field.

User group	Edit Goto Settings Environment System Help					
8	a 4 2 0 0 0 2 4 4 4 2 4 5 5 9 0 2 5					
User Groups: Initial Screen						
C B Additional functions						
Query area	Global Area (Cross-client)					
User group	Change Create					
	ểr Display Description					
Assign users and InfoSets						
User group assignment						
User	Change					
InfoSet // Change						

- 3. Click Change.
- 4. Check all the **User group** boxes that the download user should have access to.

© Ser grou	p Equ	2 4 B C C C	em Heip			
User Group: Assign User LWT to User Groups						
User		LVT				
User groups	and chan	ge authorizations for queries				
User gr	oup	Long text	Change authorization			
V /SAPQU	ERY/AB	Agency Business				
V /SAPQU	ERY/AE	Accrual Engine				
VISAPQU	ERY/AN	ASSET MANAGER				
V /SAPQU	ERY/AU	Audit				
V /SAPQU	ERY/BP	SAP Business Partner				
V /SAPQU	ERY/CR	MSS Crystal Reports Examples				
V /SAPQU	ERY/DL	Service				
V /SAPQU	ERY/ES	HCM Employee Self Services				
VI /SAPQU	ERY/FB	FI document evaluations				

5. Click Save.

SQL connector configuration

Assign roles to Qlik SAP user

Authorizations are required to use the SQL connector. Qlik provides roles that contain the necessary authorizations. You can assign different roles to different users, depending on need, or both roles can be assigned to one user. The roles are:

- 1. QTQVCADMIN: There are some Qlik transactions in the SAP GUI. Most of them require that this role is assigned to the user.
- 2. QTQVCACCESS: To be used by a connector back-end user for doing extraction jobs from Qlik.

To assign role(s) to a user ID, do the following:

- 1. In the SAP system, go to transaction SU01.
- 2. Enter User ID and click Change (Shift + F6).
- 3. On the Roles tab, add the desired roles.
- 4. Click Save.

If the installation is an upgrade from a previous version and any of the Qlik roles have been updated, please see: <u>Creating and maintaining a SAP User ID</u>.

Testing SQL statements

The *In/QTQVC/SQL* transaction allows testing of **SQL SELECT** statements. After installing the transports and creating a user, test that everything has been correctly installed.

Do the following:

1. Log on with Qlik SAP user ID and execute the transaction /n/QTQVC/SQL.

Test of SQL statements			
SQL-Statement			
Select * from t000		Open Stream	
			Each Street
			Fetch Stream
			Close Stream
			all Data
Windows user	HRG		
Windows IP number	STARTED FROM SAP		
Packet Size	20.000	Job Number	
Wait for Fetch (internal)	30	Table Name	
Number of buffers to fetch	99.999.999		
Conversion Routine	0	Replace Null Value	1
Buffer Percentage	10	Trace	0
Timeout Batch	600		
Target Server			
Job Class			
Check Field Separator	0		
Batch Job Name	/QTQVC/READ_DATA		

- 2. Enter the **SQL** statement.
- 3. Click **Open Stream** to start the job. Then either:
 - a. Click **Fetch Stream** to display one page of the result. Click the **Back** arrow. Click **Close Stream** to end the job.

or:

b. Click **all Data** to execute the complete job and get the run-time statistics.

QIIK Q LEAD WITH DATA

About Qlik

Qlik is on a mission to create a data-literate world, where everyone can use data to solve their most challenging problems. Only Qlik's end-to-end data management and analytics platform brings together all of an organization's data from any source, enabling people at any skill level to use their curiosity to uncover new insights. Companies use Qlik to see more deeply into customer behavior, reinvent business processes, discover new revenue streams, and balance risk and reward. Qlik does business in more than 100 countries and serves over 48,000 customers around the world.

© 2021 QlikTech International AB. All rights reserved. Qlik®, Qlik Sense®, QlikView®, QlikTech®, Qlik Cloud®, Qlik DataMarket®, Qlik Analytics Platform®, Qlik NPrinting®, Qlik Connectors®, Qlik GeoAnalytics®, Qlik Core®, Associative Difference®, Lead with Data[™], Qlik Data Catalyst[™], Qlik Associative Big Data Index[™] and the QlikTech logos are trademarks of QlikTech International AB that have been registered in one or more countries. Other marks and logos mentioned herein are trademarks or registered trademarks of their respective owners. BIGDATAWP092618_MD