
QlikView

Release notes

QlikView Version 11.0 SR2 Update1

Lund, Sweden, November 2012

Authored by QlikTech International AB

Copyright © 1994-2012 Qlik®Tech International AB, Sweden

Under international copyright laws, neither the documentation nor the software may be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine-readable form, in whole or in part, without the prior written permission of QlikTech International AB, except in the manner described in the software agreement.

Qlik®Tech and Qlik®View are registered trademarks of QlikTech International AB. All other company names, products and services used herein are trademarks or registered trademarks of their respective owners.

Content

1	General comments	4
1.1	Special note:	4
1.2	Environment compatibility	5
1.3	Cross-release compatibility	5
1.4	Installation programs	5
1.5	Support material	6
2	Known issues	7
2.1	Clients, Presentation, Layout & Charts	7
2.2	Documentation & localization.....	8
2.3	QlikView Server, QlikView Publisher and Management Console	8
2.4	QlikView Workbench.....	8
3	Comments on product features	10
3.1	Server installation.....	10
3.2	Clients, Presentation, Layout & Charts	10
3.3	Script, ETL and Expressions	11
3.4	Documentation & localization.....	11
3.5	QlikView Server, QlikView Publisher and Management Consoles.....	11
4	Upgrading from previous QlikView versions	13
4.1	QlikView Desktop	13
4.2	QlikView Server.....	13
4.2.1	<i>From QlikView 9</i>	13
4.2.2	<i>From QlikView 10</i>	13
4.2.3	<i>From QlikView 11 pre-IR</i>	13
5	New functionality in QlikView 11 Initial Release	14
5.1	General features.....	14
5.1.1	<i>Improved hierarchy loads</i>	14
5.1.2	<i>Drop-Down selection tool for tabs in the load script</i>	14
5.1.3	<i>OEM island</i>	14
5.1.4	<i>BNF notation for Load Script tool tips</i>	14
5.1.5	<i>Document Extensions</i>	14
5.1.6	<i>Context sensitive help for the script editor</i>	14
5.1.7	<i>Alternate states</i>	14
5.1.8	<i>Notes and Comments</i>	14
5.1.9	<i>Session Collaboration</i>	14
5.1.10	<i>Dimension Limits</i>	15
5.1.11	<i>Conditional Enablement of Expressions and Dimensions</i>	15
5.1.12	<i>Source control integration</i>	15
5.1.13	<i>Mapping loads</i>	15
5.1.14	<i>Container object</i>	15
5.1.15	<i>Actions</i>	15
5.1.16	<i>Metadata</i>	16
5.2	AJAX client improvements	16

5.2.1	<i>Pivoting and reordering in pivot tables</i>	16
5.2.2	<i>UI upgrades</i>	16
5.2.3	<i>Property dialogs</i>	16
5.2.4	<i>AJAX for Small Devices</i>	16
5.3	QlikView Server	16
5.3.1	<i>QMC Help</i>	16
5.3.2	<i>LDAPs</i>	17
5.3.3	<i>Audit logging by document</i>	17
5.3.4	<i>Enable and disable document download and/or exporting and printing per document & user</i>	17
5.3.5	<i>Supporting task for QVD creation</i>	17
5.3.6	<i>Distribution to email within a QVW document</i>	17
5.3.7	<i>Alert email to document administrators</i>	17
5.3.8	<i>License tracking</i>	17
5.3.9	<i>Distribution and reload performance</i>	17
5.3.10	<i>Management Console UI</i>	17
5.3.11	<i>Reduction with lock fields</i>	18
5.3.12	<i>Improved logging</i>	18
5.3.13	<i>QMC and QMEC are merged into QMC</i>	18
5.3.14	<i>AccessPoint remake</i>	18
5.3.15	<i>EDX enhancements</i>	18
5.3.16	<i>Load-balancing improvements</i>	18
5.3.17	<i>Improved task retries</i>	18
5.3.18	<i>MSI - installation for QlikView Server</i>	18
5.4	QlikView Workbench	18
5.5	APIs	19
5.5.1	<i>COM API</i>	19
5.5.2	<i>QlikView Management Service API</i>	19
5.5.3	<i>QlikView JavaScript API</i>	20
6	New functionality in QlikView 11 SR2	21
6.1	Offline Views	21
6.1.1	<i>Limitations</i>	21
6.2	Digital Certificates	21
7	Design corrections in SR2	22
8	Bugs corrected in SR2	23
9	Bugs corrected in SR1	31

1 General comments

This document covers QlikView build 11.00.11426 Service Release 2 Update 1. The release contains components of QlikView Desktop, QlikView OCX, QlikView Server, QlikView Publisher, QlikView web parts for Microsoft SharePoint(R), QlikView Workbench and all clients except clients for mobile devices.

QlikView Server Small Business Edition users must re-LEF (activate license) their servers in order to use the collaboration features of QlikView 11.

1.1 Special note:

Bug: 50713 New version of document becoming available causes Section Access to display too much information.

A number of circumstances have to coincide to experience this bug; we believe that very few customers should be at risk.

The bug occurs:

- When you reload a document into memory
- and 2 users simultaneously logs in
- and the document has dynamic section access reduction
- and the reduction field is numeric only
- and large number of users (thousands).

Bug: 45832 QMS: Using NTLM Authentication with Custom or Alternate Login Page Vulnerability Fix

We are issuing an update to address vulnerability in authentication when using NTLM authentication with Custom or Alternate Login Page.

After implementation of this fix the end-user will need to login using a username in the form **DOMAIN\UserID**, if NTLM is used with Custom or Alternate Login Page.

To implement this update and ensure that the combination of NTLM/custom login page/alternate login page is correctly secured please ensure that the following are implemented:

-Install SSL if not already installed. The fix for this combination involves transmission of user credentials using clear text via HTTP Form standard.

- If you use Alternate login in v11SR1, the pagename is Login2.htm. After upgrade to v11SR2 the pagename is FormLogin.htm. In QMC\System\Setup\QVWS resource\Authentication tab, click Apply and go to Access Point again, the link is correctly changed to FormLogin.htm.

For custom login page to work after the fix the following steps also needs to be followed to change the custom login page:

- In the custom form, ensure that the user name input field is named **username**
- In the custom form, ensure that the password input field is named **password**
- In the custom form, ensure that the Form method parameter is set to **POST**
- In the custom form, ensure that the Action parameter is set to **/QvAJAZZfc/Authenticate.aspx?back=[URL TO LOGIN PAGE]**

A sample of this recommended implementation is shown below.

```
<form action="/QvAJAZZfc/Authenticate.aspx?back=/qlikview/FormLogin.htm" method="post">
  <span class="formTitle top">User Name:</span>
  <span class="FormField">
```

```
<input type="text" id="username" name="username" title="username" class="top" />
</span>
<span class="formTitle">Password:</span>
<span class="formField">
  <input type="password" id="password" name="password" title="password"/>
</span>
<input type="Submit" class="loginSubmitButton" />
</form>
```

1.2 Environment compatibility

The Operating System required for QlikView Desktop is Windows XP SP3 or newer. The Operating System required for QlikView Server is Windows 2003 or newer, with .NET framework 4.0 installed. QlikView 11 is the last release of QlikView Server and QlikView Publisher that will support 32-bit operating systems.

1.3 Cross-release compatibility

It is not possible to have multiple versions of QlikView Desktop installed, i.e. the QlikView 11 Desktop installer will overwrite a QlikView 10 Desktop installation. However, the QlikView 11 Desktop executable file can be copied to any location on the hard drive and run from there without conflicting with the installed QlikView version.

In order to run multiple versions of QlikView Desktop on a single machine, please follow this procedure:

1. Uninstall prior version
2. Install QlikView Desktop v11
3. Copy the QV.exe file to a new, safe location
4. Uninstall QlikView Desktop v11
5. Install prior version

Following this procedure, you end up with a working version 11 QV.exe, but the operating system treats the prior version as your primary version of QlikView.

QlikView 11 has a file format compatible with versions 9 and 10.

The QlikView Plug-In client is automatically installed with QlikView Desktop. If the version of either client is changed, it is recommended to do an uninstall of the previous version before installing another version. If any of the installations become unstable, they can be corrected by repairing the affected installation.

QlikView 9 Workbench and QlikView 9 Webparts are not compatible with QlikView 11.

1.4 Installation programs

The QlikView Server installation program installs QlikView Server and QlikView Publisher.

The QlikView Desktop installation program installs QlikView Desktop, QlikView OCX and QlikView Plug-in for Microsoft Internet Explorer by default. To install the Plug-in only, run the QlikView Desktop installation using the custom setup option and selecting QlikView OCX only. A separate installation program for QlikView Plug-in for Microsoft Internet Explorer is included in the QlikView Server install.

A 64-bit version of the QlikView Plug-In is included in the 64-bit QlikView Desktop installation program. Follow the procedure above to install the 64-bit Plug-in. There is not a separate install program for the 64-bit Plug-in.

QlikView Documentation and Tutorial, QlikView Web Parts for Microsoft SharePoint(R) and QlikView Workbench are delivered in separate installation programs.

1.5 Support material

The new features in QlikView 11 are documented in the PDF reference manual and in the help files that can be found in the separate installation packages. The PDF reference manuals in the installation packages are English only.

2 Known issues

The following issues were identified at release time. The list is not comprehensive; it does however list all known major issues. The ambition is to have the issues fixed in coming versions.

2.1 Clients, Presentation, Layout & Charts

- AJAX: One color gradient does not cover the whole screen for Chrome, Firefox and Safari (Mobile and OS x/Windows)
- The Subversion wrapper has problem with parsing different language code pages.
- QlikView supports subversion 1.6.17 and 1.7.x. Trying to use other versions may result in incompatibility problems.
- A document with input fields will create a .shared file when it is opened on an Accesspoint. Due to underlying data structures the .shared file will grow with an average of 50-80 bytes/input field value when the input field value is changed.
- Making selections in the legend of a chart is not always possible. The issue occurs when users click and paint an area over the values in a legend. If any part of the selection area covers the text in the legend, no selection will occur and QlikView may produce an ‘unhandled exception error’. If the selection area covers only colors in the legend, the selection will occur as expected. This issue occurs in all version 11 clients.
- Macros will not function in WebView.
- QlikView 9 (Desktop and Server) cannot open documents that contain the new QlikView 11 actions.
- Bookmarks created in the AJAX client revert to the default name when saved. Bookmarks retain their given name when saved in the other clients.
- Pressing the ‘Help’ button in the AJAX client invokes help but not context sensitive help.
- When using QlikView Help in Firefox (AJAX), the browser window will resize (reduce in size or minimize).
- When both x86 and x64 versions of QlikView Desktop are installed on a single machine an uninstallation of either will leave some files on the hard drive. These files can be manually removed.
- When using the AJAX client in IE, list boxes with many (>50,000) items will display a white box instead of the values when scrolling / paging though the list.
- The alignment options for Multi-Line captions do not work in the AJAX client in IE7.
- Nested grid containers will expand beyond the outer container when first created in the AJAX client. Pressing F5 or resizing the outer container will fix the problem.
- The ‘Select Report’ dropdown is active in the AJAX client even if the QlikView Server does not allow printing. The users will not be able to print even though it appears they can.
- QlikView 11 can open QlikView 10 project files (XML). If there was a container object in the original QlikView 10 file, it will be lost when opening the project files in QlikView 11. This will corrupt the new QlikView 11 file and the entire container will need to be reconstructed. The work around is to open the QlikView 10 file in QlikView 11 and recreate the project files.
- Creating multi-column list boxes in AJAX is not working correctly. The slider to change the number of columns is not working. However, the user can type a number into the box next to the slider to change the number of columns.

- QlikView will render graphical charts with multiple dimensions and multiple expressions (a combo chart with two dimensions and three expressions, for example) though the chart will not provide much value. Currently, QlikView will produce a ‘drawing failed internally error’ when trying to render graphical (not straight and pivot tables) charts with these characteristics.
- If a user selects multiple objects on a sheet and resizes the objects, QlikView will only save the changes to the object used for resizing. The changes will not be saved for the other objects that were selected.

2.2 Documentation & localization

- QMC Webhelp is now available in Japanese. To replace English Webhelp with Japanese Webhelp, please rename the two folders (QMCHelp and QMCHelp_JPN) which you typically find under C:\Program Files\QlikView\Management Service. Change “QMCHelp” to “QMCHelp_Old” or “QMCHelp_eng” (or delete the folder if you do not need English help). Change “QMCHelp_JPN” to “QMCHelp” – the Japanese help files will now be accessed when you click the Help icon in the top corner. A PC that has displayed the English help files needs to empty its web cache to ensure the Japanese files are loaded. Any QlikView services running need to be stopped before making the changes and started again after the change was made.
- English documentation for QlikView Desktop is included in this release. Other languages must be downloaded from the QlikView website.
- It is possible to have the Help language different from the QlikView Desktop interface. This can be changed on the General tab of User Preferences.

2.3 QlikView Server, QlikView Publisher and Management Console

- When using Script parameters in a reload task without a loop and distribute, only **one** reload will be executed, i.e. only the first parameter value will be used. The possible workarounds are either to add a loop and distribute to e.g. a scrap folder, or to create one task for each value.
- Network Storage Devices other than Microsoft Windows based shares are known to cause system instability and are not currently supported.
- Running an older version (before v11) of QlikView Server after having a v11 QlikView Server installed and running will disable the existing anonymous account. In order to run the older version of QlikView Server, the anonymous account must be enabled BEFORE starting the older QlikView Server.
- The suggested filename when downloading from the AccessPoint may have non Western European characters replaced by underscores in browsers that do not support UTF-8 headers.
- If QlikView Server isn’t allowed to disable the anonymous account it will still try every time it starts.
- It is possible to enter more text in document description than will be visible in the Access Point

2.4 QlikView Workbench

- In some situations it may not be possible to edit the properties of an Extension Object created with the Extension Wizard.
- Some of the extension examples use direct links to /QvAjaxZfc/ instead of relative links. This will cause these examples to fail in Workbench (and Web Parts). To make them work LoadExtensionScripts LoadCSS should be used. E.g.:

```
Qva.LoadScript ("/QvAjaxZfc/QvsViewClient.aspx?public=only&name=Extensions/QlikView/Examples/geoHeat/raphael.js", geoHeat_Example_Done);
changed to:
Qv.LoadExtensionScripts(["Extensions/QlikView/Examples/geoHeat/raphael.
```



```
js"], geoHeat_Example_Done);
```

and:

```
Qva.LoadCSS("/QvAjaxZfc/QvsViewClient.aspx?public=only&name=Extensions/  
QlikView/Examples/org/main.css");
```

changed to:

```
Qva.LoadCSS(Qva.Remote + (Qva.Remote.indexOf('?') >= 0 ? '&' : '?') +  
'public=only' + '&name=' +  
"Extensions/QlikView/Examples/piechartlabel/style.css");
```

3 Comments on product features

The following features are conscious design decisions and most of them are not likely to change in coming Service Releases.

3.1 Server installation

- It is not possible to install the QlikView 10 (and later) Server on a domain controller.

3.2 Clients, Presentation, Layout & Charts

- Some changes have been implemented to AJAX contextual menus and the top menu ribbon: menu icons have been unified and all icons have been restyled/colored to create a consistent layout.
- If data with over 2,147,483,647 unique values is loaded, QV does not load correctly. Also, after 2,147,483,647, the value turns negative as the data is displayed in record number in a statistic box.
- Dimension limits should not be used in tables that contain mini-charts. This will cause an out of memory error.
- The security settings of Internet Explorer may prevent users from exporting data or sending data to Excel when using the plug-in client. The workaround is to add the QlikView server to the trusted sites list or modify the security settings under Internet Options to allow launching of external applications.
- AJAX for Small Devices mode is not compatible with Private Browsing in iOS5. In order to have the full functionality of the client you must turn off Private Browsing in Safari.
- On systems using UAC (Windows user access control), WebView may require that QlikView is started using the “Run as Administrator” option.
- If a link to a QlikView 9 Server document has been saved as a browser favorite, the link will not work. It must be re-created using a QlikView 11 Server.
- Color gradients and semi-transparent colors do not display correctly in the AJAX client when MS Internet Explorer is used. It works correctly in other browsers.
- The QlikView Java client does not work with a QlikView 11 Server. The QlikView protocol for Java clients is no longer available.
- Mobile clients prior to Version 10 do not work with a QlikView 10 (or later) Server.
- The AJAX client will ignore all scroll bar settings except widths.
- The AJAX client does not allow users to change scroll bar settings.
- OnActivate and OnDeactivate Sheet Object Event triggers have been removed from QlikView 11.
- The Activate and ActivateAll API methods no longer work since the OnActivate and OnDeactivate object triggers have been removed.
- The new, scrollable tab row is not available in Internet Explorer 8 and lower or in older versions of other browsers. In older browsers, the original tab row will be used.
- Beacons are not displayed in the new (scrollable) tab row.
- The vertical label setting on Pivot and Straight tables has no effect in AJAX.
- Prior to QlikView 11 some graphical charts that allow an 'others' segment. When these charts are opened in QlikView 11, the X-axis presentation limit and the label are moved to the proper

- places on the Dimension Limits tab. This is not the case with straight tables. The label will be moved to the Dimension Limits tab but the Max Number of Rows value will remain as it was.
- There is no ‘undo’ functionality on Notes and Comments. If a Note is deleted, it is permanently removed. If an object with Notes is deleted, all of the Notes and Comments for that object will be permanently deleted even though it is possible to undo the deletion of the object.
 - Graphical charts with ‘Max Visible Number’ set in version 10 and older will have this setting migrated to the new Dimension Limits tab in the property dialog. The new settings will be to ‘Show Only’ using the ‘Largest’ values
 - The default significant digits have gone from 8 to 14. This only affects list boxes and expressions that have not been reformatted from Expression Default.
 - The Menu option and Dialog box for interacting with Server objects have been removed. The View | Show Server Objects menu commands should be used to interact with server objects.
 - Suppress Zeros not being done in Pie and Funnel charts. Zero values were previously suppressed in the front end for expressions in these two charts. With the addition of Dimension Limits, QlikView will no longer suppress zero values for expressions across all chart types. This will affect charts that have only expressions and no dimensions. Zero values caused by dimensions will still be suppressed as before when the option is enabled.
 - Scrollbars in AJAX do not respect changes in the settings. This is because we have changed the way scrollbars are rendered in AJAX.
 - There is no way to choose/upload an image for Backgrounds or Dynamic Backgrounds in the AJAX client.

3.3 Script, ETL and Expressions

- The script parser no longer accepts incomplete quotes (or brackets) around file names.
- The default color scheme for script and expression syntax has been changed.
- On 64-bit systems, 64 and 32-bit QlikView loads both 64 and 32-bit custom connectors. QlikView first looks for 64-bit connectors in the current QV.exe location and then in “Program Files/Common Files/QlikTech/Custom Data”. Further, QlikView looks for 32-bit connectors in the current QV.exe location and then in “Program Files (x86)/Common Files/QlikTech/Custom Data”. If several connectors with the same file name are found only the first one is included into the connector list.
- The macro script debugger is no longer in QlikView. The product is no longer supported by Microsoft.

3.4 Documentation & localization

- WebView help is not completely context-sensitive like the rest of the help. The help will react to the currently selected object but not the properties within the object. The help can be opened from the Help menu or from within the regular QlikView help.
- QlikView documentation is no longer stored in *C:\Program Files\QlikView*. Documentation is now stored in *C:\ProgramData\QlikTech\QlikView Documentation*.

3.5 QlikView Server, QlikView Publisher and Management Consoles

- “Due to a limitation associated with using Microsoft’s COM objects we recommend that you limit the number of QlikView Engines (QlikView Enterprise Management Console>> Setup>> Distribution Services>> Advanced tab) to a maximum of 9 or the number of processor cores available on the host server -1, whichever is lower.”

- The QlikView Server services are designed to run as local administrator. Running with an account that is not local administrator is an unsupported scenario.
- To use the QlikView Management Service (QMS) API the group “QlikView Management API” must be created on the QMS machine and the account that uses the API must be part of that group. This will also apply to importing tasks from another QMS. There are two exceptions to this:
 - The API for starting an EDX task and
 - The API for getting status on an EDX task.
- In QlikView 11, EDX runs through the QlikView Management Service (QMS) API. This is a major change from QlikView 10, where EDX is realized by calls directly to a QlikView Distribution Service (QDS).
- Search results may differ between two searches in a clustered Directory Services Connector (DSC) right after a change since each DSC caches individually.
- The Management Console and Enterprise Management Console have been merged into a single tool now called the Management Console.
- It is no longer possible to use blank password for Custom Users in the Publisher.
- Sessions are handled differently: a reconnect is automatically made if the user navigates away from a document. This will not happen if the session is explicitly closed or when the browser is closed. This *Session Recovery* can be disabled in the QlikView Management Console.
- When using session recovery (session recovery is only applicable for the AJAX client) there will be a Server bookmark in the QlikView Management Console for each user that is using a document. These Server Bookmarks will reappear in the QMC even if deleted because they are generated by QlikView to handle session recovery.
- When losing the network connection - even briefly - there will be errors in the task logs and event log.
- When using Session Collaboration, invitees have the same data access privileges as the session initiator.
- QlikView cannot sustain the inputfields if the document is opened without data. Therefore, any document containing inputfields will always open with data, even if flagged not to do so. When this occurs, a line indicating this behavior will be written to the log file.

4 Upgrading from previous QlikView versions

4.1 QlikView Desktop

To upgrade, previous versions of QlikView need not be uninstalled. However, the previous installation will be overwritten and the settings from the earlier version will be used.

4.2 QlikView Server

4.2.1 From QlikView 9

When upgrading from Version 9 with IIS installed the QlikView virtual folders must either be manually deleted after un-installation or changed to point to the new folders after the upgrade is done.

Version 9	Version 10	Version 11
... \Qlikview	... \QlikView	... \QlikView
... \QVAnalyzer	... \QlikViewDesktop	
... \QVAjaxZfc	... \QVAjaxZfc	... \QlikViewAjax
... \QVClients	... \QvClients	
... \QVPlugin	... \QvPlugin	... \QlikViewPlugin
... \QVJava		

If there is no Publisher license (only a QlikView Server license) and reload tasks have been set up, a manual step is required.

1. After installation, start all QlikView services.
2. Go to the systems tab and select the QlikView Server.
3. Go to the General tab for the QlikView Server
4. Under the heading "Migrate Schedules" you will find a button to migrate the schedules. Note that this will only appear if you have any tasks to migrate and if the Management Service has connection to the QlikView Distribution Service.

Uninstalling Version 9 removes all *.config* files; please make a backup copy of any *.config* files that have been manually modified. The most common one is QlikViewDistribution Service.exe.config.

After an upgrade, the supervision accounts needs to be added in the QMC again.

4.2.2 From QlikView 10

To upgrade, previous versions of QlikView need not be uninstalled. However, the previous installation will be overwritten and the settings from the earlier version will be used.

4.2.3 From QlikView 11 pre-IR

It is recommended to uninstall earlier pre-release versions of QlikView 11 before installing the Initial Release.

5 New functionality in QlikView 11 Initial Release

5.1 General features

5.1.1 Improved hierarchy loads

The hierarchy loads have been redesigned. The HIERARCHY prefix executes in half the time compared to QlikView 10. Other changes include improved scalability with very large hierarchies. There has been no change to the syntax for hierarchy loads.

5.1.2 Drop-Down selection tool for tabs in the load script

A drop-down selector for the script tabs has been added to the Script Editor toolbar. This provides users with an alternative to clicking on load script tabs to navigate through the tabs.

5.1.3 OEM island

QlikView provides a new mechanism that can restrict QlikView documents tagged with an application Id from running on any other QlikView Server without a matching Id. This feature is reserved for use only by OEM partners.

5.1.4 BNF notation for Load Script tool tips

The QlikView Load Script Editor now displays BNF notation (syntax) in the tool tips.

5.1.5 Document Extensions

Document Extensions are Extension Objects that contain no UI. They can be used to customize the generated AJAX pages or used as sources of data for integration purposes.

5.1.6 Context sensitive help for the script editor

Context sensitive help was broken in QlikView 10. It has been fixed for QlikView 11.

5.1.7 Alternate states

QlikView has allowed users to detach an object from the underlying data model for quite some time now. When an object is detached that object no longer responds to user selections. The user can then re-attach the object and it instantly updates to reflect the current state of the selections. Alternate states are similar to this. The QlikView developer can create multiple states within a QlikView document and then apply these states to specific objects within the document. The end-user can create copies of these objects (server objects) and then put those objects into different states.

The most important difference between detach and alternates states is that ALL objects in a given state will respond to user selections made in that state. Objects in a given state are not affected by user selections in the other states.

5.1.8 Notes and Comments

QlikView 11 adds a new collaboration feature, Notes and Comments. This feature allows users to create and share notes about QlikView objects. Notes are shared with other QlikView users and these others users can respond by leaving their own comments. The users have the ability to save a snapshot (bookmark) of the data with each Note and Comment.

5.1.9 Session Collaboration

QlikView 11 includes another new collaboration feature, Session Collaboration. This feature allows server based QlikView users to share their QlikView session with other people. This is only available

when connected to a QlikView Server and using the AJAX client. The QlikView Plug-in client does not support this feature.

5.1.10 Dimension Limits

QlikView has had the capability to present "Others" and "Totals" values in various chart types. QlikView also allows users to configure charts to display the top or bottom X values in several charts. All of this manipulation was previously managed by the charting engine. Starting with QlikView 11, these capabilities have been moved to the calculation engine. This means users will be able to set these options across all chart types, except for Gauge Charts and Pivot Tables. There is a new tab in the chart property dialog called 'Dimension Limits' that allows users to configure these options.

5.1.11 Conditional Enablement of Expressions and Dimensions

It is now possible to conditionally enable and disable dimensions and expressions. There are new checkboxes and expression fields on the Dimensions and Expressions tabs in the property dialogs for use with this feature.

5.1.12 Source control integration

QlikView 11 has the capability to integrate with Source Control systems. The feature is available when using QlikView Desktop. There is a new menu option in the **File** menu that allows QlikView Developers to connect a QlikView document to a source control system. This feature works with the XML project files that QlikView Desktop produces and offers basic integration into third party source control systems. The source control system must have an implementation of the MSSCCI API in order to use this feature. QlikView 11 Source Control integration is compatible with Microsoft Team Foundation Server.

QlikView 11 SR1 adds support for Subversion source control in addition to native support for Microsoft Team Foundation Services (TFS). The Subversion support involves configuration of Subversion tools and then direct use of source control operations within QlikView. In addition, we have added an open interface which allows users to create their own connections to other source control systems. Documentation on this is provided on QlikCommunity.

NOTE: The XML project file structure has been changed from version 10. QlikView 11 can open version 10 project files but cannot save in the earlier format. QlikView 9 and 10 cannot make use of QlikView 11 project files.

NOTE: When a QlikView document is placed into Source Control all new objects will have a nine digit random number appended to the Object ID when created. This is to help identify and facilitate merge issues when multiple people are working on the same QlikView document. The Object IDs can be edited and the changes will be preserved.

5.1.13 Mapping loads

You can now perform MAPPING loads directly from a .QVD file. There is no longer a need to un-optimize the .QVD load while performing a MAPPING load. This has been available since QlikView 10 but was not documented.

5.1.14 Container object

The container object has a new way of displaying objects, grid mode. This allows users to view and interact with more than one object at a time within a container object. Grid Mode does not support multiple tabs in a container object.

5.1.15 Actions

QlikView 11 contains six new actions.

Action	Description	Available clients
--------	-------------	-------------------

Clear Field	Clears a specific field	All
Set State Name	Changes the state of a single object	All
Copy State Contents	Copies the selections from one state to another state	All
Swap State Contents	Swaps selections between two states	All
Reload	Performs a reload on the current document.	QlikView Desktop
Dynamic Update	Performs a dynamic update to the current document.	All

5.1.16 Metadata

Expression comments will be seen as tooltips when hovering over the header of expression columns in a straight table.

5.2 AJAX client improvements

Apart from the new layout features listed above, a number of AJAX specific features have been added:

5.2.1 Pivoting and reordering in pivot tables

The goal is to have parity between the C-client and the AJAX client. It is now possible to pivot a pivot table in the AJAX client. For example, if a pivot table has 3 dimensions and several expressions, it is now possible to arrange the columns in any order.

5.2.2 UI upgrades

A number of minor upgrades have been added to the AJAX client:

- Order by columns in list boxes
- Scrollable tab row in Internet Explorer 9, Firefox (4 and higher) and Chrome (12 and higher).
- Object scrollbars have been improved.

5.2.3 Property dialogs

The property dialogs have a new look and feel in the AJAX client. These changes were made to improve the look and usability of the dialogs. The new dialogs are available in the AJAX client and in WebView on QlikView Desktop.

5.2.4 AJAX for Small Devices

AJAX for Small Devices creates support for QlikView data exploration on small form touch devices, such as smart phones. Existing applications may be used without redesigning, as QlikView features are used along with built-in scrolling and zooming functionality in the small device. It is possible to show the QlikView document in a layout that automatically redesigns objects to suit small devices, or in its original application layout.

There is a mix to thumbnails and place holders when accessing a QlikView document. Graphical charts have thumbnails of the actual charts. All other objects have placeholder icons. After clicking on an object, you will be taken to the actual object, not the thumbnail nor placeholder icon.

5.3 QlikView Server

5.3.1 QMC Help

Context sensitive help has been added in QlikView Management Console (QMC).

5.3.2 LDAPs

The configurable LDAP DSP for LDAPs (LDAP via SSL) support has been added.

5.3.3 Audit logging by document

Some organizations require that a user audit log is generated, so that every query is registered and it is possible to look at “who did what” retroactively. With QlikView Server version 10, this setting affects the entire server and all documents are logged. QlikView Server version 11 supports the logging of individual documents. Additionally, version 11 logs all selection values; version 10 does not display all selected values .

5.3.4 Enable and disable document download and/or exporting and printing per document & user

In many situations the system manager will want to prevent any “hard” data coming out of the QlikView Server. In these situations downloads of the .qvw file, printing and exporting are not allowed; only the interactive session with the QlikView Server is permitted. This functionality is available in Version 10 at the document level only for downloading. In Version 11 it is now possible on a per user level as well as the capability to enable and disable Exporting and Printing on a per document and user level.

5.3.5 Supporting task for QVD creation

It is now possible to add creation of QVD files as a Supporting Task. This is NOT a replacement for creating .qvd files using a .qvw. Please see the QMC on-line help for more details.

5.3.6 Distribution to email within a QVW document

It is now possible to distribute a QVW file to the email recipients defined in a field in the document.

5.3.7 Alert email to document administrators

It is now possible to send alert email to document administrators.

5.3.8 License tracking

The use of licenses is added to the QVS Event logs. Please see the QlikView Server Reference Manual under the What’s New Section for more details.

5.3.9 Distribution and reload performance

The performance of reload and distribution has been improved:

- QlikView 11 Publisher can now open source documents without data prior to executing a reload task. There is no need to load the document data into memory and then perform a re-load of the document.
- Loop and Reduce performance has been improved.

More details can be found in the QlikView Server Reference Manual under the What’s New Section.

5.3.10 Management Console UI

- UI inconsistencies have been cleaned up.
- The performance of refreshing tables all over the QMC has been improved.
- The Status page is drawn and updated faster.
- It is now possible to expand all of a task chain by right click.
- It is now possible to remove a user from all distributions where the user is explicitly targeted.

- Search and filter is added to Tasks, Source and User Documents
- Alerts within the QMC are added for service status
- Clustering and user types is made more consistent among the services

5.3.11 Reduction with lock fields

In previous versions of QlikView a reduction was affected by lock fields (by in effect reduce on the locked values). In version 11 the reduction will ignore any locked field.

5.3.12 Improved logging

Logging and error handling is not completely reliable and sometimes confusing. One real error could in some cases show as three or more errors. A task that finished OK can sometimes have many warnings because the QVB has not responded for a few seconds. This behavior is now fixed. Also, audit logging of changes made to the QVS and QVWS settings is now possible.

5.3.13 QMC and QMEC are merged into QMC

The QMC is removed and QEMC is renamed to QMC.

5.3.14 AccessPoint remake

The AccessPoint has been given a new look and feel including new search capabilities. Document attributes are also leveraged to better categorize documents. Document descriptions are now possible. Global messaging shown on the AccessPoint is now possible by entering messages within the QMC.

5.3.15 EDX enhancements

Starting an EDX will now return a session id to allow interrogation of the status of the session rather than on the task. When the session is done the status will contain a list of all the tasks (and session id's) that have been triggered, allowing for continuous tracking of the status. This functionality is available through the API.

5.3.16 Load-balancing improvements

A new additional algorithm for load balancing, "CPU with RAM Overload", when using a Qlikview Web Server was added to better manage a cluster of QlikView Servers. In essence, the QVWS will now be able to route traffic based on two factors: (1) RAM and (2) CPU utilization. The reporting of memory and CPU loads on the physical QlikView Servers has been improved.

5.3.17 Improved task retries

If a task that contains a loop fails, it will not restart at the point of failure rather than restarting the task from the beginning of the loop.

5.3.18 MSI - installation for QlikView Server

The MSI has been given a usability overhaul.

5.4 QlikView Workbench

The QlikView Workbench is being updated with a number of new features:

- The QlikView Workbench now includes a wizard for building Extension Objects
- Workbench could previously only be used within an ASP.NET web site project. It is now possible to connect to a QVW via JavaScript / div tag without the need of a .NET DLL component. The JavaScript code can look as follows:

```

<scripttype="text/javascript"src="http://localhost/QvAjaxZfc/htc/QvAjax.js"></script>
<scripttype="text/javascript">
    var mydoc;
    var MyQvObject;
    MySheetObjects = function(data) {
        alert(data.length);
    }
    MyDocuments = function(data) {
        alert(data.length);
    }
    mySearch = function() {
        MyQvObject.Data.SelectTexts("3","4");
    }
    MyInit = function() {
        mydoc=Qv.GetDocument("Films");
        MyQvObject = mydoc.GetObject("LB1458");
    }
    GetDocumentlist = function() {
        Qv.GetAllDocuments(function(data) {
            alert("data:" + data.length);
        });
    }
    GetObjectList = function() {
        mydoc.GetAllObjects(function(data) {
            alert(data.length);
        });
    }
    Qv.InitWorkBench({ View: 'Films', BodyOnLoadFunctionNames:
    ["MyInit"], CustomIcons: {SEARCH:"API_test/Images/NewSEARCH.bmp",
    CD:"API_test/Images/NewCD.bmp"} });
</script>

```

A div tag can look as follows:

```

<divclass="QvFrame"avqview="Films"avq="object:.Document\LB1458" id="Document\LB1458" style="width:400px;height:250px;">

```

5.5 APIs

Version 11 includes updates to all APIs, including COM, QlikView Management Service and JavaScript. All new APIs are designed with new functionality and backward compatibility in mind. In addition, QlikView will expose a new back-end API to manage access to QlikView Server clusters and retrieve document lists. All the APIs for version 11 will be posted on QlikCommunity.

5.5.1 COM API

QlikView provides new APIs for the automation of Alternate States.

5.5.2 QlikView Management Service API

This release contains the following updates to the QlikView Management Service API:

- Service status
- QlikView Server and QlikView Publisher license configuration and management (not CALs)
- QlikView Distribution Service settings

- User document collaboration configuration (for restricted mode)
- Opening/accessing source document data (e.g. fields and bookmarks)
- QVS statistics
- DSC user lookup and validation
- Importing tasks/remote QMS communication
- Section Access Management
- Upload of extensions
- Enhanced EDX task control

5.5.3 QlikView JavaScript API

The version 11 JavaScript documentation has been updated.

6 New functionality in QlikView 11 SR2

6.1 Offline Views

With the release of QlikView 11 SR2, QlikView now supports the functionality of taking your data with you on the road, on an iPad. We call this Offline Views. It is now possible to access a QlikView document on an iPad, when you are 'offline', i.e. not connected to the Access Point. This functionality requires the installation of the QlikView Offline Service, which is available in a separate installation file from the product download page and the installation of the new QlikView app for the iPad, available from the Apple App store. The new app is being released in parallel with the release of QlikView 11 SR2.

The functionality allows the user of the iPad to mark a number of bookmarks and one list box available for offline use. Once these items have been downloaded, the user can navigate within the document, change downloaded bookmarks or navigate between the individual values from the synchronized list box.

Note, however, that when the user is offline, the access and interactivity is limited. Users can navigate within sheets; however it is not possible to interact with objects on a sheet. Users may navigate between the synchronized bookmarks and the corresponding values from the synchronized list box to explore their app when offline. Navigation occurs thru a dedicated menu available in the offline client.

More documentation is available as part of the installation file for the QlikView Offline Service.

6.1.1 Limitations

- We currently only support Anonymous, Basic and NTLM authentication for the Offline Views feature.
- It is not possible to configure the Offline Service through the Qlikview Management Console
- By default, you can only take up to 40 rows and 40 columns of data offline in list boxes and tables. This can be overridden by the client application on the iPad through individual settings.
- You can only take up to 1 list box offline
- The Offline Service is only available for x64 servers. There are currently no plans for 32 bit support.
- Clustering of the Offline Service is currently not supported

6.2 Digital Certificates

With QlikView 11 SR2 Administrators can choose either the use of Digital Certificates or Windows authentication using Windows groups and Windows Active Directory when installing SR2. Windows Server 2008 R2 is a prerequisite for installing Digital Certificates with QlikView 11 SR2. Please refer to the QlikView 11 SR2 Server Reference Manual, Part 2, Installation for further instructions.

7 Design corrections in SR2

ID	Title
48355	Prevent P/E Users Opening OEM Island Docs – Personal edition users are not supposed to be able to open OEM Island documents.
48359	Enhance ListBoxCellContents API structure to include a FieldValue member to properly support dual values in List Boxes (via API).
48360	Store Pivot Table Column Positions within Bookmark – enhances usability of Bookmarks by now also storing the pivoted position of columns in each pivot table
48362	LEF Time Limit Checking not only on restart – now regularly checks LEF time limit, only affects servers with long time between restarts
48363	Audit logging use of bookmark values – Audit logging did not store Bookmark usage previously
48540	Upgrade of subversion solution to support SVN 1.7.x

8 Bugs corrected in SR2

Bugs corrected in SR2 Update 1

ID	Title
44583	Connector for SAP NetWeaver 0 records returned from SAP causes script error
45518	If you lease a license on the server should keep the license for 30 days.
46259	VisualFox Pro - Developer - OLE DB - When force 32 bit is selected and then Visual FoxPro is selected in OLE DB it crashes
47325	AJAX: When having calculation condition on pivot/straight table the table does not appear
48466	Quick search in Straight table does not work with null value in dimension
48615	Multibox: Search Box not visible when the Document Tabrow is hidden
48671	Scrolling with a table that has Enable Conditional set is progressively slower with each dimension added
48703	WorkBench does not respect availability/pre-load options set in QMC
48724	Document failed to load for unknown reasons (e=14) [22]
48736	Export to excel causes QlikView to become unresponsive (hangs)
48828	Can't see users or groups after importing custom directory v 11 SR1
49046	Interactive Sorting didn't work in Straight Table
49174	Shadow in line chart Legend
49447	Bookmarks do not show up in Favourites/Drop Down for Plugin and AJAX
49449	Generic LDAP Connector: group resolution not working correctly (no unique answer)
49492	IE-Plugin: Not able to remove or replace server bookmark
49498	Desktop - Container object within another container object gives strange behaviour
49647	Desktop - Pivot table: Enable Condition not taken into account when pivoting dimensions
49669	Bad performance document after migrate from 10 to 11 SR1
49699	XML Tag missing: Custom connect and Store statements not xml tagged for data lineage
49700	XML Tags stored also for Hidden scripts
49780	QlikView 11 - Document Chaining not Working Across Multiple QVS Instances (within cluster chaining) + Multiple Webservers
49963	Password needs to be reentered in Custom Directory in order to save username.
50302	QlikView Server: Corrupt shared file causes server to stop responding
50521	Bookmark ID is not saved correctly
50713	New version of document becoming available causes Section Access to display too much information.
50727	Not possible to resolve LDAP groups if groups & person entries have different account name property name
50737	Server crashes within a certain part of a document
50931	Server Performance with "Allow Server Annotations" Enabled in v11
50984	'General Script Error' from 11SR1 QVX Connector during reload
51400	Desktop Client installation says EULA instead of ULA
51478	New ULA for QV11 - Installation
51479	New ULA for QV11 - desktop
51497	Sorting straight-tables does not work in iOS 6
51511	Documentation path is not correct when an update is made to 11 SR2
51512	XML tags in lineageinfo does not get updated when commands are removed
51640	Audit logging issues

ID	Title
51648	Desktop Client & IE Plugin: Zoomed Search Object does not work properly
51678	Header background changed, when expression background changed.
51713	Select Report Drop Down Grayed Out When Allow Server Objects Is Unchecked
51903	V11 SR2 - Time functions ReloadTime() and now(0) are broken
51984	Some text is recognized as number in List Box
52420	Selection not possible via legend
52553	Same selections on a document causes different behaviour on current selections between SR1 and SR2

Bugs corrected in SR2

ID	Title
41046	WebParts - No reference in documentation to not being able to use Custom Users/DMS or needing to use Active or Local Directory/NTFS settings on the QlikView Server
42972	Error message: 'There was a problem sending the command to the program.' when opening QlikView document with no license applied in the Desktop client
44106	Color indicator not working when locking a selection in a Multibox object
44139	Clear-all selections functionality not clearing selections in a chart when it is has the focus/is the active object
44186	Documentation - Online help in Edit Module states API Guide is part of the Desktop installation, but it is no longer included in version 11
44194	Adding a variable to an Input Box object in object properties results in an error: "Object doesn't support this property or method"
44196	Using the Expression Editor after creating an object using the Ajax client, a pasted field or variable is placed in front of the function instead of after it
44305	Using a variable in a Calendar Object, causes the Drop-Down List to truncate the values in the list
44335	Values within listboxes where sort order is set to State-AutoAscending do not sort properly after a reload of the document
44355	Desktop - ListBox object - Show frequency checkbox checked and bold font not working as expected
44373	Using a Calculated dimension to concatenate values in a ListBox object results in an additional value(s) appearing
44380	Documentation for Enable Conditional option under Chart Properties > Dimensions > Settings for Selected Dimension is missing
44381	QlikView Objects - resizing of objects that have been concurrently activated, does not work as expected
44535	Desktop client - New chart with X-axis scrollbar activated and set to "When number of items exceeds - 10" does not work as expected
44584	Desktop Client - Straight Table object does not evaluate 'link values' in a row containing a null value
44604	Cross table functionality - When the attribute field contains numeric values, the data field assumes the same values
44623	Using Japanese/Chinese language option results in partially hidden characters in Chart Properties
44640	Connecting to a database via a VPN connection may cause qvconnect32.exe process to crash
44644	IEPlugin client - After moving a Sheet Object from one sheet to another, the Object remains on both new and old sheets
44647	Desktop client - In a straight table, the label specified in "Use Label" field will not stay set

ID	Title
44694	No scrollbar appears after pasting 8 expressions in the Expression tab of an Object and additional expressions cannot be pasted
44708	Set Variable Action does not work when set via the Ajax Client
44720	Desktop client - Automation for Dynamic Data Update does not work with an IF statement in the code
44729	Custom Format Cell settings do not format the header row
44743	Un-optimized load on QVD file hangs QlikView
44773	AJAX - Calendar object - select date Values issue
44792	Desktop - unable to edit expression in input box
44800	SalesForce Connector successfully verifies a username and password although the credentials are evidently wrong
44822	QlikView Desktop - Interval not displayed in defined format beyond a certain value
44828	Documentation: Data source File such as text file etc, should have different field name.
44895	QV11 SR1 Desktop: Clear specific state label not translated
44904	QlikView 11 -Desktop QVS - Whitescreen After Opening Application
44916	Ajax/WebView is populating data from early selections in empty tables for another selection
45077	AJAX: Unable to change language interface through settings.ini
45121	Slider Object: Label Orientation Can Not be Applied
45146	JavaScript API - Using the SetProperty method to set multiple properties in one call doesn't work as expected
45156	Print: Line thickness not taken into account
45164	Ajax - Sheet Event Trigger "OnActivate" does not position tabrow correctly
45172	Horizontal dimension label is hidden under scroll bar, if Stagger Labels is disabled
45241	ServerSideExportEx - Plugin - Not working as expected
45294	Error message when any application is opened in QV Desktop the first time after reboot
45330	Developer/IE Plugin - Text as Pop-up - does not display hover over text
45331	AJAX- Text as Pop-up - displaying prior values of preceded slices in a pie chart
45376	Web Parts - Green Color - CSS creating Automatically
45410	Problem with label on Popup line charts
45412	The info function inside the only chart aggregation function
45425	OEM Embedded License not working (NB! This is not OEM Island)
45432	Popup labels don't display in chart when zoom differs from 100%
45445	Dimension limits doesn't work as expected with negative values
45518	LeasedLicenseCheck=INVALID
45541	Macro execution during Dynamic Update crashes QVS.exe
45583	Ajax - ShowRefreshDoc option disappeared
45611	iPad/iPhone Safari AJAX touch client and input fields
45678	Ajax/WebView Scroll Bar Not Shown Depending on Total Data in Multibox
45682	Ajax - One color gradient does not cover the whole screen (Chrome)
45685	One color gradient does not cover the whole screen (Firefox)
45686	The "delete note" window is behind the note thus making it hard to delete the note(Firefox, Chrome & Safari)
45721	Task triggered on multiple events does not always get triggered even though tasks finish within time constraint
45747	Pivot Table: Drop down functionality seems to use the wrong dimension
45776	Document Bug: Pivoted Dimensions Not Saved with Include Layout State in Bookmark

ID	Title
45777	Problem with Firefox when using advanced Styling mode
45791	IE Plugin: Copied container object does not have properties
45801	One particular Straight chart won't export to Excel(plug-in, Ajax, developer)
45859	One color gradient does not cover the whole screen (Safari both IMac & IPad)
45960	AccessPoint returns wrong document list for user
45961	Not possible to undo a QVS service login typo
45964	Ajax API - Get all objects sometimes creates invalid XML response
46003	Trellis Chart does not show Info Tab
46017	Long bookmarks name cause the bookmark control to extend out over the rest of the menu
46020	AccessPoint login behavior after timeout - redirect to login.htm
46050	Conditional Expression are slower as same Expression with if statement
46080	My Server Report: Cannot delete own report
46087	Adding a variable to the Input Box makes Qlikview freeze
46097	Custom Property control don't survive browser Refresh.
46125	Qlikview Desktop - Cannot disable Persistent Colors in a Trellis Chart, it is checked by default
46145	Jmeter - Using Jmeter to test load is crashing QVS, causing it to restart
46197	Qlikview Desktop - Conditional show not working properly when applied to a Report (still visible when condition not met)
46252	Publisher: QV 11 Sr1 - Tasks status in QMC says running but the task log says succeeded (Task Finished Successfully)
46255	Qlikview Desktop - Allocated memory exceeded with Count (Distinct) in the expression
46309	Qlikview Desktop - Script editor - When tab has been used to add spaces in script movement using arrow key is erratic
46373	Workbench - HTML text (using Div tag with text) cannot be highlighted in HTML Table after inserting a QlikView Workbench object into the table
46375	Documentation: The manual should be clearer the function Now(0) returns the time of the previously finished reload, and not the currently ongoing reload.
46452	QMC - System - Setup -Mail Server - Document Administrators Authorized Distribute via Email: The buttons (Add, Delete, and Delete All) are not lined up as they should be
46461	Documentation: Export to Excel needs note - "Export to Excel can fail when using large data sets in AJAX mode due to product limitations."
46467	AJAX - Actions do not work in text Objects when accessing the qvw from an iPad with iOS 5.1
46481	Qlikview Desktop - Startup Page - Resources - Join Community: URL incorrect for community link
46485	Qlikview Desktop - Some Japanese/Chinese words in Chart Properties are cut off (in height)
46510	AJAX: Chrome context menus covered by other sheet objects
46513	Qlikview Desktop - Pivot Table: Pivoting a dimension causes background and text colors to be lost
46529	Ajax - Container Object - Properties - Presentation: Appearance field is missing (FireFox)
46546	Ajax - Sheet Properties - Use Custom Sheet Background: Pattern options does not work for Sheet background color
46549	Connectivity - OLEDB Connection ignores SQL Script syntax errors
46550	Connectivity - SQL Command sqlcolumns does not work when connecting to Oracle via ODBC: Error QVX_UNEXPECTED_END_OF_DATA: ErrorMsg: [Oracle][ODBC]Numeric value out of range.
46562	Mobile Client - When scrolling horizontal not all objects are displayed for that sheet
46567	Mobile Client - No options to switch back to "Small Device Version" in Full version mode

ID	Title
46569	Qlikview Desktop - Not possible to use a calculated expression with more than 501 components
46577	Ajax - Cycle through dimensions skips one dimension (iPads & table like devices)
46594	QMC - Not possible to use Fully Qualified Domain Name/machine name with domain suffix to send mails
46611	AJAX - Multiple selections cannot be made when dragging the scroll bar
46633	Documentation: Clear Other Fields action not defined clearly enough in the manual
46651	Wrong date returns with Today(0) and Now(0) when it reloads from QEMC/Local Client
46677	No options for adding or deleting objects to container object in properties
46685	QV11: Appendix regarding Actions and general matrix that describes differences between client and server - side functionality
46699	Publisher - Task set up to trigger on Multiple Events Completed does not work
46700	Developer - using TEXT() as output for IF statement causes error
46813	Too long values are not displayed with # in tables
46817	QV11 SR1 chart error on Extensions: Failed to load extension. Make sure it is available at the correct location
46872	List box: Frequency truncated when using And Mode
46876	Cyclic group in pivot table with multiple dimensions fails
46894	Qlikview Distribution Service goes down with a .net socket exception
46943	Searching for something in ListBox and pressing <enter> causes particular document to switch tabs
46961	Firefox disregards return characters on tooltips
46965	Alignment /Justified/Bold – are changed on some objects when changing selections
46966	Pivot Table - Document - Drop down - Drop down showing wrong information when data is hidden
46971	Exporting excel as numbers does not work correctly
46982	"Allocated memory exceeded" when creating a Block Chart with 3 dimensions
47001	Documentation: unable to make a multi selection in calendar icon menu in Ajax
47002	Auto login when using direct Link to document with IEPlugin does not work
47004	Mailed bookmarks cause the plugin to crash
47022	AJAX Audit logging causes users to see "lost server connection" message
47082	Documentation bug : Event Trigger does not work with AJAX mode.
47115	Not possible to include sub via include
47116	Webview scrollbars are missing
47122	Documentation bug: Images in a table box not are printed from the Ajax client
47128	AJAX/WebView - Slider - Negative values are not shown correctly
47134	OCX registered in HEX format in the Registry instead of decimal
47138	Delete measurement button in Extension property page does not work
47139	Second measure cannot be changed
47140	Not possible to enter calculated dimensions in an extension
47146	AJAX Chart rendering takes very long in SSL/HTTPS mode
47185	Stacked bar chart: Values on datapoint missing for a value when one of the expression is 0
47186	Ajax: Wildcard search not working in Ajax in the middle of a word
47197	Pie Chart: Million symbol not working in chart legend
47204	AJAX: Text color in caption not respected

ID	Title
47218	Qlikview developer and Plug-in V11- Hover over in chart not working if you zoom out to 75% or less
47220	Negative Values displaying on top of X axis on line chart
47221	Excel export is slower in v11 than v10
47222	Input field usage in Table object expression requires aggregation function
47231	IE Plugin - Calendar object - select date Values issue
47237	Images in ListBox don't show correctly when only one value is selected
47254	AJAX: Unhide tabs place the tabs wrongly
47257	API method SetOffset does not work
47264	Qlikview - Script - Reload: Reload crashes QV.exe
47270	QV11 SR1 Client: Incorrect translation of French error message
47276	Can't use @ in either username or password when using login to AccessPoint for a iPad client.
47298	Inconsistent amount of data is returned
47302	Can't search users in custom directory if you change name on directory from custom to "something"
47304	AJAX/WebView: Able to search across data fields in drop down menus in charts
47326	Qlikview - Developer - Autonumber is showing different results in V10 than V9
47347	Developer - Update QlikView QV11
47349	Desktop - OLEDB connection ignores errors
47360	QV11 Distribution Service FileSystemWatcher I/O Buffer Overflow Exceptions
47396	Document with show condition does not work same in SR1 as in IR
47401	Internet Explorer script error appears after upgrade to SR1 for a specific document
47418	ListBox on top layer appears behind chart on normal layer in Ajax/WebView in some circumstances
47421	QV fetches different Records each Reload with a Preload Command
47436	sending mail via VBScript non-QlikView API calls doesn't work in QVS
47451	QMC Custom Directory User Password Cannot be Modified in 32-bit Machine
47452	QMC Mail Server Send test-mail to Not Return Message
47463	Ajax: Problems with columns and cyclic groups in Pivot Table
47492	(Ajax/WebView) In V11: ListBox properties under presentation, 'Order by column' is enable this breaks 'Fixed number of columns'
47494	QlikView 11 - Document Properties - Field Event Triggers Disappear
47495	Stacked bar chart: Wrong values on data points when making a selection
47525	Desktop - Expression causing conflict and make application hang
47540	Management Console: QEMC - System - Setup - Server - Folder access does not provide scrollbar
47549	Server Management: Document Administrators unable to disable trigger on their documents
47553	License lease in Developer using third-party authentication/IIS Authenticate token reverts to machine logon in History as well and break the lease
47554	V11 and QMC - "Manual Input of User Names" section is not set for Assigning name Cals.
47588	Graphical issues for the icons on Charts/boxes when moving them (IE8)
47598	Dropdown for ListBox is not working (Firefox)
47606	Dropdown for Multibox does not work (Firefox)
47737	Ajax - Search Object : Unexpected exception occurred! message when deleting in a search box
47740	File Wizard - .xlsx named areas cannot be identified as possible table
47754	Distribution tasks with a Reduced Document Name set to include '\' fails.

ID	Title
47757	Ajax - IE 8/9 Zoom 125% Multiboxes Overlapped
47772	Adding Link Machine Name does not work in QEMC
47814	QV11- Hidden script option in the load script is greyed out, if the hidden script was created in V9
47819	Ajax - it's possible to create bookmark(s) with duplicate name or without name
47824	QMC: Manage Users does not work in IE7
47825	Desktop - "Shift inhibits macro" is missing from User preference
47887	QV11- Watermark is distorted and really dark that is very visually disrupting
47898	QlikView Webserver: Exception SolutionGlobal.QTLog.ApplicationName NULL when running IIS
47902	Management Console: "Manual Input of User Names" field will change to scrollbar when more than 80 letters are written
47918	AJAX - charts not rendering after approx. 30 minutes
47981	IE Plugin - Not able to modify a shared bookmark
47983	Problems visualizing the data previously loaded on a chart after changing the type of this chart, if a note associated to it is showing.
47987	Restarting the server that holds root files causes the Document CALs to double.
48043	Custom User database information gets lost
48046	'Allow Server Objects' not selected on the console makes the Ajax client to become irresponsive
48073	Workorder does not get sent from QMS to QDS
48077	IPad Safari - Excel export icon missing
48093	AJAX: 'lost connection to server' caused by slider object
48143	Problem with scroll bar and cyclic groups
48204	Problem with Polish character when distributing PDF via email
48266	V11 Document CAL automatically deleted, but it show the wrong message in the screen
48290	Expression causes QV to stop responding
48292	Remove @testserver from caption on test servers
48347	The Marker in "Search" for List Boxes is behind the two * signs as default, it should be between them as default (Transformer pad)
48396	Show Conditional on sheets not working as expected
48398	QlikView WebParts does not see the document if Document Information has been added (.Meta file has been generated)
48420	QV Desktop: ErrorMsg 'There was a problem sending the command to the program.' When opening QV doc saved in a different version.
48429	Qlikview Desktop - Function FILEBASENAME () returning name in lowercase
48432	Include statement is not correct when including multiple files
48435	Sheet Background Image Gets Distorted In Chrome When Zoomed In.
48503	All leading and trailing spaces on all fields removed with XLS and SQL, but works fine in XLXS
48508	Desktop: Show X-Axis Scrollbar/Container problem
48509	Distribution Service: FTP access to Data not working
48517	QlikView Enterprise Management Console - Users - Section Access Management - Section Access Tables - will only hold a limited amount of data
48590	Qlikview Publisher - Error in distribution, task finished successfully
48598	Data missing when doing 'loop and reduce' in a document which contains an inputfield object
48621	Documentation: Session recovery has a different behavior as in older version

ID	Title
48635	Impossible to manage User CALs above a count of 1700 - MaxRecievedMessageSize is too small
48658	Extremely difficult to use slider object on any touch device, due to size of the slider
48680	Ajax - List box without borders always have a thin border on the right
48681	Scrolling in long lists and straight tables is difficult when application is zoomed (AJAX on iPad)
48690	Document Bug: Comment using /* ...*/ Function Extends over Several Tabs, but not Color Coding
48696	Extended search box moves relative to the list box when zooming
48698	Results from an expression or formula is not as expected
48711	Publisher: Reduce with only 1 "Selected Values" returns Task Error, also system hangs
48726	File Wizard - .xlsx named areas cannot be identified as possible table
48734	Documentation: Bookmark Save layout only saves the layout of the active tab, not other tabs
48773	License lease lost after QlikView restart when using DMS with Custom Users
48776	Publisher external application task job does not show as error when process exits with non-zero code (failure) Qlikview v11 SR1
48828	Can't see users or groups after importing custom directory v 11 SR1
48849	Moving a column in a table box issue (IE10)
48856	Firefox and IE9: Issue displaying hidden Tabs
48859	QlikView 11 SR1 - iOS - Gradient Not Working in Web Clip or Mobile Safari
48873	FormLogin Submit button styling issues
48880	Subversion: Cannot undo pending changes
48885	AccessPoint: Incorrect login page shown
48927	Users with certain Cyrillic usernames cannot access the AccessPoint
48938	MultiBox Grid Style ignored (Ajax/WebView)
48945	QVS Reload from HTML File not working from Unix/Linux System (Case sensitive)
48956	Resizing a bar chart shows incorrect total value
49047	Double clicking on apply when adding users and groups in custom directory will clear the group list.
49069	Unexpected exception occurred when adding a dimension to a chart in AJAX
49085	AJAX - sessions not being ended
49112	QlikView 11 - Document Properties - Number Formatting Disappears for document saved in v10 last
49136	QEMC - Qlikview Server - Failed to retrieve Settings from QlikView Server with 10 QVS in QEMC and removes the webserver information from the Config.xml
49140	Last string in axis X of a chart object is not completely shown
49157	Developer Pivot Table Drop down values incorrect
49165	Multiple events on trigger get lost by disable/enable of task
49323	Ajax/WebView Current Selection Displayed in One Line, Not in Multiple Lines: Functionality broken
49367	Vertical Pivot/Straight Table does not show values in WebView / Ajax
49379	QlikView 11 SR1 - iOS - Web Clip Not Working
50743	Firefox - Custom User - Custom user session handling in Firefox is not working correctly

9 Bugs corrected in SR1

ID	Title
37092	Bug in loading with Crosstable
37621	Security warnings when creating an extension generator project needs to be documented
38217	Vertical scroll is almost impossible without large zoom level (iPad, Galaxy Tab)
39181	User is not notified if a document extension is missing.
39434	Changing an annotations owner via the QMC causes meta problems
39913	The QvaPublic.BookMark, QvaPublic.BookMgr equivalent classes are missing in the JS API documentation
39914	The Qva.AddExtension and QvaLoadScript equivalent methods are missing in JS API documentations
39915	Qv.InitWebParts is obsolete
39918	QvaCore needs to be splitted
40065	AccessPoint: When having 500 doc in Accesspoint and 12 items per page and all doc visible the ListBox Items per page partly disappears
40081	Difficult to scroll through pivot table (Galaxy Tab)
40256	Word hangs if you try to work with objects from QlikView/Plugin
40271	When running plugin in IE 7 with leased licensed you can't drag drop or copy paste objects
40392	Drop down in tablebox may require multiple clicks to expand
40393	Previously shown drop down flashes by, before the one you clicked on is shown
40440	QlikView Server - When exporting and scrolling in Pivot table QVS crashes
40529	Hovering column titles in the plugin client (or OiS)
40546	List Box: Unchecking and then rechecking the Override Default Settings combobox does not save all current settings.
40548	List Box: When setting the Number Format combobox to Interval the Format Pattern is set to "hh:mm:ss" (which is a Time, not an Interval).
40549	Properties->Presentation Not possible to change the number of columns (with checkbox 'Multiple Columns' checked)
40562	JS API documentation does not contain the new documentation structure
40571	show as tree view changes the layout
40582	Extension object crashes QlikView in WebView
40728	AJAX - iFrame - Search Box - Backspace - Delete -Unexpected Error Occurred
40753	Open Document in the Reduce tab of the QEMC generates an "Object reference not set to an instance of an object" after exactly 10 minutes
40867	Server installation: No radiobutton preselected
40906	You are not able to create server bookmarks for yourself with SBE license
40939	It is not possible to slide to other objects after selections are made in object(s) [HTC DeZ]
41078	Use Expression Total-> cog wheel: possible to make selections even if checkbox isn't selected
41084	Total Position: How to test/activate drop down menu?
41085	In 'Label for Total' it's possible to write a text and press enter, but the label seems to have no effect on the object
41114	Total Position field is disable no way to test it
41116	When trying to change 'Field' of a 'Mini chart' the selection is troublesome
41121	Allow move column has no effect.
41152	Not possible to change Error Bar Color (or any of its properties)

41165	Select wizard crashes when trying to list tables containing binary data read with Oracle ODBC 10g
41166	Blob preview not updated properly
41167	Add button in Select Wizard does nothing on first click
41265	Unable to reload SA MGMT docs through QDS
41376	Limit Labels (Characters) does not work properly
41388	Field "Use Expression Total" does not make any difference to chart
41407	Selections within Use "Expression Total" and "Accumulate Expression" has effect in the object even when checkbox(s) are unchecked)
41482	WebParts objects too large causing scrolls
41531	QMC:Documents>UserDocumnts>Server>ServerObjects>Authorization---> When check and uncheck the checkbox sometimes the Add users and groups icon disappears.
41550	Container allow to add other containers to it (which might / might not have its own objects) . But no way to delete added container.
41653	Not enough space for text Portuguese Documentation and Tutorial msi.
41685	JavaScript API callback not working for NewBookmark method
41721	QvObject are not removed from VS when uninstall/repair
41727	MSI upgrade doesn't detect previous x86/x64 installation
41780	De-selection and selection of either "Show Horizontal Scrollbar" or "Show Vertical Scrollbar" doesn't respond correctly.
41810	Color Picker needs two (2) clicks to respond Or need to click on Object once to show changes.
41821	AJAX UI Bug: Popups, including color picker, should be closed when clicking outside of them
41932	Single object container: Long object title causes tab to become really long
41950	The select report dropdown is active in Ajax although the QVS does not allow printing
41982	Unknown error in MSXML when parsing XML data using LOAD FROM_FIELD
42016	Long template names are truncated in the Select Template menu
42022	WebView: QvAjax.js error when loading table
42032	The label of the value of "0" doesn't display on stacked bars.
42110	Collaboration object manage users dialog
42247	Incorrect Source document location causes QDS to go offline permanently.
42261	Slider object not working properly (AJAX on iPad)
42263	Properties for an extensions created in QV10 does not work in QV11
42267	Alt+Tab starts Search in Firefox
42324	QMC -Trigger - Weekly: Mismatch between task trigger details and actual trigger, when setting to run more seldom than every week.
42451	[Validation] EDX Task does not indicate failure properly
42515	QMC->SourceDoc->Distribute Manually->Mountpoint not updated
42520	Gauges not rendering properly
42564	User is not notified if a document extension is missing.
42591	Copy data, Copy image to clipboard, no icon is showing
42601	List Box: when you have one or two expressions active and have enabled show frequency in percent and you have a small window, the text gets very crowded and some numbers disappears
42606	Properties->Presentation Not possible to change the number of columns (with checkbox 'Multiple Columns' checked)
42614	Container object: Tabs on the left and Tabs to the right are not named equally.

42626	AccessPoint (OSX) - When Signing in the View as option is greyed out and locked
42642	When trying to change 'Field' of a 'Mini chart' the selection is troublesome
42644	Total Position field is disable no way to test it
42647	Fast Type Change in Chart icon only shows in caption.
42648	If Fast Type Change in Chart is enabled and only the same Chart type as the current chart is chosen the Fast Type Change Icon is showing in the chart.
42661	The Border Above Spacing option in the Cell Borders dialog does not seem to have any visual effect.
42662	In 'Label for Total' it's possible to write a text and press enter, but the label seems to have no effect on the object
42663	Total Position : How to test/activate drop down menu?
42669	Use Expression Total-> cog wheel: possible to make selections even if checkbox isn't selected
42676	Include Total, Include Others check boxes are disabled
42694	Allow move column has no effect.
42695	AJAX UI bug: Alignment and margins on input fields in lists
42697	JavaScript API callback not working for NewBookmark method
42701	In case of "Single object" and Object with large tab / Caption (label) there is not name to view full name (no resize option)
42704	Background setting interface is not consistent with other object's setting.
42706	Not possible to open a Qlikview Document through a URL with a action on a Button
42710	Selections within Use "Expression Total" and "Accumulate Expression" has effect in the object even when checkbox(s) are unchecked)
42713	Suppress Zero-Value and "Zero on Bar" are checkboxes should be radio button as are alternative of each other.
42716	Field "Use Expression Total" does not make any difference to chart
42720	Chart Major/ Minor Labels overlap with Axis Line (X-Axis)
42722	Limit Labels (Characters) does not work properly
42725	Unable to reload SA MGMT docs through QDS
42730	Alignment inside the Reference lines Tab is not correct
42732	Dotted Line Style for a Reference Line is not drawn correctly if Line Weight equals 1.
42733	Not possible to change Error Bar Color (or any of its properties)
42749	Background Style Combo box have small width to show long text within it
42751	AJAX UI Bug: Popups, including color picker, should be closed when clicking outside of them
42757	Color Picker needs two (2) clicks to respond Or need to click on Object once to show changes.
42787	Two label fields for Line/Arrow properties dialog (IE7)
42792	Line Orientation values "Diagonal Climbing" and "Diagonal Falling" are working the opposite way
42795	Line Orientation is improperly designed and overlapping with field below it.
42796	Collaboration object manage users dialog
42800	Memory initialization should not be needed in QV memory management system
42803	Multibox: Gridstyle not working in Ajax/WebView
42822	Single object container: Long object title causes tab to become really long
42843	Text on Axis within Expression Tab shows Text distant from other corresponding values
42844	Axis Position is not working correctly
42849	QMC -Trigger - Weekly: Mismatch between task trigger details and actual trigger, when setting to run more seldom than every week.

42852	Improperly designed scrollbar and difficult to use
42856	Not possible to create any "Chart" from scratch as it's not possible to access or add Expressions (IE7) for All Charts
42858	When Chart is resized vertically to some extent. It hide its Y-axis (values) dimension behind chart area.
42888	Tooltip for "Help" in Ajax is displayed as "&Help"
42909	QMC: Mail Server Setup layout
42922	free input of user names in QMC
42928	Qlikview - Chart - Pivot Table: When using the Dual Function in a pivot table both the literal and numeric are being exported in SR3
42930	System.Net.HttpListenerException
42940	Word hangs if you try to work with objects from QlikView/Plugin
42948	[Validation] Document Toolbar not visible when browser is minimized (Sharing enabled)
42964	QVS stops and does not recover, goes Off Duty
42970	QDS: Failed to update notification file
42974	Drop down in tablebox may require multiple clicks to expand
43005	Extensive information in Document Support Information
43013	Header error in Status > Task > Task history
43028	AccessPoint: Retrieving document list from "off duty" or "unlicensed" server
43046	When changing objects in a grid container, they do not appear where expected
43048	QMC - Mail Server: "Email was sent" notification message is cut off
43054	Partial reload with more than one inputfield results in "General Script Error"
43055	QMC: Broken Help link
43065	Edit/Delete menu (for Comments) does not appear in Tabs. Unable to edit and Delete comments
43079	Task status not in sync with Task history/log upon QDS crash/stop
43083	# character in "Link" type url passes "%23" to Browser URL
43086	Reports created in QV 10 does not display table data in QV 11 (11095 and later)
43088	Qlikview - Migration of non-Publisher tasks from V9 to V10, Migration stops if it reaches a task that is reliant on the completion of another task and that task is lower down in the xml file
43100	Wrong help file shown for templates
43102	Certificate: QV Settings service will not start automatically after adding certificates
43103	Desktop - Bar Chart - X-axis Legend - Not always visible
43104	Certificates: QDS service will not start automatically after adding certificates
43105	Documents unavailable when 1 QVS node goes offline
43144	Access Point: Links to unavailable document are not disabled
43146	Unable to horizontal scroll in Ajax for small devices
43165	AJAX - not rendering images correctly works fine in IE Plugin
43169	New documents can't be created in WebView mode
43178	Clear all function removes wrong kind of bookmarks
43179	Clear all function does not work for User Bookmarks
43188	MSI: The installation flow changes when using Config and playing with next and back
43194	Memory increasing with several MB when you open, close, and open a document.
43195	QEMC: Task triggers on success of other tasks i.e. in a loop can be expanded too many times in Status-->Task tab

43213	General script error when storing QVD
43221	Export file naming
43224	Memory leak in QVManagementService.exe
43225	Total differ in QV11 from QV10 (due to Dimension Limits)
43236	Unexpected Exception when trying to add QVW to Source Control
43237	Source Control operations cause QV to lose focus
43256	When Bookmark created with settings i.e. "show description as a pop-up message" is accessed it show pop-up message whenever left clicked is done by mouse.
43262	Plugin: Certain sheet objects almost disappear in container on clear/selection/resizing
43264	Setting for "Bookmark Access" within repository does not work correctly (For user define bookmark).
43266	Plugin: After minimizing a grid container a few times and then restoring it, charts may become unresponsive
43276	Upgrading XML project files from 10 - 11 unable to handle container object
43291	Installation: Erroneous source folder (but identical files)
43292	Time Drill to go up is not working correctly
43295	Delete note is not working correctly in iPad
43296	Dropdown menu for selection of dimension within Properties does not close with closing of property window
43297	Close QV.exe before welcome splash screen has vanished causes windows "stopped working" error
43302	Ajax: Grid Container: Not possible to collapse a fully expanded pivot table
43308	working with extensions in WebView crashes qv desktop
43310	QMC: Task Dependencies->each retry generates individual logs with mixed Success and Failure
43313	Searched list in Help-> Search [Tab] is not sorted correctly (when clicked on sort icon at "Title" heading (caption) to sort result in ascending or descending order.
43315	Could not refresh gracefully has increased very much
43317	181 auth rows in DMS is not possible via QMS API
43319	Force Tunnel with QVWS using a different port does not work
43329	Wrong association to bookmarks when you try to delete a minimized extension
43348	Server installation: No radiobutton preselected
43349	The select report dropdown is active in Ajax although the QVS does not allow printing
43350	There is no Option to switch between the dimensions when there more dimensions in Radar Chart
43351	Single Object Mode for SharePoint as a service integration.
43355	Configurable LDAP entries will changed from "dn" to "ADSPPATH"
43356	AJAX - Possible to drag an object inside a Container Object and even hide it
43357	Loading a text file with more than 66 million lines using http load
43359	Reload Issue using QlikView OCX version 10 SR3 and a OLEDB connection in the script
43360	Variable OnChange trigger not working with variable set with now()
43370	QMC: Document Administrators not able edit Authorization for "their own" User Documents
43372	Send to excel and "Print", icons does not appear in caption neither in context menu (as well as 'Export' and 'Note' are missing in Context menu for objects. (WebView)
43373	Search Object: when moving the object and the mouse marker/text remains in the previous place

43374	Distributions made to "All Users" distributes to both IQVS and QTSEL\Anonymous
43377	QDS cluster environment: The first qds memory increase to 7 GB during a period of time of two days, the other seven qds's are still on 1 Gb. Memory leak?
43382	Qlikview server displaying old images using Bundle Info Load
43385	QMC: Strange Settings Service info on About page
43388	QlikView - Sorting doesn't work as expected
43391	Desktop - Dimension in pivot chart using indent mode doesn't resize as expected
43392	Property windows, Repository window, Add New Sheet Object window jumped left whenever moved (drag to new place)
43393	QV crash when scrolling in pivot table
43396	QVS - High memory usage when using Inputfield with thousands of values in IE Plugin
43398	Straight table height not correct in IE8 and Chrome with workbench
43399	Document randomly disappearing from Access Point
43400	RecNo() starts with 0 not with 1
43404	Objects not populated in IPad/Ajax for a specific application
43405	Bookmark setting i.e. "Show in my favorites" is not de-selectable it got selected automatically. (web view)
43408	QMC: Datepicker not working when IE ESC is on and if "about:blank" isn't added to trusted sites
43416	Tasks get stuck reloading, and cannot be aborted manually
43417	Ajax - Bug / Requirement Button for Refresh in Ajax - Version 10
43434	Shared reports in Ajax differ from the same report in plug-in and open-in-server
43437	Sheet background image vertical alignment not properly calculated
43439	I sometimes get internal inconsistency when I run stress tests
43443	Lock icon in caption in MultiBox is wrong
43445	Sort expression in straight table not working if expression is preceded by a disabled expression
43450	Colored spot in Edit Expression dialog
43453	Double click to add server object doesn't work anymore version 10.00.8932
43454	Web Server - CPU 100% - QlikView 10 SR3
43463	Garbled characters in Chinese Customize dialog (+ Russian + Chinese)
43483	QMC : SourceDoc -> AddTaskWizard -> Distribute is always saved to first QVS in list
43484	Extension Examples contains a direct link to QvAjaxZfc
43495	QMC: Orphan task issues
43502	IE 7 and 8: Can't export file or save to Excel when running https.
43503	No logging in QVS for connection from distribution tasks
43509	Certificates, QMS: QDS service not removed from QVPR thus generating error log every ~20 sec
43510	Certificates, QMS: Unable to remove a QVS node from cluster
43512	Unable to Select multiple characters by Holding Shift Key + using Arrow key in Input Box
43517	Error in QVB when loading from Excel macro-file (.xlsm)
43519	QMC: "Object reference not set to an instance of an object." when selecting a user document that has been configured to be preloaded on a cluster node that has been removed.
43522	WebParts objects too large causing scrolls
43535	Invisible property within Expression Tab is not valid/applicable for Grid/Block Chart but present and selectable with no reflection on chart

43536	Highlight property does not reflect changes in chart
43539	Comments in the Expressions are not shown anywhere on the chart
43548	Show Axis Legend checkbox is inappropriate field for Block chart(with reference to desktop version)
43553	Text Style within "Text" tab is not working correctly.
43560	No logging in QVS for connection from distribution tasks
43561	Document Reload Fails with Inputfield
43564	Gradients in unpatched IE 8 do not work.
43569	Impossible to change printer default settings from within Qlikview Developer
43570	Zoom function destroys Edit Expression for input Box
43571	AJAX - internal spaces removed
43575	If you can't open a file in plugin due to cal limitation the AccessPoint stops responding
43584	AJAX: Tooltip doesn't go away
43595	Loading Content on Access Point on pub11.qliktech.com
43597	QDS : Changing supervisors will not have any affect until a task is edited+distributed or QDS is restarted
43602	When changing objects in a grid container, they do not appear where expected
43605	Edit/Delete menu (for Comments) does not appear in Tabs. Unable to edit and Delete comments
43607	IE7: Some settings doubled in sheet object properties
43612	Certificate: QV Settings service will not start automatically after adding certificates
43613	Certificates: QDS service will not start automatically after adding certificates
43614	Documents unavailable when 1 QVS node goes offline
43628	Unable to horizontal scroll in Ajax for small devices
43633	MSI: The installation flow changes when using Config and playing with next and back
43639	Unexpected Exception when trying to add QVW to Source Control
43640	Source Control operations cause QV to lose focus
43654	Delete note is not working correctly in iPad
43655	Dropdown menu for selection of dimension within Properties does not close with closing of property window
43658	working with extensions in WebView crashes qv desktop
43660	QMC: Task Dependencies->each retry generates individual logs with mixed Success and Failure
43665	Send to excel and "Print", icons does not appear in caption neither in context menu (as well as 'Export' and 'Note' are missing in Context menu for objects. (WebView)
43666	Distributions made to "All Users" distributes to both IQVS and QTSEL\Anonymous
43667	QMC: Strange Settings Service info on About page
43669	Document randomly disappearing from Access Point
43670	QMC: Datepicker not working when IE ESC is on and if "about:blank" isn't added to trusted sites
43675	Lock icon in caption in MultiBox is wrong
43676	Sort expression in straight table not working if expression is preceded by a disabled expression
43696	QDS : Replacing DSC cluster will remove DSC cluster info from QDS-settings
43705	Remove contents of API calls ActivateAll, DeactivateAll
43709	CWE-311: Missing Encryption of Sensitive Data - Case 3

43710	CWE-732: Incorrect Permission Assignment for Critical Resource - Case 1
43711	CWE-732: Incorrect Permission Assignment for Critical Resource - Case 2
43712	CWE-732: Incorrect Permission Assignment for Critical Resource - Case 3
43720	CWE-532: Information Exposure Through Log Files
43730	QDS : Upon task distribution any changes in QVS cluster is not accounted for
43734	IE9: Unnecessary scroll bar added to session collaboration invitation dialog
43736	Treeview list box scroll back to the top when expanding in Ajax (IE9, Safari)
43738	QMC: Last added/removed user to distribution list doesn't get added/removed when distributing via E-mail
43742	QMC: Layout for Document Control part in User Docs moves in IE8
43744	Showing Dbg button in Ajax toolbar should be possible in release mode
43751	Treeview list box not working in Ajax
43753	QMC: Last added/removed user to distribution list doesn't get added/removed when distributing via E-mail
43755	QMC: Layout for Document Control part in User Docs moves in IE8
43756	Unchecked "Size to data" not working
43758	Treeview list box is difficult to expand in the Touch client
43759	Treeview list box is difficult to expand in the Small Devices client
43762	Personal Edition error prompt when double clicking a qvw on the Standalone server although user has a valid leased license
43767	Documentation and tutorial is opened in different language every time if using shortcut.
43777	AccessPoint slow when choosing categories or searching
43780	Text rendering different in version 11 compared to version 10
43788	Orientation in Printing Settings wrong when using Properties
43790	Drawing of chart failed internally in pie chart
43798	Inconsistency in QEMC, Management Service, Summary tab vs. Help text
43800	Very small watermarks in QlikView and Ajax with Test edition = Yse license
43801	No watermarks when using Test edition = Yes in Open in server and plugin
43812	Touch - Cycle and Drill Down groups do not work in charts
43813	Touch - No right click option available for cycle groups
43814	Small Devices - No right click option available for cycle groups
43823	View documents as list/thumbnails are both selected
43824	Bookmarks created on server not visible on Motorola Xoom and Vice Versa
43830	Update hover tooltip and loader overlay on objects
43831	Multiple Columns is not working correctly for List box
43834	Unable to make multiple selections in Table Box- Motorola Xoom and iPad
43835	iPad and Ajax: Font Overlay when using the associative search
43838	Possible to CLEAR locked selections - Xoom/iPad
43842	Extension pie charts are not displayed in one of our Example documents
43865	AJAX - Right clicking for fast change icon display error
43866	Rename field doesn't work when field name already exists
43867	Rename field doesn't work when field name already exists
43868	ServerSideExportEx exported files are not in the correct format in charts
43870	Trigger disappears when copying Supporting Tasks

43871	AJAX loses connection when making search in chart with mixed dimensions and expressions
43872	I don't get any session log when I open documents on QVS
43873	QlikView - Chart - QV crashes after changing first character of typed Expression in Expression editor
43874	A bar chart dimension legend with scroll list (up/down arrow) results in "drawing of chart failed internally"
43875	Not possible to click and drag scrollbar in Trellis bar chart
43886	QMC: Date format in Started/Scheduled filter is hardcoded to "yyyy-mm-dd"
43887	Drawing of chart failed internally in Combo chart
43895	WebParts - Two session/usage CALs are used for each action
43898	Script parameters - changed behavior on Reload only tasks
43899	Clear All Selections from menu does not work
43900	Group resize of sheet objects is not retained upon save
43904	Tasks fail if you run the QDS service with an account that is not local administrator
43908	QVS stops and does not recover, goes Off Duty
43909	QDS: Failed to update notification file
43911	Extensive information in Document Support Information
43912	Header error in Status > Task > Task history
43914	Wrong help file shown for templates
43915	Installation: Erroneous source folder (but identical files)
43918	QMC : SourceDoc -> AddTaskWizard -> Distribute is always saved to first QVS in list
43919	WHERE clause with '+' or '-' in a LOAD statement not working
43921	Mixed case directory groups not resolved by Section Access NTNAME
43922	Section Access OMIT column field value is still visible under Search Objects results
43923	QlikView OCX Developer license should work as QlikView Desktop license as well
43924	QlikView OCX not issuing a runtime license
43925	QEMC - Group resolution with OpenLDAP doesn't work
43926	IE 7 and 8: Can't export file or save to Excel when running https.
43950	JavaScript error in QMC
43962	Section Access Management : Cannot delete Default Table
43973	Compilation of bug fixes and improvements merged from \$/Ver10.00/Sandvik branch
43976	QMC > Licenses: Cannot read confirmation or error message
43977	Sheets with conditional show don't appear where expected
43982	Not possible to scroll a chart using touch/swipe (AJAX on iPad)
43983	It is not possible to scroll in a list in a chart in Ajax on iPad
43997	Cannot single tap a bar or slice to make a selection
44004	QMC: Not possible to set access method to Download only on task
44015	Category for any kind of task not sorted/not wad
44018	New cell icons
44041	Help file generation command line "-x file1.h file2.h file3.h" will crash when exiting
44057	Plugin - Replacing bookmark removes the shared permissions
44064	Blurry text in grid objects (tables) in Chrome, Safari, iPad, iPhone
44067	QV crash when adding a non saved document to SC and then trying to save, when document has existing objects.

44069	Remove Assert in DoGetUtilizationData
44076	QVS restarts under heavy load conditions due to bad formed QVPX2 request
44079	Selecting in chart can cause a crash
44095	SVN: Entered Repository URL is cut next time you Add a project to Source Control
44097	SVN: User Name and Password not entered together with SVN Server
44099	SVN: Multiple "Select SVN Folder" pop-up windows can be opened.
44102	SVN: The Browse button is useful first when an URL has been entered; therefore it should be outgreyed until then.
44108	SVN: Progress bar needed to indicate that something is happening
44111	SVN: Password still entered after checkbox has been removed
44112	Every time a distribution task without reload and with EDX trigger runs from QMS API Client an extra "All Users" will be added under Authorization tab in User Documents
44114	SVN: Enter in comment field with several rows - OK button is clicked instead of getting to the next row
44116	Text is cut, not wrapped in QMC labels
44119	SVN: "In SC" changes to "In SC*" after performing a reload.
44122	SVN: QV hangs after merging
44141	(AJAX) Poor rendering in tables in Chrome.
44142	(AJAX) Refine and update Autocomplete in dropdowns in Properties
44144	(AJAX) Loader screen for documents
44149	SVN: Browse for Local Destination is shown from scratch even though a path has been entered
44153	SVN: QV is not requesting password if it has not been entered in Settings
44171	TriggerEDXTask with NULL password gives TaskStartResult as OtherError
44174	SVN: Sometimes no action in QV after merge with TurtleMerge
44182	Note window "X" gets practically hidden with the right corner of the document in AJAX client
44187	SVN: It is possible to move objects in document while merge window is open
44190	QMC : CPU affinity displays max 25 cores
44193	Container object jumps in Ajax when making a selection
44195	Search object loses its focus in Ajax
44199	IE Plugin - Letter "Z" does not work in notes
44215	Desktop - When a Static Min value is defined for dimension in a bar chart, bars are no longer displayed when a selection is made
44262	SVN: Change in QV window size from maximized to smaller or the other way around causes "In SC*"
44266	QV 11 Tutorial with QV PE does not work as expected
44270	Reload tasks (QVS only or with Publisher) finishes with warning
44284	Dynamic update: With Insert Replace Each the replaced value are still visible
44297	QV Server only : Task Reload fails if a space is in the mounted folder name
44306	Inputfields - while doing loop and reduce
44311	Mobile Client - Unable to remove tabs
44336	Carriage return chr(13) not working as in previous versions
44339	Apply button grayed out when using Totals Use Label with Straight Table
44346	Not possible to add project to SC when having Unicode in filename
44348	SVN: New document not deleted when cancel Get Project
44350	If QlikView WebServer does not start, port 4750 cannot be changed

44358	Export/Import sheet layout no longer possible to do in version 11, but still mentioned in help/ref manual
44362	SVN: In SC still visible after Save As
44363	Single machine server - tasks stuck in Running state : "Task is running at other cluster member"
44372	iPhone/iPad Multiple Selection in Multi Box Not Work
44385	Internet Explorer: Direct Link to document with IEPlugin does not work
44389	Download Document or Print and Export to Excel does not work when set to All Authenticated in tasks
44391	Qlikview Distribution Service - Batch Reload: When reloading via qlikviewdistributionservice.exe with command line task errors with: Error Exception=System.NullReferenceException: Object reference not set to an instance of an object.
44391	Qlikview Distribution Service - Batch Reload: When reloading via qlikviewdistributionservice.exe with command line task errors with: Error
44407	QMC: Unable to add and run two QVS servers in parallel
44423	Documentation - Qlikview Server Reference Manual are referring to AccessPointSettings.aspx file
44426	The status of tasks shows as failed in Task History Details while they are running
44459	QMC broken due to added jQuery dependency
44479	Application created in version 9 cannot be opened in version 11
44483	QMC: Tables in UI does not show the correct information.
44514	QlikView Server - Temporary bookmarks not removed from .shared file
44517	Linebreak "\n" in Text object does no longer work
44518	Cannot create Bookmarks in Ajax unless in document properties/server you have "Allow Server Objects" checked
44520	Ajax/WebView - Object Properties German translation of label "More" is wrong
44534	Labels in DSPSettings Dialog get truncated
44536	Ajax/WebView: Some Special Icons in objects are not shown
44538	Check that the QMC Webhelp works properly after removal of chunk files from the MSI
44541	QVS German Interface language setting issues - More... button
44542	QVS Portuguese Interface language setting issues - Broken tabs on foldout
44546	SVN: Progress bar not always visible when performing Get Project several times
44563	Problems with Portuguese interface language for iPad & iPhone
44564	Problems with German interface language for iPad & iPhone
44566	Source control-same change as server
44568	Document access is downgraded from Admin to User when opening a document created in QV9 in QV11
44570	Application created in v10 cannot be opened in v11
44578	French Tutorial PDF not so pretty
44587	QV11 Expression group shows wrong expressions no in Combo Chart
44588	Dimension Limits>Show Others: Unable to Choose Other in Pie/Bar Chart but Able to in Straight Table
44589	QlikView 11 - Conditional Dimension - Sort Not Functioning Properly
44598	AJAX - The Current Selection box is not emptied with Clear
44615	QEMC - Script - QVD generation: If you store to a QVD, the user name and password are stored in clear text in the XML portion of the QVD

44618	SVN: No good way to abort an Add project
44628	Persistent Cross-Site Scripting (XSS) via bookmark name
44630	SVN: Error message window can be closed prior to closing the browser window
44633	SVN: Data missing when reloading after SC
44679	Grid Multibox resize can cause error
44681	Publisher - Read Document Log was Aborted - Warning
44683	Ajax Client "Allocated memory Exceed" issue
44707	Straight Table: Expression shows empty result
44722	Problems connecting to a server from workbench project
44723	Workbench: QlikView WebServer via JavaScript div Tag - pops up "no connection" message
44725	Workbench JavaScript div Tag" search icon can't be replaced with custom icon
44729	Custom Format Cell does not format header row
44734	QlikView Management Console - "Send test-email to" return message from Mail server gets truncated
44780	Unexpected exception when clicking in "Select one metric" ListBox in the What's new QlikView 11.qvw
44783	SVN: Variable value not saved after SC
44803	QVS 11 IR QVS.exe crashes when a document is opened in AccessPoint and the user gets a response in both AJAX and IE Plugin "You're out of session/Usage CALs...."
44814	Pivot Table: problem with header color
44819	SVN: Field properties not saved
44822	QlikView Desktop - Interval not displayed in defined format beyond a certain value
44839	Include Japanese server PDF in installation build
44840	The cursor is not right placed in the script.
44850	V11- Enable Conditional dimension under the pivot table properties the layout would shift very randomly
44877	Module File is Saved in .js or .vbs instead of .qvs
44879	Default values for project files not correctly interpreted
44894	Remove the active thumbnails from the small devices client
44908	(WebView/Ajax) "Allow Drag and Drop" setting does not work on Table Box Object
44962	License lease lost after QlikView restart when using DMS with Custom Users
44966	Open URL with special characters is inconsistent.
45041	AJAX/WebView: ListBox in Container within Container Grid Style gives trouble in AJAX/WebView
45102	Server - anonymous users are treated as one user
45104	iPad Small Device Version Menu Empty with Japanese interface
45181	QMC: Created QVD doesn't refresh automatically in the left pane
45187	Export to Excel formatting cells with missing values
45197	QVS German Interface language setting issues - Three line string
45202	QVS German Interface language setting issues - Broken tabs on foldout
45207	QVS non English Interface language setting issues - Document Info
45208	QVS German Interface language setting issues - Context menus
45209	QVS German Interface language setting issues - Help
45212	QVS Portuguese Interface language setting issues - Context menus
45218	QVS Portuguese Interface language setting issues - Mixed German and Portuguese

45220	QVS Portuguese Interface language setting issues - String overlap
45226	Server - Distribution - QDS hanging with Exception=System.OverflowException: Value was either too large or too small for an Int32 error
45303	AJAX - IE - Report -Report Titles get cut off in the drop down
45348	Table blank, no data visible
45393	Documentation is lacking on OpenDocumentEx
45419	Unable to Make Selection by Choosing Text in Legend
45461	Document Bug: ServerSideExport is outdated and has been replaced by ServerSideExportEx the API guide should be updated to reflect this
45474	Russian : Russian does not work at all
45488	File over 5 GB fails to reload from QMC
45498	AJAX gives Unexpected Error in QV11 (same as bug 43764)
45613	Runtime Error! when clicking in a Search Object after document has been reloaded on server
45680	The "Bookmark" and "Select Report" dropdowns does not work in Ajax (Chrome)
45687	Dimensions dropdowns does not work for charts(Firefox)
45691	The dropdowns for "Bookmark" and "Select Report" does not work in Ajax (IE9)
45698	Calendar and Slider object not working properly (iPad - Small Device mode)
45711	QDS service does not start if run on a machine with American date format
45819	Ajax: Toolbar Show/Hide notes does not work properly
45963	iPad Safari IOS5.0 Multibox MultiSelection does not Work
46221	QlikView Desktop unable to save changes to Document Extensions
46233	User , Documents and Sheets properties cannot be saved in QV 11 Sr1
46235	Creating an expression in AJAX properties,field get shift at front of the aggregation using the drop down tools.
46249	Access Point: Image as Thumbnail does not work
46251	Desktop: Create executable does not work anymore
46446	V11 - AJAX : When you have windows open behind the browser you have the current QV App and make a selection in any chart, all the windows behind the browser will shift on front of your browser/ screen.
46606	Ajax in IE and iFrame not working v11 SR1 initial release