

3.2 Esempio tracciato

```
<?xml version="1.0" encoding="utf-8"?>
<Valutazioni xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="valutazione.xsd">
  <Valutazione tipo="I">
    <Identificativo>val_001</Identificativo>
    <RiferimentoAccettazione>acc_001</RiferimentoAccettazione>
    <Scheda>
      <DataValutazione>2008-12-12</DataValutazione>
      <TipoValutazione>1</TipoValutazione>
      <MotivoRivalutazione>1</MotivoRivalutazione>
      <SedeValutazione>1</SedeValutazione>
      <ModalitaAccesso>1</ModalitaAccesso>
      <Reddito>1500.00</Reddito>
      <Esenzione>1</Esenzione>
      <CompNucleoFamiliare>12</CompNucleoFamiliare>
      <CondizioneAbitativa>1</CondizioneAbitativa>
      <AssistenteNonFamConv>1</AssistenteNonFamConv>
    </Scheda>
    <ValutazioneMultidimensionale>
      <Qualifiche>
        <Qual nominativo="ciocio">1</Qual>
        <Qual nominativo="ciocssio">2</Qual>
      </Qualifiche>
      <Strumenti>
        <Stru>1</Stru>
        <Stru>2</Stru>
        <Stru>3</Stru>
        <Stru>4</Stru>
        <AltroStru>Il ciocio di montecorvino</AltroStru>
      </Strumenti>
    </ValutazioneMultidimensionale>
    <ValutSani>
      <DiaPatPrev codice="3970"/>
      <DiaPatConc codice="3970"/>
      <DiaPatConc codice="3971"/>
      <DiaPatConc codice="3972"/>
      <DiaPatConc codice="3973"/>
    </ValutSani>
    <EsitiValutazione>
      <TrattSpec>
        <Tratt>1</Tratt>
        <Tratt>2</Tratt>
        <Tratt>3</Tratt>
      </TrattSpec>
      <RischiInfettivo>1</RischiInfettivo>
      <BisogniP>
        <Bisogno>1</Bisogno>
        <Bisogno>2</Bisogno>
        <Bisogno>3</Bisogno>
        <Bisogno>4</Bisogno>
        <Bisogno>5</Bisogno>
      </BisogniP>
    </EsitiValutazione>
    <LivelloFragilita>
      <Autonomia>1</Autonomia>
      <Mobilita>1</Mobilita>
    </LivelloFragilita>
  </Valutazione>
</Valutazioni>
```

```

    <DisturbiCognitivi>1</DisturbiCognitivi>
    <DisturbiComportamentali>2</DisturbiComportamentali>
    <PresenzaAreaSociale>2</PresenzaAreaSociale>
  </LivelloFragilita>
  <PianoAssistenza>
    <Formalizzato>1</Formalizzato>
    <DataRivalutazione>2008-12-12</DataRivalutazione>
    <ModalitaFinanziamento>2</ModalitaFinanziamento>
    <ResponsabilePresInCarico>ciocio</ResponsabilePresInCarico>
    <CaseManager>1</CaseManager>
    <CaseManagerAltro>Eccolo ...</CaseManagerAltro>
    <ConfermaRivalutazione>1</ConfermaRivalutazione>
    <LivelloAssDom>2</LivelloAssDom>
    <LivelloAssAmb>1</LivelloAssAmb>
    <LivelloAssRes>1</LivelloAssRes>
    <LivelloAssSemiRes>1</LivelloAssSemiRes>
    <InvioStrutturaExtraRegione>Ciocio</InvioStrutturaExtraRegione>
  </PianoAssistenza>
  <AutorizzInvio>1</AutorizzInvio>
  <AutorizzSpesa>2</AutorizzSpesa>
</Valutazione>
</Valutazioni>

```

3.3 Tracciato XSD

```

<?xml version="1.0" encoding="UTF-8"?>
<!--W3C Schema generated by XMLSpy v2011 sp1 (x64) (http://www.altova.com)-->
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:simpleType name="string64">
    <xs:restriction base="xs:string">
      <xs:maxLength value="64"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="string32">
    <xs:restriction base="xs:string">
      <xs:maxLength value="32"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="type09">
    <xs:restriction base="xs:string">
      <xs:pattern value="[0-9]{1}"/>
    </xs:restriction>
  </xs:simpleType>
  <xs:simpleType name="sino">
    <xs:restriction base="xs:string">
      <xs:pattern value="[1-2]{1}"/>
    </xs:restriction>
  </xs:simpleType>

```

```

</xs:simpleType>
<xs:simpleType name="sinoaltro">
  <xs:restriction base="xs:string">
    <xs:pattern value="[1-3]{1}"/>
  </xs:restriction>
</xs:simpleType>
<xs:simpleType name="scelta4">
  <xs:restriction base="xs:string">
    <xs:pattern value="[1-4]{1}"/>
  </xs:restriction>
</xs:simpleType>
<xs:element name="Valutazioni">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Valutazione" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:simpleType name="tipo">
  <xs:restriction base="xs:string">
    <xs:enumeration value="I"/>
    <xs:enumeration value="V"/>
    <xs:enumeration value="C"/>
  </xs:restriction>
</xs:simpleType>
<xs:element name="ValutSani">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="DiaPatPrev" minOccurs="1" maxOccurs="1"/>
      <xs:element ref="DiaPatConc" minOccurs="0" maxOccurs="4"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="ValutazioneMultidimensionale">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Qualifiche"/>
      <xs:element ref="Strumenti"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="Valutazione">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Identificativo"/>
      <xs:element ref="RiferimentoAccettazione"/>
      <xs:element ref="Scheda"/>
      <xs:element ref="ValutazioneMultidimensionale"/>
      <xs:element ref="ValutSani"/>
      <xs:element ref="EsitiValutazione"/>
      <xs:element ref="LivelloFragilita"/>
      <xs:element ref="PianoAssistenza"/>
      <xs:element name="AutorizzInvio" minOccurs="0" type="sino"/>
      <xs:element name="AutorizzSpesa" minOccurs="0" type="sino"/>
    </xs:sequence>
    <xs:attribute name="tipo" type="tipo" use="required"/>
  </xs:complexType>
</xs:element>

```

```

<xs:element name="Tratt" type="xs:string"/>
<xs:element name="TrattSpec">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Tratt" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="TipoValutazione" type="xs:string"/>
<xs:element name="Stru" type="xs:string"/>
<xs:element name="Strumenti">
  <xs:complexType>
    <xs:sequence>
      <xs:element ref="Stru" minOccurs="0" maxOccurs="4"/>
      <xs:element ref="AltroStru" minOccurs="0" maxOccurs="1"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="SedeValutazione" type="xs:string"/>
<xs:element name="Scheda">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="DataValutazione" type="xs:date"/>
      <xs:element ref="TipoValutazione"/>
      <xs:element ref="MotivoRivalutazione" minOccurs="0"/>
      <xs:element ref="SedeValutazione" minOccurs="0"/>
      <xs:element ref="ModalitaAccesso"/>
      <xs:element ref="Reddito" minOccurs="0"/>
      <xs:element name="Esenzione" minOccurs="0" type="scelta4"/>
      <xs:element name="CompNucleoFamiliare" minOccurs="0" type="xs:byte"/>
      <xs:element name="CondizioneAbitativa" minOccurs="0" type="sino"/>
      <xs:element ref="AssistenteNonFamConv" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="RischiInfettivo" type="xs:string"/>
<xs:element name="RiferimentoAccettazione">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="50"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="ResponsabilePresInCarico">
  <xs:simpleType>
    <xs:restriction base="xs:string"/>
  </xs:simpleType>
</xs:element>
<xs:element name="Reddito" type="xs:decimal"/>
<xs:element name="Qualifiche">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Qual" minOccurs="0" maxOccurs="unbounded">
        <xs:complexType>
          <xs:simpleContent>
            <xs:extension base="xs:string">
              <xs:attribute name="nominativo"

```

use="required">

```

        <xs:simpleType>
            <xs:restriction
                base="xs:string">
                    <xs:maxLength
                        value="64"/>
                </xs:restriction>
            </xs:simpleType>
        </xs:attribute>
    </xs:extension>
</xs:simpleContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Qual" type="xs:string" id="qual"/>
<xs:element name="PresenzaAreaSociale" type="xs:string"/>
<xs:element name="PianoAssistenza">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Formalizzato" minOccurs="0" type="sino"/>
            <xs:element name="DataRivalutazione" minOccurs="0" type="xs:date"/>
            <xs:element name="ModalitaFinanziamento" minOccurs="0"
                type="sinoaltro"/>
            <xs:element ref="ResponsabilePresalInCarico" minOccurs="0"/>
            <xs:element name="CaseManager" minOccurs="0" type="sinoaltro"/>
            <xs:element name="CaseManagerAltro" minOccurs="0" type="string64"/>
            <xs:element name="ConfermaRivalutazione" minOccurs="0" type="sino"/>
            <xs:element name="LivelloAssDom" minOccurs="1" type="sino"/>
            <xs:element name="LivelloAssAmb" minOccurs="1" type="sino"/>
            <xs:element name="LivelloAssRes" minOccurs="1" type="sino"/>
            <xs:element name="LivelloAssSemiRes" minOccurs="1" type="sino"/>
            <xs:element ref="InvioStrutturaExtraRegione" minOccurs="0"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="MotivoRivalutazione" type="xs:string"/>
<xs:element name="ModalitaAccesso" type="xs:string"/>
<xs:element name="Mobilita" type="xs:string"/>
<xs:element name="LivelloFragilita">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="Autonomia" minOccurs="0"/>
            <xs:element ref="Mobilita" minOccurs="0"/>
            <xs:element name="DisturbiCognitivi" minOccurs="0" type="sinoaltro"/>
            <xs:element name="DisturbiComportamentali" minOccurs="0"
                type="sinoaltro"/>
            <xs:element ref="PresenzaAreaSociale" minOccurs="0"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="InvioStrutturaExtraRegione">
    <xs:simpleType >
        <xs:restriction base="xs:string">

```

```
        <xs:maxLength value="255" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

  <xs:element name="Identificativo">
    <xs:simpleType>
      <xs:restriction base="xs:string">
        <xs:maxLength value="50"/>
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

  <xs:element name="EsitiValutazione">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="TrattSpec" minOccurs="0"/>
        <xs:element ref="RischiInfettivo" minOccurs="0" maxOccurs="1"/>
        <xs:element ref="BisogniP" minOccurs="0"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

  <xs:element name="DiaPatConc">
    <xs:complexType>
      <xs:attribute name="codice" type="xs:string" use="required"/>
    </xs:complexType>
  </xs:element>

  <xs:element name="DiaPatPrev">
    <xs:complexType>
      <xs:attribute name="codice" type="xs:string" use="required"/>
    </xs:complexType>
  </xs:element>

  <xs:element name="Bisogno" type="xs:string"/>
  <xs:element name="BisogniP">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="Bisogno" minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="Autonomia" type="xs:string"/>
  <xs:element name="AssistenteNonFamConv" type="xs:string"/>
  <xs:element name="AltroStru">
    <xs:simpleType>
      <xs:restriction base="xs:string"/>
    </xs:simpleType>
  </xs:element>
</xs:schema>
```