# Silence Install

There are two ways to do the silent install and we will explorer the setup using both. One is to run the QlikViewServer\_x64Setup.exe with the required switches or run the QlikViewServerx64.msi with required switches.

If you are going to use the QlikViewServerx64.msi you will have to extract it from the QlikViewServer\_x64Setup.exe. The best way to extract the MSI is to start the installation and then look into c:\users\<YourAccountName>\AppData\Local\Temp\{Some Random GUID}. Once you find the MSI.exe and copy it to a different location you can cancel the installation.

We will start by looking at the basic switches that are used with each on.

1. MSI.exe requires the below switches

/i {patches name} Installs or configures a product.

/qn displays no user interface. If you want a dialog box displayed at the end at "+"

/I\*v Will log everything in Verbose. Will need to add path and log file name to end.

2. QlikViewServer\_x64Setup.exe requires the below switches

/s Hide initialization dialog. For Silent mode use

/v parameters to the MsiExec.exe with the QV install parameter

/qn Displays no user interface. If you want a dialog box displayed at the end at "+"


/I\*v Will log everything in Verbose. Will need to add path and log file name to end.

Example: /I\*v C:/MSI.log

How we will look at the parameters that are needed for QVS.

## Region

PROPREG="Value"




Country	Value
Austria	AU_GER
Belgium	BE NED
Canada	CA_USA
Denmark	DE_SWE
Finland	FI_SWE
France	FR_FRE
Germany	GE_GER
Ireland	IR_ENG
Italy	IT_ITA
Japan	JP_JPN
Luxembourg	LU_NED
Netherlands	NE_NED
New Zealand	NE_AUS
Norway	NO_SWE
Portugal	PA_ESP
Spain	ES_ESP
Sweden	SW_SWE
Switzerland	SW_GER
United Kingdom	UN_ENG
United States	UN_USA
Other	OT_INT

### **Customer Information**

This dialog is used for entering the customer information. Values are

USERNAME="Username"

COMPANYNAME="CompanyName"



### **Destination Folder**

INSTALLDIR="Path"




#### **QlikView Profiles**

ADDLOCAL "" is the switch that determines the QlikView options that are installed. Below are the ADDLOCAL settings for each type.


#### Full Installation QlikView Webserver

ADDLOCAL = "QvsClients, AjaxZfc, DirectoryServiceConnector, DistributionService, Documentation, Install, ManagementService, Plugin, QVS, QvsDocs, SupportTools, WebServer"



### **Full Installation QlikView IIS**

ADDLOCAL="QvTunnel,QvsClients,AjaxZfc,DirectoryServiceConnector,DistributionService,Documentation,Install,ManagementService,MsIIS,Plugin,QVS,QvsDocs,SupportTools" DEFAULTWEBSITE="1"




### **Custom QlikView Server Only**

ADDLOCAL = "DirectoryServiceConnector,Documentation,Install,QVS,QvsDocs"




### **Custom QlikView Distribution Service**

ADDLOCAL = "DistributionService, Documentation, Install"




### **Custom QlikView Management Service**

ADDLOCAL = "Documentation,Install,ManagementService"




### **Custom QlikView QlikView Webserver**

ADDLOCAL = "QvsClients, AjaxZfc, Documentation, Install, Plugin, WebServer"



### **Custom QlikView IIS**

ADDLOCAL = "QvTunnel,QvsClients,AjaxZfc,Documentation,Install,MsIIS,Plugin" "DEFAULTWEBSITE="1"



#### **Service Account**

IS\_NET\_API\_LOGON\_USERNAME="Domain\Username"

IS\_NET\_API\_LOGON\_PASSWORD="Password"



#### **Services Authentication**

PROPCERT="1" enable certificates

PROPCERT="2" Windows authentication



So a complete command line might look like this.

msiexec /i QlikViewServerx64.msi region\_LIST="UN\_USA" USERNAME="BATMAN"

COMPANYNAME="CAVE"ADDLOCAL="QvsClients,AjaxZfc,DirectoryServiceConnector,DistributionService,
Documentation,Install,ManagementService,Plugin,QVS,QvsDocs,SupportTools,WebServer"IS\_NET\_API\_L

OGON\_USERNAME="qv1122\qvpub" PROPCERT="2" Windows
authenticationIS\_NET\_API\_LOGON\_PASSWORD="qvpub" /I\*v log.txt /qn+