

When I try to create metadata for a Snowflake connection, using the wizard, the connection is created and the list of tables returned. If I select one table then the wizard seems to work ok but the metadata is not saved. If I select multiple tables then the wizard throws an error.

I have seen similar posts regarding Salesforce but none where there seems to be a solution.

I am using TOS v7,0.1

The error log shows:

```
!ENTRY org.talend.platform.logging 4 0 2018-09-27 19:17:53.104
!MESSAGE 2018-09-27 19:17:53,099 ERROR org.talend.commons.exception.CommonExceptionHandler - Error when saving the connection

!STACK 1
org.eclipse.core.runtime.CoreException: Error when saving the connection
    at org.talend.repository.generic.ui.GenericConnWizard$1.run(GenericConnWizard.java:295)
    at org.eclipse.core.internal.resources.Workspace.run(Workspace.java:2313)
    at org.talend.repository.generic.ui.GenericConnWizard.createOrUpdateConnectionItem(GenericConnWizard.java:303)
    at org.talend.repository.generic.ui.GenericConnWizard.performFinish(GenericConnWizard.java:258)
    at org.eclipse.jface.wizard.WizardDialog.finishPressed(WizardDialog.java:853)
    at org.eclipse.jface.wizard.WizardDialog.buttonPressed(WizardDialog.java:438)
    at org.eclipse.jface.dialogs.Dialog$2.widgetSelected(Dialog.java:619)
    at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:248)
    at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
    at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4353)
    at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1061)
    at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4172)
    at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3761)
    at org.eclipse.jface.window.Window.runEventLoop(Window.java:832)
    at org.eclipse.jface.window.Window.open(Window.java:808)
    at org.talend.repository.generic.action.GenericAction.doRun(GenericAction.java:71)
    at org.talend.repository.ui.actions.AContextualAction$2.run(AContextualAction.java:633)
    at org.talend.repository.RepositoryWorkUnit.executeRun(RepositoryWorkUnit.java:99)
    at org.talend.core.repository.model.AbstractRepositoryFactory.executeRepositoryWorkUnit(AbstractRepositoryFactory.java:258)
    at org.talend.repository.localprovider.model.LocalRepositoryFactory.executeRepositoryWorkUnit(LocalRepositoryFactory.java:3420)
    at org.talend.core.repository.model.ProxyRepositoryFactory.executeRepositoryWorkUnit(ProxyRepositoryFactory.java:2247)
    at org.talend.repository.ui.actions.AContextualAction.run(AContextualAction.java:639)
    at org.eclipse.jface.action.Action.runWithEvent(Action.java:519)
    at org.eclipse.jface.action.ActionContributionItem.handleWidgetSelection(ActionContributionItem.java:595)
    at org.eclipse.jface.action.ActionContributionItem.access$2(ActionContributionItem.java:511)
    at org.eclipse.jface.action.ActionContributionItem$5.handleEvent(ActionContributionItem.java:420)
    at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
    at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4353)
    at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1061)
    at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4172)
    at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3761)
    at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:1151)
    at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
    at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:1032)
    at org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:148)
    at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:636)
    at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
    at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)
    at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
    at org.talend.rcp.intro.Application.start(Application.java:265)
    at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
```

```
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)
Caused by: org.talend.daikon.exception.TalendRuntimeException: FAILED_INVOKE_METHOD: {class=org.talend.components.snowflake.SnowflakeTableListPropert
at org.talend.daikon.properties.PropertiesDynamicMethodHelper.doInvoke(PropertiesDynamicMethodHelper.java:109)
at org.talend.daikon.properties.PropertiesDynamicMethodHelper.afterFormFinish(PropertiesDynamicMethodHelper.java:323)
at org.talend.daikon.properties.service.PropertiesServiceImpl.afterFormFinish(PropertiesServiceImpl.java:135)
at org.talend.components.api.service.internal.osgi.ComponentServiceOsgi.afterFormFinish(ComponentServiceOsgi.java:178)
at org.talend.repository.generic.ui.GenericConnWizard$1.run(GenericConnWizard.java:291)
... 51 more
Caused by: java.lang.reflect.InvocationTargetException
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.talend.daikon.properties.PropertiesDynamicMethodHelper.doInvoke(PropertiesDynamicMethodHelper.java:105)
... 55 more
Caused by: java.lang.NumberFormatException: empty String
at sun.misc.FloatingDecimal.readJavaFormatString(Unknown Source)
at sun.misc.FloatingDecimal.parseDouble(Unknown Source)
at java.lang.Double.parseDouble(Unknown Source)
at java.lang.Double.valueOf(Unknown Source)
at org.apache.avro.Schema.parse(Schema.java:1279)
at org.apache.avro.Schema$Parser.parse(Schema.java:1032)
at org.apache.avro.Schema$Parser.parse(Schema.java:1020)
at org.talend.designer.core.generic.utils.SchemaUtils.createSchema(SchemaUtils.java:226)
at org.talend.repository.generic.persistence.GenericRepository.storeProperties(GenericRepository.java:79)
at org.talend.repository.generic.persistence.GenericRepository.storeProperties(GenericRepository.java:1)
at org.talend.components.snowflake.SnowflakeTableListProperties.afterFormFinishMain(SnowflakeTableListProperties.java:92)
... 60 more
!SUBENTRY 1 org.talend.repository.generic 4 0 2018-09-27 19:17:53.105
!MESSAGE Error when saving the connection
!STACK 0
org.talend.daikon.exception.TalendRuntimeException: FAILED_INVOKE_METHOD: {class=org.talend.components.snowflake.SnowflakeTableListProperties, metl
at org.talend.daikon.properties.PropertiesDynamicMethodHelper.doInvoke(PropertiesDynamicMethodHelper.java:109)
at org.talend.daikon.properties.PropertiesDynamicMethodHelper.afterFormFinish(PropertiesDynamicMethodHelper.java:323)
at org.talend.daikon.properties.service.PropertiesServiceImpl.afterFormFinish(PropertiesServiceImpl.java:135)
at org.talend.components.api.service.internal.osgi.ComponentServiceOsgi.afterFormFinish(ComponentServiceOsgi.java:178)
at org.talend.repository.generic.ui.GenericConnWizard$1.run(GenericConnWizard.java:291)
at org.eclipse.core.internal.resources.Workspace.run(Workspace.java:2313)
at org.talend.repository.generic.ui.GenericConnWizard.createOrUpdateConnectionItem(GenericConnWizard.java:303)
at org.talend.repository.generic.ui.GenericConnWizard.performFinish(GenericConnWizard.java:258)
at org.eclipse.jface.wizard.WizardDialog.finishPressed(WizardDialog.java:853)
at org.eclipse.jface.wizard.WizardDialog.buttonPressed(WizardDialog.java:438)
at org.eclipse.jface.dialogs.Dialog$2.widgetSelected(Dialog.java:619)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:248)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4353)
```

```
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1061)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4172)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3761)
at org.eclipse.jface.window.Window.runEventLoop(Window.java:832)
at org.eclipse.jface.window.Window.open(Window.java:808)
at org.talend.repository.generic.action.GenericAction.doRun(GenericAction.java:71)
at org.talend.repository.ui.actions.AContextualAction$2.run(AContextualAction.java:633)
at org.talend.repository.RepositoryWorkUnit.executeRun(RepositoryWorkUnit.java:99)
at org.talend.core.repository.model.AbstractRepositoryFactory.executeRepositoryWorkUnit(AbstractRepositoryFactory.java:258)
at org.talend.repository.localprovider.model.LocalRepositoryFactory.executeRepositoryWorkUnit(LocalRepositoryFactory.java:3420)
at org.talend.core.repository.model.ProxyRepositoryFactory.executeRepositoryWorkUnit(ProxyRepositoryFactory.java:2247)
at org.talend.repository.ui.actions.AContextualAction.run(AContextualAction.java:639)
at org.eclipse.jface.action.Action.runWithEvent(Action.java:519)
at org.eclipse.jface.action.ActionContributionItem.handleWidgetSelection(ActionContributionItem.java:595)
at org.eclipse.jface.action.ActionContributionItem.access$2(ActionContributionItem.java:511)
at org.eclipse.jface.action.ActionContributionItem$5.handleEvent(ActionContributionItem.java:420)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4353)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1061)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4172)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3761)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:1151)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:1032)
at org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:148)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:636)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
at org.talend.rcp.intro.Application.start(Application.java:265)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)
Caused by: java.lang.reflect.InvocationTargetException
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.talend.daikon.properties.PropertiesDynamicMethodHelper.doInvoke(PropertiesDynamicMethodHelper.java:105)
... 55 more
Caused by: java.lang.NumberFormatException: empty String
at sun.misc.FloatingDecimal.readJavaFormatString(Unknown Source)
at sun.misc.FloatingDecimal.parseDouble(Unknown Source)
at java.lang.Double.parseDouble(Unknown Source)
at java.lang.Double.valueOf(Unknown Source)
at org.apache.avro.Schema.parse(Schema.java:1279)
at org.apache.avro.Schema$Parser.parse(Schema.java:1032)
```

```
at org.apache.avro.Schema$Parser.parse(Schema.java:1020)
at org.talend.designer.core.generic.utils.SchemaUtils.createSchema(SchemaUtils.java:226)
at org.talend.repository.generic.persistence.GenericRepository.storeProperties(GenericRepository.java:79)
at org.talend.repository.generic.persistence.GenericRepository.storeProperties(GenericRepository.java:1)
at org.talend.components.snowflake.SnowflakeTableListProperties.afterFormFinishMain(SnowflakeTableListProperties.java:92)
... 60 more
```

Anyone know of a solution?

Thanks.