

Hi,

I have been working with Talend Open Studio ESB 6.3.1 on windows for about two years and stopped with my project in December 2019. Until this time everything was fine. Now I tried to open the studio again and it fails while initialization of the generator engine. It just shows a message: NullPointerException and nothing works anymore.

I have no idea what could have changed.

Even with a new created empty project I get this error.

What can I do?

Best regards

anna.talend

Here is the log:

```
!SESSION 2020-04-28 20:01:24.744 -----  
eclipse.buildId=unknown  
java.version=1.8.0_171  
java.vendor=Oracle Corporation  
BootLoader constants: OS=win32, ARCH=x86_64, WS=win32, NL=de_DE  
Command-line arguments: -os win32 -ws win32 -arch x86_64
```

```
!ENTRY org.eclipse.jdt.launching.macosex 4 0 2020-04-28 20:01:25.834  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.macosex [328]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosex)"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.jdt.launching.ui.macosex 4 0 2020-04-28 20:01:25.840  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.ui.macosex [330]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosex)"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.emf.ecore 2 0 2020-04-28 20:01:28.722

!MESSAGE Both 'org.talend.model' and 'org.talend.model' register a package for 'platform:/resource/org.talend.model/model/TalendFile.xsd'

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:30.324

!MESSAGE 2020-04-28 20:01:30,323 INFO org.talend.repository.ui.login.LoginProjectPage - validate updatesite...

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.485

!MESSAGE 2020-04-28 20:01:33,485 INFO org.talend.components.api.service.context.osgi.GlobalContextOsgi - Activated i18n messages (org.talend.components.api.service.i18n.osgi.I18nMessageProviderOsgi@2d2ca907).

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.504

!MESSAGE 2020-04-28 20:01:33,504 INFO org.talend.components.api.service.internal.osgi.ComponentServiceOsgi - Registered the component: installer\$\$Jira(org.talend.components.jira.JiraFamilyDefinition)

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.515

!MESSAGE 2020-04-28 20:01:33,514 INFO org.talend.components.api.service.internal.osgi.ComponentServiceOsgi - Registered the component: installer\$\$Salesforce(org.talend.components.salesforce.SalesforceFamilyDefinition)

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.522

!MESSAGE 2020-04-28 20:01:33,521 INFO org.talend.components.api.service.internal.osgi.ComponentServiceOsgi - Registered the component: installer\$\$Splunk(org.talend.components.splunk.SplunkFamilyDefinition)

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.527

!MESSAGE 2020-04-28 20:01:33,527 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSplunkEventCollector

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.533

!MESSAGE 2020-04-28 20:01:33,533 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tJIRAInput

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.537

!MESSAGE 2020-04-28 20:01:33,537 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tJIRAOutput

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.543

!MESSAGE 2020-04-28 20:01:33,542 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceBulkExec

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.548

!MESSAGE 2020-04-28 20:01:33,548 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceConnection

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.554

!MESSAGE 2020-04-28 20:01:33,553 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceGetDeleted

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.559  
!MESSAGE 2020-04-28 20:01:33,559 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceGetServerTimestamp

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.564  
!MESSAGE 2020-04-28 20:01:33,564 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceGetUpdated

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.569  
!MESSAGE 2020-04-28 20:01:33,569 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceInput

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.575  
!MESSAGE 2020-04-28 20:01:33,574 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceOutput

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.580  
!MESSAGE 2020-04-28 20:01:33,580 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceOutputBulk

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.585  
!MESSAGE 2020-04-28 20:01:33,585 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :tSalesforceOutputBulkExec

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.590  
!MESSAGE 2020-04-28 20:01:33,590 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :salesforce.edit

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.595  
!MESSAGE 2020-04-28 20:01:33,595 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :salesforce

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:33.600  
!MESSAGE 2020-04-28 20:01:33,600 INFO org.talend.components.api.service.common.DefinitionRegistry - Talend Definition registered :salesforce.module

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:35.863  
!MESSAGE 2020-04-28 20:01:35,863 INFO org.talend.core.repository.model.ProxyRepositoryFactory - user@talend.com gelogged nach xyz

!ENTRY org.talend.platform.logging 1 0 2020-04-28 20:01:36.715  
!MESSAGE 2020-04-28 20:01:36,714 INFO org.talend.core.repository.logintask.ReadOnlyProjectConfirm - ReadOnly confirm

!ENTRY org.talend.platform.logging 4 0 2020-04-28 20:01:36.732  
!MESSAGE 2020-04-28 20:01:36,731 ERROR org.talend.commons.exception.CommonExceptionHandler - Content ist nicht zulässig in Prolog.

!STACK 0  
org.eclipse.emf.ecore.resource.Resource\$IOWrappedException: Content ist nicht zulässig in Prolog.  
at org.eclipse.emf.ecore.xmi.impl.XMLLoadImpl.load(XMLLoadImpl.java:195)  
at org.eclipse.emf.ecore.xmi.impl.XMLResourceImpl.doLoad(XMLResourceImpl.java:261)  
at org.eclipse.emf.ecore.resource.impl.ResourceImpl.load(ResourceImpl.java:1518)

at org.eclipse.emf.ecore.resource.impl.ResourceImpl.load(ResourceImpl.java:1297)  
at org.talend.librariesmanager.model.service.LibrariesIndexManager.loadIndexResources(LibrariesIndexManager.java:68)  
at org.talend.librariesmanager.model.service.LibrariesIndexManager.<init>(LibrariesIndexManager.java:49)  
at org.talend.librariesmanager.model.service.LibrariesIndexManager.<clinit>(LibrariesIndexManager.java:42)  
at org.talend.librariesmanager.model.service.LocalLibraryManager.isInitialized(LocalLibraryManager.java:132)  
at org.talend.librariesmanager.model.service.JavaLibrariesService.syncLibraries(JavaLibrariesService.java:225)  
at org.talend.librariesmanager.model.service.LibrariesService.syncLibraries(LibrariesService.java:128)  
at org.talend.core.CoreService.syncLibraries(CoreService.java:230)  
at org.talend.core.repository.logintask.SyncLibrariesLoginTask.run(SyncLibrariesLoginTask.java:36)  
at org.talend.rcp.intro.ApplicationWorkbenchAdvisor.preStartup(ApplicationWorkbenchAdvisor.java:116)  
at org.eclipse.ui.internal.Workbench\$24.runWithException(Workbench.java:1699)  
at org.eclipse.ui.internal.StartupThreading\$StartupRunnable.run(StartupThreading.java:32)  
at org.eclipse.swt.widgets.RunnableLock.run(RunnableLock.java:35)  
at org.eclipse.swt.widgets.Synchronizer.runAsyncMessages(Synchronizer.java:136)  
at org.eclipse.swt.widgets.Display.runAsyncMessages(Display.java:4147)  
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3764)  
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2897)  
at org.eclipse.ui.internal.Workbench.access\$8(Workbench.java:2797)  
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:633)  
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)  
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)  
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)  
at org.talend.rcp.intro.Application.start(Application.java:243)  
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)  
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)  
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)  
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)  
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)  
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)  
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)  
Caused by: org.xml.sax.SAXParseExceptionpublicId: file:/C:/TOS\_ESB-20161216\_1026-V6.3.1/Studio/configuration/LibrariesIndex.xml; systemId:  
file:/C:/TOS\_ESB-20161216\_1026-V6.3.1/Studio/configuration/LibrariesIndex.xml; lineNumber: 1; columnNumber: 1; Content ist nicht zulässig in Prolog.  
at com.sun.org.apache.xerces.internal.util.ErrorHandlerWrapper.createSAXParseException(Unknown Source)  
at com.sun.org.apache.xerces.internal.util.ErrorHandlerWrapper.fatalError(Unknown Source)  
at com.sun.org.apache.xerces.internal.impl.XMLErrorReporter.reportError(Unknown Source)  
at com.sun.org.apache.xerces.internal.impl.XMLErrorReporter.reportError(Unknown Source)  
at com.sun.org.apache.xerces.internal.impl.XMLScanner.reportFatalError(Unknown Source)  
at com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl\$PrologDriver.next(Unknown Source)  
at com.sun.org.apache.xerces.internal.impl.XMLDocumentScannerImpl.next(Unknown Source)  
at com.sun.org.apache.xerces.internal.impl.XMLNSDocumentScannerImpl.next(Unknown Source)  
at com.sun.org.apache.xerces.internal.impl.XMLDocumentFragmentScannerImpl.scanDocument(Unknown Source)  
at com.sun.org.apache.xerces.internal.parsers.XML11Configuration.parse(Unknown Source)  
at com.sun.org.apache.xerces.internal.parsers.XML11Configuration.parse(Unknown Source)  
at com.sun.org.apache.xerces.internal.parsers.XMLParser.parse(Unknown Source)  
at com.sun.org.apache.xerces.internal.parsers.AbstractSAXParser.parse(Unknown Source)  
at com.sun.org.apache.xerces.internal.jaxp.SAXParserImpl\$JAXPSAXParser.parse(Unknown Source)  
at com.sun.org.apache.xerces.internal.jaxp.SAXParserImpl.parse(Unknown Source)  
at org.eclipse.emf.ecore.xmi.impl.XMLLoadImpl.load(XMLLoadImpl.java:175)

... 37 more

!ENTRY org.talend.platform.logging 4 0 2020-04-28 20:01:36.739

!MESSAGE 2020-04-28 20:01:36,738 ERROR org.talend.rcp.intro.ApplicationWorkbenchAdvisor - Error while execution a login task.

!STACK 0

```
java.lang.NullPointerException
at org.talend.librariesmanager.model.service.LocalLibraryManager.isInitialized(LocalLibraryManager.java:135)
at org.talend.librariesmanager.model.service.JavaLibrariesService.syncLibraries(JavaLibrariesService.java:225)
at org.talend.librariesmanager.model.service.LibrariesService.syncLibraries(LibrariesService.java:128)
at org.talend.core.CoreService.syncLibraries(CoreService.java:230)
at org.talend.core.repository.logintask.SyncLibrariesLoginTask.run(SyncLibrariesLoginTask.java:36)
at org.talend.rcp.intro.ApplicationWorkbenchAdvisor.preStartup(ApplicationWorkbenchAdvisor.java:116)
at org.eclipse.ui.internal.Workbench$24.runWithException(Workbench.java:1699)
at org.eclipse.ui.internal.StartupThreading$StartupRunnable.run(StartupThreading.java:32)
at org.eclipse.swt.widgets RunnableLock.run(RunnableLock.java:35)
at org.eclipse.swt.widgets.Synchronizer.runAsyncMessages(Synchronizer.java:136)
at org.eclipse.swt.widgets.Display.runAsyncMessages(Display.java:4147)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3764)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2897)
at org.eclipse.ui.internal.Workbench.access$8(Workbench.java:2797)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:633)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
at org.talend.rcp.intro.Application.start(Application.java:243)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)
```

!ENTRY org.talend.platform.logging 4 0 2020-04-28 20:01:36.775

!MESSAGE 2020-04-28 20:01:36,775 ERROR org.talend.commons.exception.CommonExceptionHandler -

!STACK 0

```
java.lang.NullPointerException
at org.talend.librariesmanager.model.service.LocalLibraryManager.getMavenUriFromIndex(LocalLibraryManager.java:1464)
at org.talend.core.model.general.ModuleNeeded.getMavenUri(ModuleNeeded.java:524)
at org.talend.core.model.general.ModuleNeeded.getDeployStatus(ModuleNeeded.java:299)
at org.talend.designer.maven.tools.creator.AbstractMavenCodesTemplatePom.addDependencies(AbstractMavenCodesTemplatePom.java:69)
at org.talend.designer.maven.tools.creator.AbstractMavenCodesTemplatePom.createModel(AbstractMavenCodesTemplatePom.java:50)
at org.talend.designer.maven.tools.creator.CreateMavenBundleTemplatePom.create(CreateMavenBundleTemplatePom.java:169)
at org.talend.designer.maven.tools.MavenPomSynchronizer.syncRoutinesPom(MavenPomSynchronizer.java:77)
at org.talend.designer.maven.tools.MavenPomSynchronizer.syncCodesPoms(MavenPomSynchronizer.java:256)
at org.talend.designer.maven.tools.MavenPomSynchronizer.updateCodesPomWithProject(MavenPomSynchronizer.java:268)
```

at org.talend.designer.maven.tools.MavenPomSynchronizer.cleanMavenFiles(MavenPomSynchronizer.java:203)  
at org.talend.designer.runprocess.java.TalendProcessJavaProject.cleanMavenFiles(TalendProcessJavaProject.java:360)  
at org.talend.designer.runprocess.maven.CleanMavenFilesLoginTask\$1.run(CleanMavenFilesLoginTask.java:47)  
at org.eclipse.core.internal.resources.Workspace.run(Workspace.java:2313)  
at org.talend.designer.runprocess.maven.CleanMavenFilesLoginTask.run(CleanMavenFilesLoginTask.java:58)  
at org.talend.rcp.intro.ApplicationWorkbenchAdvisor.preStartup(ApplicationWorkbenchAdvisor.java:116)  
at org.eclipse.ui.internal.Workbench\$24.runWithException(Workbench.java:1699)  
at org.eclipse.ui.internal.StartupThreading\$StartupRunnable.run(StartupThreading.java:32)  
at org.eclipse.swt.widgets RunnableLock.run(RunnableLock.java:35)  
at org.eclipse.swt.widgets.Synchronizer.runAsyncMessages(Synchronizer.java:136)  
at org.eclipse.swt.widgets.Display.runAsyncMessages(Display.java:4147)  
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3764)  
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2897)  
at org.eclipse.ui.internal.Workbench.access\$8(Workbench.java:2797)  
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:633)  
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)  
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)  
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)  
at org.talend.rcp.intro.Application.start(Application.java:243)  
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)  
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)  
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)  
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)  
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
at java.lang.reflect.Method.invoke(Unknown Source)  
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)  
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)  
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)

!ENTRY org.eclipse.ui 2 2 2020-04-28 20:01:38.853

!MESSAGE Invalid preference category path: org.talend.designer.runtime.visualization.internal.ui.JavaMonitorPreferencePage (bundle: org.talend.designer.runtime.visualization.tools, page: org.talend.designer.runtime.visualization.internal.tools.ToolsPreferencePage)

!ENTRY org.talend.platform.logging 4 0 2020-04-28 20:01:44.531

!MESSAGE 2020-04-28 20:01:44,530 ERROR org.talend.commons.exception.CommonExceptionHandler -

!STACK 0

java.lang.NullPointerException

at org.talend.librariesmanager.model.service.LocalLibraryManager.list(LocalLibraryManager.java:725)

at org.talend.core.model.general.ModuleNeeded.getStatus(ModuleNeeded.java:286)

at org.talend.librariesmanager.model.ModulesNeededProvider.getAllNoInstalledModulesNeededExtensionsForPlugin(ModulesNeededProvider.java:753)

at org.talend.updates.runtime.engine.factory.PluginRequiredMissingJarsExtraUpdatesFactory.retrieveUninstalledExtraFeatures(PluginRequiredMissingJarsExtraUpdatesFactory.java:55)

at org.talend.updates.runtime.engine.ExtraFeaturesUpdatesFactory.retrieveUninstalledExtraFeatures(ExtraFeaturesUpdatesFactory.java:49)

at org.talend.updates.runtime.ui.CheckExtraFeaturesToInstallJob.run(CheckExtraFeaturesToInstallJob.java:68)

at org.eclipse.core.internal.jobs.Worker.run(Worker.java:54)

!ENTRY org.talend.platform.logging 4 0 2020-04-28 20:01:46.401

!MESSAGE 2020-04-28 20:01:46,400 ERROR org.talend.commons.exception.CommonExceptionHandler -

!STACK 0  
java.lang.NullPointerException  
at org.talend.librariesmanager.model.service.LocalLibraryManager.getMavenUriFromIndex(LocalLibraryManager.java:1464)  
at org.talend.core.model.general.ModuleNeeded.getMavenUri(ModuleNeeded.java:524)  
at org.talend.librariesmanager.ui.startup.ShareLibsJob\$ShareLibsOnStartup.GetFilesToShare(ShareLibsJob.java:87)  
at org.talend.librariesmanager.maven.ShareLibrareisHelper.shareLibs(ShareLibrareisHelper.java:219)  
at org.talend.librariesmanager.ui.startup.ShareLibsJob.run(ShareLibsJob.java:63)  
at org.eclipse.core.internal.jobs.Worker.run(Worker.java:54)

!ENTRY unknown 4 4 2020-04-28 20:01:46.407

!MESSAGE

!STACK 0

java.lang.NullPointerException  
at org.talend.librariesmanager.model.service.LocalLibraryManager.getMavenUriFromIndex(LocalLibraryManager.java:1464)  
at org.talend.core.model.general.ModuleNeeded.getMavenUri(ModuleNeeded.java:524)  
at org.talend.librariesmanager.ui.startup.ShareLibsJob\$ShareLibsOnStartup.GetFilesToShare(ShareLibsJob.java:87)  
at org.talend.librariesmanager.maven.ShareLibrareisHelper.shareLibs(ShareLibrareisHelper.java:219)  
at org.talend.librariesmanager.ui.startup.ShareLibsJob.run(ShareLibsJob.java:63)  
at org.eclipse.core.internal.jobs.Worker.run(Worker.java:54)

!ENTRY org.talend.platform.logging 2 0 2020-04-28 20:01:53.116

!MESSAGE 2020-04-28 20:01:53,115 WARN org.talend.designer.codegen.components.model.ComponentsFactory - Component tFTPClose already exists. Cannot load user version.

!ENTRY org.talend.platform.logging 4 0 2020-04-28 20:01:54.009

!MESSAGE 2020-04-28 20:01:54,009 ERROR org.talend.designer.codegen.model.CodeGeneratorEmittersPoolFactory - Ausnahme bei der Initialisierung

!STACK 0

java.lang.NullPointerException  
at org.talend.librariesmanager.model.service.LocalLibraryManager.isInitialized(LocalLibraryManager.java:135)  
at org.talend.librariesmanager.model.service.LocalLibraryManager.clearCache(LocalLibraryManager.java:802)  
at org.talend.core.model.components.ComponentManager.saveResource(ComponentManager.java:62)  
at org.talend.designer.codegen.components.model.ComponentsFactory.init(ComponentsFactory.java:186)  
at org.talend.designer.codegen.components.model.ComponentsFactory.getComponents(ComponentsFactory.java:801)  
at org.talend.designer.codegen.model.CodeGeneratorEmittersPoolFactory\$JobRunnable.doRun(CodeGeneratorEmittersPoolFactory.java:163)  
at org.talend.designer.codegen.model.CodeGeneratorEmittersPoolFactory\$JobRunnable.run(CodeGeneratorEmittersPoolFactory.java:129)