

Hello everybody,
I can't deploy my route on TAC , I receive an error 500: the call failed on the server:

However this route works correctly in Studio:

Logs:

```
2016-01-13 15:27:51 INFO BusinessLogger - ;'Creation of new EsbTask ';businessLog.esbtask.creation;
```

```
15:25:38,618 | WARN | 1370468171-53392 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
15:25:38,634 | WARN | 1370468171-53392 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed before
15:25:38,634 | WARN | 1370468171-53392 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

```
java.lang.IllegalStateException: Committed
    at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
    at org.eclipse.jetty.server.Response.sendError(Response.java:567)
    at org.eclipse.jetty.server.Response.sendError(Response.java:544)
    at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
    at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
    at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
    at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
    at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
    at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
    at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
    at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
    at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
    at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
    at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
    at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
    at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
    at org.eclipse.jetty.server.Server.handle(Server.java:497)
    at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
    at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
    at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
    at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
    at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
    at java.lang.Thread.run(Thread.java:745)
```

```
15:25:38,634 | WARN | 1370468171-53392 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

```
java.lang.IllegalStateException: Committed
    at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
    at org.eclipse.jetty.server.Response.sendError(Response.java:567)
    at org.eclipse.jetty.server.Response.sendError(Response.java:544)
    at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
```

```
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:25:38,634 | WARN | 1370468171-53392 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
15:27:08,603 | WARN | 1370468171-53398 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed before
15:27:08,604 | WARN | 1370468171-53398 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
```

15:27:08,604 | WARN | 1370468171-53398 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
```

15:27:08,605 | WARN | 1370468171-53398 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send

15:27:08,614 | WARN | 1370468171-53407 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed befor

15:27:08,615 | WARN | 1370468171-53407 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
```

```
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:27:08,615 | WARN | 1370468171-53407 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
```

```
15:27:08,616 | WARN | 1370468171-53407 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
```

```
15:28:38,610 | WARN | 1370468171-53398 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed before
```

```
15:28:38,610 | WARN | 1370468171-53398 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
```

```
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:28:38,611 | WARN | 1370468171-53398 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
```

```
15:28:38,611 | WARN | 1370468171-53398 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
```

```
15:28:38,622 | WARN | 1370468171-53398 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed befor
```

```
15:28:38,622 | WARN | 1370468171-53398 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
```

```
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:28:38,622 | WARN | 1370468171-53398 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:28:38,623 | WARN | 1370468171-53398 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
```

15:30:29,702 | WARN | 1370468171-53410 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed before

15:30:29,702 | WARN | 1370468171-53410 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
```

15:30:29,702 | WARN | 1370468171-53410 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
```

```
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:30:29,702 | WARN | 1370468171-53410 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
15:30:29,702 | WARN | 1370468171-53418 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed befor
15:30:29,702 | WARN | 1370468171-53418 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:30:29,702 | WARN | 1370468171-53418 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console
```

java.lang.IllegalStateException: Committed

```
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
```

```
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:30:29,702 | WARN | 1370468171-53418 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
15:31:38,677 | WARN | 1370468171-53410 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed before
15:31:38,677 | WARN | 1370468171-53410 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:31:38,677 | WARN | 1370468171-53410 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
```

```
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:31:38,677 | WARN | 1370468171-53410 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
15:31:38,692 | WARN | 1370468171-53410 | rg.eclipse.jetty.server.Response 565 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Committed before
15:31:38,692 | WARN | 1370468171-53410 | pse.jetty.servlet.ServletHandler 628 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
```

```
15:31:38,692 | WARN | 1370468171-53410 | eclipse.jetty.server.HttpChannel 395 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | /system/console

java.lang.IllegalStateException: Committed
at org.eclipse.jetty.server.Response.resetBuffer(Response.java:1253)
at org.eclipse.jetty.server.Response.sendError(Response.java:567)
at org.eclipse.jetty.server.Response.sendError(Response.java:544)
at org.eclipse.jetty.servlet.ServletHandler$Default404Servlet.doGet(ServletHandler.java:1805)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:687)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:808)
at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:587)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceServletHandler.doHandle(HttpServiceServletHandler.java:70)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:577)
at org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.ops4j.pax.web.service.jetty.internal.HttpServiceContext.doHandle(HttpServiceContext.java:267)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at org.ops4j.pax.web.service.jetty.internal.JettyServerHandlerCollection.handle(JettyServerHandlerCollection.java:99)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:497)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:310)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:540)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:635)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:555)
at java.lang.Thread.run(Thread.java:745)
15:31:38,692 | WARN | 1370468171-53410 | eclipse.jetty.server.HttpChannel 481 | 77 - org.eclipse.jetty.util - 9.2.10.v20150310 | Could not send
```

Thanks in advance for your help