


```
at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegatedExecutionApplicationConte
at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)
at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(AbstractDelegatedExecutionApplica
at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$CompleteRefreshTask.run(Depe
at java.lang.Thread.run(Thread.java:745)
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Wrapper' defined in OSGi res
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:334)
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(BeanDefinitionValueResolver.java:108)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertyValues(AbstractAutowireCapableBeanFactory.java
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1160)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:519)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)
at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:223)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
... 17 more
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': FactoryBean threw e
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:173)
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.getObjectFromFactoryBean(FactoryBeanRegistrySupport.java:102)
at org.springframework.beans.factory.support.AbstractBeanFactory.getObjectForBeanInstance(AbstractBeanFactory.java:1467)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:246)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
... 27 more
Caused by: java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visible from class loader
at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:581)
at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:557)
at java.lang.reflect.WeakCache$Factory.get(WeakCache.java:230)
at java.lang.reflect.WeakCache.get(WeakCache.java:127)
at java.lang.reflect.Proxy.getProxyClass0(Proxy.java:419)
at java.lang.reflect.Proxy.newProxyInstance(Proxy.java:719)
at org.apache.cxf.common.util.ProxyHelper.getProxyInternal(ProxyHelper.java:47)
at org.apache.cxf.common.util.ProxyHelper.getProxy(ProxyHelper.java:101)
at org.apache.cxf.frontend.ClientProxyFactoryBean.create(ClientProxyFactoryBean.java:175)
at org.apache.cxf.jaxws.JaxWsProxyFactoryBean.create(JaxWsProxyFactoryBean.java:142)
at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.create(JaxWsProxyFactoryBeanDefinit
at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.getObject(JaxWsProxyFactoryBeanDefi
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:166)
... 32 more
Related cause:
```

```
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': Initialization of bean failed;
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:529)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:223)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getTypeForFactoryBean(AbstractBeanFactory.java:1371)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.getTypeForFactoryBean(AbstractAutowireCapableBeanFactory.java:
    at org.springframework.beans.factory.support.AbstractBeanFactory.isTypeMatch(AbstractBeanFactory.java:526)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.doGetBeanNamesForType(DefaultListableBeanFactory.java:359)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.getBeanNamesForType(DefaultListableBeanFactory.java:335)
    at org.springframework.beans.factory.BeanFactoryUtils.beanNamesForTypeIncludingAncestors(BeanFactoryUtils.java:186)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.findAutowireCandidates(DefaultListableBeanFactory.java:906)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:822)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:779)
    at org.springframework.beans.factory.annotation.AutowiredAnnotationBeanPostProcessor$AutowiredFieldElement.inject(AutowiredAnnotationBeanPostProcessor.java:588)
    at org.springframework.beans.factory.annotation.InjectionMetadata.inject(InjectionMetadata.java:88)
    at org.springframework.beans.factory.annotation.AutowiredAnnotationBeanPostProcessor.postProcessPropertyValues(AutowiredAnnotationBeanPostProcessor.java:386)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1148)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:519)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:223)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:636)
    at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:934)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.access$1600(AbstractDelegatedExecutionApplicationContext.java:114)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegatedExecutionApplicationContext.java:244)
    at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(AbstractDelegatedExecutionApplicationContext.java:274)
    at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$CompleteRefreshTask.run(DependencyWaiterApplicationContextExecutor.java:124)
    at java.lang.Thread.run(Thread.java:745)
Caused by: org.apache.cxf.bus.extension.ExtensionException: Could not create object of extension class org.apache.cxf.bus.osgi.OSGIBusListener.
    at org.apache.cxf.bus.extension.Extension.load(Extension.java:240)
    at org.apache.cxf.bus.extension.ExtensionManagerImpl.loadAndRegister(ExtensionManagerImpl.java:213)
    at org.apache.cxf.bus.extension.ExtensionManagerImpl.initialize(ExtensionManagerImpl.java:121)
    at org.apache.cxf.bus.extension.ExtensionManagerBus.doInitializeInternal(ExtensionManagerBus.java:295)
    at org.apache.cxf.bus.extension.ExtensionManagerBus.initialize(ExtensionManagerBus.java:285)
    at org.apache.cxf.bus.spring.SpringBus.setApplicationContext(SpringBus.java:84)
    at org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor.getBusForName(BusWiringBeanFactoryPostProcessor.java:72)
```

```
at org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor.addDefaultBus(BusWiringBeanFactoryPostProcessor.java:163)
at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.setApplicationContext(JaxWsProxyFac

at org.springframework.context.support.ApplicationContextAwareProcessor.invokeAwareInterfaces(ApplicationContextAwareProcessor.java:117)
at org.springframework.context.support.ApplicationContextAwareProcessor.postProcessBeforeInitialization(ApplicationContextAwareProcessor.

at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyBeanPostProcessorsBeforeInitialization(AbstractAutowi

at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:150)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:521)
... 31 more
Caused by: org.apache.cxf.bus.extension.ExtensionException: Could not create object of extension class org.apache.cxf.bus.managers.ClientLifeCycle

at org.apache.cxf.bus.extension.Extension.load(Extension.java:240)
at org.apache.cxf.bus.extension.ExtensionManagerImpl.loadAndRegister(ExtensionManagerImpl.java:213)
at org.apache.cxf.bus.extension.ExtensionManagerImpl.getBeanOfType(ExtensionManagerImpl.java:320)
at org.apache.cxf.bus.spring.SpringBeanLocator.getBeanOfType(SpringBeanLocator.java:128)
at org.apache.cxf.bus.extension.ExtensionManagerBus.getExtension(ExtensionManagerBus.java:215)
at org.apache.cxf.bus.osgi.OSGIBusListener.registerClientLifeCycleListeners(OSGIBusListener.java:149)
at org.apache.cxf.bus.osgi.OSGIBusListener.<init>(OSGIBusListener.java:79)
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.lang.reflect.Constructor.newInstance(Constructor.java:408)
at org.apache.cxf.bus.extension.Extension.load(Extension.java:231)
... 44 more
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'clientListener' defined in OSGi resource: Cannoc

at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:334)
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(BeanDefinitionValueResolver.java:108)

at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertyValues(AbstractAutowireCapableBeanFactory.java:

at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1160)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:519)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)

at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:223)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:195)
at org.springframework.context.support.AbstractApplicationContext.getBean(AbstractApplicationContext.java:1123)
at org.apache.cxf.bus.spring.SpringBeanLocator.getBeansOfType(SpringBeanLocator.java:151)
at org.apache.cxf.bus.managers.ClientLifeCycleManagerImpl.<init>(ClientLifeCycleManagerImpl.java:45)
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.lang.reflect.Constructor.newInstance(Constructor.java:408)
at org.apache.cxf.bus.extension.Extension.load(Extension.java:217)
... 55 more
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Wrapper' defined in OSGi resou
```

```

at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:334)
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(BeanDefinitionValueResolver.java:108)

at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertyValues(AbstractAutowireCapableBeanFactory.java:
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1160)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:519)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)

at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:223)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
... 72 more
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': FactoryBean threw e
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:173)

at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.getObjectFromFactoryBean(FactoryBeanRegistrySupport.java:126)
at org.springframework.beans.factory.support.AbstractBeanFactory.getObjectForBeanInstance(AbstractBeanFactory.java:1467)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:246)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
... 82 more
Caused by: java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visible from class loader
at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:581)
at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:557)
at java.lang.reflect.WeakCache$Factory.get(WeakCache.java:230)
at java.lang.reflect.WeakCache.get(WeakCache.java:127)
at java.lang.reflect.Proxy.getProxyClass0(Proxy.java:419)
at java.lang.reflect.Proxy.newProxyInstance(Proxy.java:719)
at org.apache.cxf.common.util.ProxyHelper.getProxyInternal(ProxyHelper.java:47)
at org.apache.cxf.common.util.ProxyHelper.getProxy(ProxyHelper.java:101)
at org.apache.cxf.frontend.ClientProxyFactoryBean.create(ClientProxyFactoryBean.java:175)
at org.apache.cxf.jaxws.JaxWsProxyFactoryBean.create(JaxWsProxyFactoryBean.java:142)
at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.create(JaxWsProxyFactoryBeanDefinit
at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.getObject(JaxWsProxyFactoryBeanDefi
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:166)
... 87 more

```

If I check the install of my web service with the command of the tutorial "cxf:list-endpoints" , the list is empty
but I can see it with the list command:

```

karaf@trun(> list
START LEVEL 100 , List Threshold: 50
 ID | State      | Lvl | Version      | Name
-----

```

53	Active	50	3.4.6	ZooKeeper Bundle, Fragments: 54
54	Resolved	50	6.2.1	Talend ESB :: Locator :: Auth, Hosts: 53
55	Active	80	6.2.1	Talend ESB :: Auxiliary Storage :: REST client
56	Active	80	6.2.1	Talend ESB :: Camel Talend Job Component
64	Active	51	6.2.1	Talend ESB :: Locator
71	Active	50	2.16.3	camel-blueprint
72	Active	50	2.16.3	camel-catalog
73	Active	80	2.16.3	camel-commands-core
74	Active	50	2.16.3	camel-core
75	Active	50	2.16.3	camel-cxf
76	Active	50	2.16.3	camel-cxf-transport
77	Active	50	2.16.3	camel-ftp
78	Active	50	2.16.3	camel-jms
79	Active	50	2.16.3	camel-spring
80	Active	80	2.16.3	camel-karaf-commands
83	Active	80	1.3	Commons JXPath
85	Active	50	3.3.0	Commons Net
86	Active	50	1.6.0	Commons Pool
142	Active	80	2.0.13	Apache MINA Core
146	Active	80	1.52.0.1	Apache ServiceMix :: Bundles :: bcprov-jdk15on
149	Active	80	1.6.1.5	Apache ServiceMix :: Bundles :: dom4j
156	Active	80	1.1.1.2	Apache ServiceMix :: Bundles :: jaxen
157	Active	80	1.1.0.4	Apache ServiceMix :: Bundles :: jdom
158	Active	50	0.1.53.1	Apache ServiceMix :: Bundles :: jsch
183	Active	80	3.10.0.v20140604-1726	Eclipse Compiler for Java(TM)
209	Active	80	1.3.3	Jolokia Agent
213	Active	80	4.2.3	OPS4J Pax Web - Jsp Support
220	Active	80	6.2.1	Talend ESB :: Auxiliary Storage :: client common
221	Active	80	6.2.1	Talend ESB :: Auxiliary Storage :: Common
222	Active	80	6.2.1	Talend ESB :: Auxiliary Storage :: REST Security
223	Active	80	6.2.1	Talend ESB :: Job :: API
224	GracePeriod	80	6.2.1	Talend ESB :: Job :: Controller
225	Active	80	6.2.1	Talend ESB :: Policies :: Compression
226	Active	80	6.2.1	Talend ESB :: Policies :: Correlation ID
227	Active	80	6.2.1	Talend ESB :: Policies :: SAM Enabling
228	Active	80	6.2.1	Talend ESB :: Request-Callback
229	Active	80	6.2.1	Talend ESB :: SAM :: Agent
230	Active	80	6.2.1	Talend ESB :: SAM :: Common
231	Active	50	6.2.1	Talend ESB :: Security :: Common
233	Active	80	6.2.1	Talend ESB :: Policies :: Transformation
234	Active	80	6.2.1	Talend ESB :: Policies :: XSD Schema Validation
238	GracePeriod	80	0.1	Airport-control-bundle
239	Active	80	0.1	airportSoap_getAirportInformationByISOCountryCode

I do not understand the cause of my problem. Does the free ESB container is buggy ?

Thanks!