

Hi Can anyone help me on this. This project, in most of the time, it has no problem. Once a while I will get this error. Whenever we re-run the project the, the job will execute with no error. The question is, is there any particular thing I may need to configure to avoid this irritating issue?.

The error is paste below

```
java.sql.SQLException: Io exception: Software caused connection abort: recv failed
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:566)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:418)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_checklist_0_4.S_CHECKLIST.tOracleInput_2Process(S_CHECKLIST.java:1914)
at rce_etljobs_prod.s_checklist_0_4.S_CHECKLIST$2.run(S_CHECKLIST.java:9682)
Caused by: java.net.SocketException: Software caused connection abort: recv failed
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.read(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at oracle.net.ns.Packet.receive(Packet.java:240)
at oracle.net.ns.DataPacket.receive(DataPacket.java:92)
at oracle.net.ns.NetInputStream.getNextPacket(NetInputStream.java:172)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:117)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:92)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:77)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1034)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
... 8 more
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_mktgreps_0_1.S_MKTGREPS.tOracleInput_1Process(S_MKTGREPS.java:1731)
at rce_etljobs_prod.s_mktgreps_0_1.S_MKTGREPS$2.run(S_MKTGREPS.java:5540)
java.sql.SQLException: No more data to read from socket
```

at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_insector_0_2.S_LNSECTOR.tOracleInput_2Process(S_LNSECTOR.java:1326)
at rce_etljobs_prod.s_insector_0_2.S_LNSECTOR\$2.run(S_LNSECTOR.java:3769)
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_state_0_1.S_STATE.tOracleInput_1Process(S_STATE.java:1746)
at rce_etljobs_prod.s_state_0_1.S_STATE\$2.run(S_STATE.java:3769)
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)

at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_company_0_3.S_COMPANY.tOracleInput_1Process(S_COMPANY.java:1477)
at rce_etljobs_prod.s_company_0_3.S_COMPANY\$2.run(S_COMPANY.java:3267)
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_loan_master_daily_0_28.S_LOAN_MASTER_DAILY.tOracleInput_20Process(S_LOAN_MASTER_DAILY.java:5005)
at rce_etljobs_prod.s_loan_master_daily_0_28.S_LOAN_MASTER_DAILY\$95.run(S_LOAN_MASTER_DAILY.java:24616)
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_loanspecprovision_0_2.S_LOANSPECPROVISION.tOracleInput_2Process(S_LOANSPECPROVISION.java:757)
at rce_etljobs_prod.s_loanspecprovision_0_2.S_LOANSPECPROVISION\$2.run(S_LOANSPECPROVISION.java:3875)
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)

```
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_followup_rem_0_3.S_FOLLOWUP_REM.tOracleInput_2Process(S_FOLLOWUP_REM.java:1817)
at rce_etljobs_prod.s_followup_rem_0_3.S_FOLLOWUP_REM$2.run(S_FOLLOWUP_REM.java:5753)
java.sql.SQLException: Io exception: Software caused connection abort: recv failed
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSqlException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSqlException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSqlException(DatabaseError.java:566)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:418)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_fcrate_0_2.S_FCRATE.tOracleInput_2Process(S_FCRATE.java:3534)
at rce_etljobs_prod.s_fcrate_0_2.S_FCRATE$2.run(S_FCRATE.java:5493)
Caused by: java.net.SocketException: Software caused connection abort: recv failed
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.read(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at oracle.net.ns.Packet.receive(Packet.java:240)
at oracle.net.ns.DataPacket.receive(DataPacket.java:92)
at oracle.net.ns.NetInputStream.getNextPacket(NetInputStream.java:172)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:117)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:92)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:77)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1034)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
... 8 more
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSqlException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSqlException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSqlException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSqlException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
```

```
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_product_0_8.S_PRODUCT.tOracleInput_5Process(S_PRODUCT.java:5323)
at rce_etljobs_prod.s_product_0_8.S_PRODUCT$2.run(S_PRODUCT.java:6454)
java.sql.SQLException: No more data to read from socket
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:269)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:490)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1053)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_inappl_daily_0_8.S_LNAPPL_DAILY.tOracleInput_1Process(S_LNAPPL_DAILY.java:2907)
at rce_etljobs_prod.s_inappl_daily_0_8.S_LNAPPL_DAILY$23.run(S_LNAPPL_DAILY.java:41451)
java.sql.SQLException: Io exception: Software caused connection abort: recv failed
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:566)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:418)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_intran_daily_0_3.S_LNTRAN_DAILY.tOracleInput_1Process(S_LNTRAN_DAILY.java:1966)
at rce_etljobs_prod.s_intran_daily_0_3.S_LNTRAN_DAILY$6.run(S_LNTRAN_DAILY.java:18736)
Caused by: java.net.SocketException: Software caused connection abort: recv failed
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.read(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at oracle.net.ns.Packet.receive(Packet.java:240)
at oracle.net.ns.DataPacket.receive(DataPacket.java:92)
at oracle.net.ns.NetInputStream.getNextPacket(NetInputStream.java:172)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:117)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:92)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:77)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1034)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
... 8 more
java.sql.SQLException: Io exception: Software caused connection abort: recv failed
```

at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:566)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:418)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_fund_0_2.S_FUND.tOracleInput_2Process(S_FUND.java:1356)
at rce_etljobs_prod.s_fund_0_2.S_FUND\$2.run(S_FUND.java:4845)
Caused by: java.net.SocketException: Software caused connection abort: recv failed
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.read(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at oracle.net.ns.Packet.receive(Packet.java:240)
at oracle.net.ns.DataPacket.receive(DataPacket.java:92)
at oracle.net.ns.NetInputStream.getNextPacket(NetInputStream.java:172)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:117)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:92)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:77)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1034)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
... 8 more
java.sql.SQLException: Io exception: Software caused connection abort: recv failed
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:566)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:418)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.s_cfothdata_0_1.S_CFOTHDATA.tOracleInput_2Process(S_CFOTHDATA.java:756)
at rce_etljobs_prod.s_cfothdata_0_1.S_CFOTHDATA\$2.run(S_CFOTHDATA.java:2540)
Caused by: java.net.SocketException: Software caused connection abort: recv failed
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.read(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at oracle.net.ns.Packet.receive(Packet.java:240)
at oracle.net.ns.DataPacket.receive(DataPacket.java:92)
at oracle.net.ns.NetInputStream.getNextPacket(NetInputStream.java:172)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:117)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:92)

```
at oracle.net.ns.NetInputStream.read(NetInputStream.java:77)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1034)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
... 8 more
java.sql.SQLException: Io exception: Software caused connection abort: recv failed
at oracle.jdbc.driver.SQLStateMapping.newSQLException(SQLStateMapping.java:74)
at oracle.jdbc.driver.DatabaseError.newSQLException(DatabaseError.java:131)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:197)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:261)
at oracle.jdbc.driver.DatabaseError.throwSQLException(DatabaseError.java:566)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:418)
at oracle.jdbc.driver.PhysicalConnection.<init>(PhysicalConnection.java:508)
at oracle.jdbc.driver.T4CConnection.<init>(T4CConnection.java:203)
at oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:33)
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:510)
at java.sql.DriverManager.getConnection(Unknown Source)
at java.sql.DriverManager.getConnection(Unknown Source)
at rce_etljobs_prod.rce_staging_jobs_flow_daily_0_3.RCE_STAGING_JOBS_FLOW_DAILY.tOracleConnection_1Process(RCE_STAGING_JOBS_FLOW_DAILY.java:1051)
at rce_etljobs_prod.rce_staging_jobs_flow_daily_0_3.RCE_STAGING_JOBS_FLOW_DAILY$2.run(RCE_STAGING_JOBS_FLOW_DAILY.java:6126)
Caused by: java.net.SocketException: Software caused connection abort: recv failed
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.read(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at oracle.net.ns.Packet.receive(Packet.java:240)
at oracle.net.ns.DataPacket.receive(DataPacket.java:92)
at oracle.net.ns.NetInputStream.getNextPacket(NetInputStream.java:172)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:117)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:92)
at oracle.net.ns.NetInputStream.read(NetInputStream.java:77)
at oracle.jdbc.driver.T4CMAREngine.unmarshalUB1(T4CMAREngine.java:1034)
at oracle.jdbc.driver.T4CMAREngine.unmarshalSB1(T4CMAREngine.java:1010)
at oracle.jdbc.driver.T4CTTloauthenticate.receiveOauth(T4CTTloauthenticate.java:760)
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:368)
... 8 more
```