

Hi all,

I've build a small job, which just extracts values from one XML and fills with those values a SOAP request for a webservice.

However, when I run it, it gives an error, PrivilegedActionException. While if I log the request and put it in SoapUI, then I get a succes response.

What could be causing this difference between using tSOAP in Talend and just using SoapUI? There is no authentication needed or anything, and I just put the whole request including Header in Talend. I hope you can help me!

This is the errormessage I get:

```
SEVERE: SAAJ0009: Message send failed
Exception in component tSOAP_1 (PIM)
com.sun.xml.messaging.saaj.SOAPEXceptionImpl: java.security.PrivilegedActionException: com.sun.xml.messaging.saaj.SOAPEXceptionImpl: Message send failed
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.call(HttpSOAPConnection.java:191)
at org.talend.soap.SOAPUtil.invokeSOAP(SOAPUtil.java:147)
at pim_development.pim_0_1.PIM.tSOAP_1Process(PIM.java:3318)
at pim_development.pim_0_1.PIM.tFixedFlowInput_2Process(PIM.java:2897)
at pim_development.pim_0_1.PIM.tSetGlobalVar_4Process(PIM.java:2436)
at pim_development.pim_0_1.PIM.tFileInputXML_3Process(PIM.java:4940)
at pim_development.pim_0_1.PIM.tFileInputXML_1Process(PIM.java:1137)
at pim_development.pim_0_1.PIM.tFileList_1Process(PIM.java:5345)
at pim_development.pim_0_1.PIM.runJobInTOS(PIM.java:5671)
at pim_development.pim_0_1.PIM.main(PIM.java:5459)
Caused by: java.security.PrivilegedActionException: com.sun.xml.messaging.saaj.SOAPEXceptionImpl: Message send failed
at java.security.AccessController.doPrivileged(Native Method)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.call(HttpSOAPConnection.java:185)
... 9 more
Caused by: com.sun.xml.messaging.saaj.SOAPEXceptionImpl: Message send failed
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.post(HttpSOAPConnection.java:389)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection$PriviledgedPost.run(HttpSOAPConnection.java:214)
... 11 more
Caused by: java.net.ConnectException: Connection refused: connect
at java.net.TwoStacksPlainSocketImpl.socketConnect(Native Method)
at java.net.AbstractPlainSocketImpl.doConnect(Unknown Source)
at java.net.AbstractPlainSocketImpl.connectToAddress(Unknown Source)
at java.net.AbstractPlainSocketImpl.connect(Unknown Source)
at java.net.PlainSocketImpl.connect(Unknown Source)
at java.net.SocksSocketImpl.connect(Unknown Source)
at java.net.Socket.connect(Unknown Source)
at java.net.Socket.connect(Unknown Source)
at sun.net.NetworkClient.doConnect(Unknown Source)
at sun.net.www.http.HttpClient.openServer(Unknown Source)
at sun.net.www.http.HttpClient.openServer(Unknown Source)
at sun.net.www.http.HttpClient.<init>(Unknown Source)
at sun.net.www.http.HttpClient.New(Unknown Source)
at sun.net.www.http.HttpClient.New(Unknown Source)
```

at sun.net.[www.protocol.http.HttpURLConnection.getNewHttpClient\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.plainConnect0\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.plainConnect\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.connect\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.getOutputStream0\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.getOutputStream\(Unknown Source\)](#)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.post(HttpSOAPConnection.java:346)
... 12 more

CAUSE:

java.security.PrivilegedActionException: com.sun.xml.messaging.saaj.SOAPExceptionImpl: Message send failed
at java.security.AccessController.doPrivileged(Native Method)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.call(HttpSOAPConnection.java:185)
at org.talend.soap.SOAPUtil.invokeSOAP(SOAPUtil.java:147)
at pim_development.pim_0_1.PIM.tSOAP_1Process(PIM.java:3318)
at pim_development.pim_0_1.PIM.tFixedFlowInput_2Process(PIM.java:2897)
at pim_development.pim_0_1.PIM.tSetGlobalVar_4Process(PIM.java:2436)
at pim_development.pim_0_1.PIM.tFileInputXML_3Process(PIM.java:4940)
at pim_development.pim_0_1.PIM.tFileInputXML_1Process(PIM.java:1137)
at pim_development.pim_0_1.PIM.tFileList_1Process(PIM.java:5345)
at pim_development.pim_0_1.PIM.runJobInTOS(PIM.java:5671)
at pim_development.pim_0_1.PIM.main(PIM.java:5459)
Caused by: com.sun.xml.messaging.saaj.SOAPExceptionImpl: Message send failed
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.post(HttpSOAPConnection.java:389)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection\$PrivilegedPost.run(HttpSOAPConnection.java:214)
... 11 more

Caused by: java.net.ConnectException: Connection refused: connect
at java.net.TwoStacksPlainSocketImpl.socketConnect(Native Method)
at java.net.AbstractPlainSocketImpl.doConnect(Unknown Source)
at java.net.AbstractPlainSocketImpl.connectToAddress(Unknown Source)
at java.net.AbstractPlainSocketImpl.connect(Unknown Source)
at java.net.PlainSocketImpl.connect(Unknown Source)
at java.net.SocksSocketImpl.connect(Unknown Source)
at java.net.Socket.connect(Unknown Source)
at java.net.Socket.connect(Unknown Source)
at sun.net.NetworkClient.doConnect(Unknown Source)
at sun.net.[www.http.HttpClient.openServer\(Unknown Source\)](#)
at sun.net.[www.http.HttpClient.openServer\(Unknown Source\)](#)
at sun.net.[www.http.HttpClient.<init>\(Unknown Source\)](#)
at sun.net.[www.http.HttpClient.New\(Unknown Source\)](#)
at sun.net.[www.http.HttpClient.New\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.getNewHttpClient\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.plainConnect0\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.plainConnect\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.connect\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.getOutputStream0\(Unknown Source\)](#)
at sun.net.[www.protocol.http.HttpURLConnection.getOutputStream\(Unknown Source\)](#)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.post(HttpSOAPConnection.java:346)
... 12 more

CAUSE:

java.security.PrivilegedActionException: com.sun.xml.messaging.saaj.SOAPEXceptionImpl: Message send failed
at java.security.AccessController.doPrivileged(Native Method)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.call(HttpSOAPConnection.java:185)
at org.talend.soap.SOAPUtil.invokeSOAP(SOAPUtil.java:147)
at pim_development.pim_0_1.PIM.tSOAP_1Process(PIM.java:3318)
at pim_development.pim_0_1.PIM.tFixedFlowInput_2Process(PIM.java:2897)
at pim_development.pim_0_1.PIM.tSetGlobalVar_4Process(PIM.java:2436)
at pim_development.pim_0_1.PIM.tFileInputXML_3Process(PIM.java:4940)
at pim_development.pim_0_1.PIM.tFileInputXML_1Process(PIM.java:1137)
at pim_development.pim_0_1.PIM.tFileList_1Process(PIM.java:5345)
at pim_development.pim_0_1.PIM.runJobInTOS(PIM.java:5671)
at pim_development.pim_0_1.PIM.main(PIM.java:5459)
Caused by: com.sun.xml.messaging.saaj.SOAPEXceptionImpl: Message send failed
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.post(HttpSOAPConnection.java:389)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection\$PriviledgedPost.run(HttpSOAPConnection.java:214)
... 11 more
Caused by: java.net.ConnectException: Connection refused: connect
at java.net.TwoStacksPlainSocketImpl.socketConnect(Native Method)
at java.net.AbstractPlainSocketImpl.doConnect(Unknown Source)
at java.net.AbstractPlainSocketImpl.connectToAddress(Unknown Source)
at java.net.AbstractPlainSocketImpl.connect(Unknown Source)
at java.net.PlainSocketImpl.connect(Unknown Source)
at java.net.SocksSocketImpl.connect(Unknown Source)
at java.net.Socket.connect(Unknown Source)
at java.net.Socket.connect(Unknown Source)
at sun.net.NetworkClient.doConnect(Unknown Source)
at sun.net.www.http.HttpClient.openServer(Unknown Source)
at sun.net.www.http.HttpClient.openServer(Unknown Source)
at sun.net.www.http.HttpClient.<init>(Unknown Source)
at sun.net.www.http.HttpClient.New(Unknown Source)
at sun.net.www.http.HttpClient.New(Unknown Source)
at sun.net.www.protocol.http.HttpURLConnection.getNewHttpClient(Unknown Source)
at sun.net.www.protocol.http.HttpURLConnection.plainConnect0(Unknown Source)
at sun.net.www.protocol.http.HttpURLConnection.plainConnect(Unknown Source)
at sun.net.www.protocol.http.HttpURLConnection.connect(Unknown Source)
at sun.net.www.protocol.http.HttpURLConnection.getOutputStream0(Unknown Source)
at sun.net.www.protocol.http.HttpURLConnection.getOutputStream(Unknown Source)
at com.sun.xml.messaging.saaj.client.p2p.HttpSOAPConnection.post(HttpSOAPConnection.java:346)
... 12 more

Thanks in advance!