

In Talend, we can run a job from TAC : (File Capture.PNG)

Below the error message after the execution of the job :

Chargement du fichier properties:

/applis/referentiel_mdm/technique/conf/RM_REF_ADM.properties

Jun 26, 2017 11:55:43 AM org.apache.cxf.wsdl.service.factory.ReflectionServiceFactoryBean buildServiceFromClass

INFO: Creating Service {<http://www.talend.com/mdm>}TMDMService from class org.talend.mdm.webservice.TMDMService

Jun 26, 2017 11:55:44 AM org.apache.cxf.phase.PhaseInterceptorChain doDefaultLogging

WARNING: Interceptor for {<http://www.talend.com/mdm>}TMDMService#{<http://www.talend.com/mdm>}getItems has thrown exception, unwinding now

org.apache.cxf.binding.soap.SoapFault: Error reading XMLStreamReader: Unexpected EOF in prolog

at [row,col {unknown-source}]: [1,0]

at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:283)

at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:69)

at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)

at org.apache.cxf.endpoint.ClientImpl.onMessage(ClientImpl.java:798)

at org.apache.cxf.transport.http.HTTPConduit\$WrappedOutputStream.handleResponseInternal(HTTPConduit.java:1669)

at org.apache.cxf.transport.http.HTTPConduit\$WrappedOutputStream.handleResponse(HTTPConduit.java:1550)

at org.apache.cxf.transport.http.HTTPConduit\$WrappedOutputStream.close(HTTPConduit.java:1347)

at org.apache.cxf.transport.AbstractConduit.close(AbstractConduit.java:56)

at org.apache.cxf.transport.http.HTTPConduit.close(HTTPConduit.java:651)

at org.apache.cxf.interceptor.MessageSenderInterceptor\$MessageSenderEndingInterceptor.handleMessage(MessageSenderInterceptor.java:62)

at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)

at org.apache.cxf.endpoint.ClientImpl.doInvoke(ClientImpl.java:514)

at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:423)

at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:324)

at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:277)

at org.apache.cxf.frontend.ClientProxy.invokeSync(ClientProxy.java:96)

at org.apache.cxf.jaxws.JaxWsClientProxy.invoke(JaxWsClientProxy.java:139)

at com.sun.proxy.\$Proxy41.getItems(Unknown Source)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tMDMInput_2_InProcess(JB_ADM_MiseAJour_Liste_traitement_master.java:50433)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tMDMInput_1_InProcess(JB_ADM_MiseAJour_Liste_traitement_master.java:49738)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tJava_1Process(JB_ADM_MiseAJour_Liste_traitement_master.java:50433)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tPrejob_1Process(JB_ADM_MiseAJour_Liste_traitement_master.java:50433)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tPrejob_1Process(JB_ADM_MiseAJour_Liste_traitement_master.java:50433)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tPrejob_1Process(JB_ADM_MiseAJour_Liste_traitement_master.java:50433)

at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.runJobInTOS(JB_ADM_MiseAJour_Liste_traitement_master.java:50433)

at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.main(JB_ADM_MiseAJour_Liste_traitement_master.java:49738)

Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog

at [row,col {unknown-source}]: [1,0]

at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:685)

```
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2141)
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2047)
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1131)
at com.ctc.wstx.sr.BasicStreamReader.nextTag(BasicStreamReader.java:1154)
at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:169)
... 23 more
```

Error reading XMLStreamReader: Unexpected EOF in prolog

```
at [row,col {unknown-source}]: [1,0]
```

Jun 26, 2017 11:55:44 AM org.apache.cxf.phase.PhaseInterceptorChain doDefaultLogging

WARNING: Interceptor for (<http://www.talend.com/mdm>)TMDMService#(<http://www.talend.com/mdm>)logout has thrown exception, unwinding now

org.apache.cxf.binding.soap.SoapFault: Error reading XMLStreamReader: Unexpected EOF in prolog

```
at [row,col {unknown-source}]: [1,0]
```

```
at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:283)
at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:69)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)
at org.apache.cxf.endpoint.ClientImpl.onMessage(ClientImpl.java:798)
at org.apache.cxf.transport.http.HTTPConduit$WrappedOutputStream.handleResponseInternal(HTTPConduit.java:1669)
at org.apache.cxf.transport.http.HTTPConduit$WrappedOutputStream.handleResponse(HTTPConduit.java:1550)
at org.apache.cxf.transport.http.HTTPConduit$WrappedOutputStream.close(HTTPConduit.java:1347)
at org.apache.cxf.transport.AbstractConduit.close(AbstractConduit.java:56)
at org.apache.cxf.transport.http.HTTPConduit.close(HTTPConduit.java:651)
at org.apache.cxf.interceptor.MessageSenderInterceptor$MessageSenderEndingInterceptor.handleMessage(MessageSenderInterceptor.java:62)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)
at org.apache.cxf.endpoint.ClientImpl.doInvoke(ClientImpl.java:514)
at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:423)
at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:324)
at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:277)
at org.apache.cxf.frontend.ClientProxy.invokeSync(ClientProxy.java:96)
at org.apache.cxf.jaxws.JaxWsClientProxy.invoke(JaxWsClientProxy.java:139)
at com.sun.proxy.$Proxy41.logout(Unknown Source)
at
```

```
rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tMDMInput_2_InProcess(JB_ADM_MiseAJour_Liste_traitemen
```

```
at
```

```
rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tMDMInput_1_InProcess(JB_ADM_MiseAJour_Liste_traitemen
```

```
at
```

```
rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tJava_1Process(JB_ADM_MiseAJour_Liste_traitement_master
```

```
at
```

```
rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.Prejob_Properties_et_Logs_1_tPrejob_1Process(JB_ADM_MiseAJour_Liste_traitement_mast
```

```
at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.runJobInTOS(JB_ADM_MiseAJour_Liste_traitement_master.java:50433)
```

```
at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.main(JB_ADM_MiseAJour_Liste_traitement_master.java:49738)
```

Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog

```
at [row,col {unknown-source}]: [1,0]
```

```
at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:685)
```

```
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2141)
```

```
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2047)
```

```
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1131)
```

...

>>> 87 hidden lines, to see the complete log you can download the log file, or you can increase the property 'scheduler.conf.uiJobExecutionLog.maxDisplayedLength' in database table

'configuration' <<<

...

DEBUT DU JOB: JB_ADM_MiseAJour_Liste_traitement_master A 26-06-2017 11:56:08

Jun 26, 2017 11:56:08 AM org.apache.cxf.wsdl.service.factory.ReflectionServiceFactoryBean buildServiceFromClass

INFO: Creating Service <http://www.talend.com/mdm>TMDMService from class org.talend.mdm.webservice.TMDMService

Jun 26, 2017 11:56:08 AM org.apache.cxf.phase.PhaseInterceptorChain doDefaultLogging

WARNING: Interceptor for <http://www.talend.com/mdm>TMDMService#<http://www.talend.com/mdm>ping has thrown exception, unwinding now

org.apache.cxf.binding.soap.SoapFault: Error reading XMLStreamReader: Unexpected EOF in prolog

at [row,col {unknown-source}]: [1,0]

at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:283)

at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:69)

at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)

at org.apache.cxf.endpoint.ClientImpl.onMessage(ClientImpl.java:798)

at org.apache.cxf.transport.http.HTTPConduit\$WrappedOutputStream.handleResponseInternal(HTTPConduit.java:1669)

at org.apache.cxf.transport.http.HTTPConduit\$WrappedOutputStream.handleResponse(HTTPConduit.java:1550)

at org.apache.cxf.transport.http.HTTPConduit\$WrappedOutputStream.close(HTTPConduit.java:1347)

at org.apache.cxf.transport.AbstractConduit.close(AbstractConduit.java:56)

at org.apache.cxf.transport.http.HTTPConduit.close(HTTPConduit.java:651)

at org.apache.cxf.interceptor.MessageSenderInterceptor\$MessageSenderEndingInterceptor.handleMessage(MessageSenderInterceptor.java:62)

at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)

at org.apache.cxf.endpoint.ClientImpl.doInvoke(ClientImpl.java:514)

at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:423)

at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:324)

at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:277)

at org.apache.cxf.frontend.ClientProxy.invokeSync(ClientProxy.java:96)

at org.apache.cxf.jaxws.JaxWsClientProxy.invoke(JaxWsClientProxy.java:139)

at com.sun.proxy.\$Proxy41.ping(Unknown Source)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.tMDMInput_1_InProcess(JB_ADM_MiseAJour_Liste_traitement_master.java:48472)

at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.runJobInTOS(JB_ADM_MiseAJour_Liste_traitement_master.java:50456)

at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.main(JB_ADM_MiseAJour_Liste_traitement_master.java:49738)

Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog

at [row,col {unknown-source}]: [1,0]

at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:685)

at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2141)

at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2047)

at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1131)

at com.ctc.wstx.sr.BasicStreamReader.nextTag(BasicStreamReader.java:1154)

at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:169)

... 20 more

Exception in component tMDMInput_1_In

javax.xml.ws.soap.SOAPFaultException: Error reading XMLStreamReader: Unexpected EOF in prolog

at [row,col {unknown-source}]: [1,0]

at org.apache.cxf.jaxws.JaxWsClientProxy.invoke(JaxWsClientProxy.java:161)

at com.sun.proxy.\$Proxy41.ping(Unknown Source)

at

rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.tMDMInput_1_InProcess(JB_ADM_MiseAJour_Liste_traitement_master.java:48472)

at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.runJobInTOS(JB_ADM_MiseAJour_Liste_traitement_master.java:50456)

at rm_ref.jb_adm_miseajour_liste_traitement_master_0_1.JB_ADM_MiseAJour_Liste_traitement_master.main(JB_ADM_MiseAJour_Liste_traitement_master.java:49738)

Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog

```
at [row,col {unknown-source}]: [1,0]
at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:685)
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2141)
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2047)
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1131)
at com.ctc.wstx.sr.BasicStreamReader.nextTag(BasicStreamReader.java:1154)
at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:169)
at org.apache.cxf.binding.soap.interceptor.ReadHeadersInterceptor.handleMessage(ReadHeadersInterceptor.java:69)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)
at org.apache.cxf.endpoint.ClientImpl.onMessage(ClientImpl.java:798)
at org.apache.cxf.transport.http.HTTPConduit$WrappedOutputStream.handleResponseInternal(HTTPConduit.java:1669)
at org.apache.cxf.transport.http.HTTPConduit$WrappedOutputStream.handleResponse(HTTPConduit.java:1550)
at org.apache.cxf.transport.http.HTTPConduit$WrappedOutputStream.close(HTTPConduit.java:1347)
at org.apache.cxf.transport.AbstractConduit.close(AbstractConduit.java:56)
at org.apache.cxf.transport.http.HTTPConduit.close(HTTPConduit.java:651)
at org.apache.cxf.interceptor.MessageSenderInterceptor$MessageSenderEndingInterceptor.handleMessage(MessageSenderInterceptor.java:62)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:308)
at org.apache.cxf.endpoint.ClientImpl.doInvoke(ClientImpl.java:514)
at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:423)
at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:324)
at org.apache.cxf.endpoint.ClientImpl.invoke(ClientImpl.java:277)
at org.apache.cxf.frontend.ClientProxy.invokeSync(ClientProxy.java:96)
at org.apache.cxf.jaxws.JaxWsClientProxy.invoke(JaxWsClientProxy.java:139)
... 4 more
```

FIN DU JOB: JB_ADM_MiseAJour_Liste_traitement_master A 26-06-2017 11:56:08

==== Envoi du mail à 'null' ====

Sujet: [x64lmwbipny] ERREUR - Bilan JB_ADM_MiseAJour_Liste_traitement_master

Message:

Heure début = Mon 26/06/2017 11:55:42

Heure fin = Mon 26/06/2017 11:56:08 (0:00:25)

Nb erreurs métiers = 0

Nb erreurs techniques = 1

Nb warning = 1

JB_ADM_MiseAJour_Liste_traitement_master: [WARNING] Aucun traitement ACTIF (flag coché) trouvé dans ADMJOB_TRAITEMENT pour le projet 'RM_REF', le job

'JB_ADM_MiseAJour_Liste_traitement_master', le context 'Default'

JB_ADM_MiseAJour_Liste_traitement_master: [ERR_JAVA] javax.xml.ws.soap.SOAPFaultException:Error reading XMLStreamReader: Unexpected EOF in prolog

at [row,col {unknown-source}]: [1,0] (1)

Can you help me ?

Best regards,

