

I have installed the latest Version of Java - Version 8 Update 65 (build 1.8.0_65-b17).

During installation I get a dialog box stating "An error has occurred."

Here's the log content:

```
!SESSION 2015-11-16 10:41:15.805 -----
eclipse.buildId=unknown
java.version=1.6.0_65
java.vendor=Apple Inc.
BootLoader constants: OS=macosx, ARCH=x86_64, WS=cocoa, NL=en_US

!ENTRY org.eclipse.osgi 4 0 2015-11-16 10:41:16.383
!MESSAGE error loading hook: org.talend.osgi.configurator.JarLoaderConfigurator
!STACK 0
java.lang.UnsupportedClassVersionError: org/talend/osgi/configurator/JarLoaderConfigurator : Unsupported major.minor version 51.0
  at java.lang.ClassLoader.defineClass1(Native Method)
  at java.lang.ClassLoader.defineClassCond(ClassLoader.java:637)
  at java.lang.ClassLoader.defineClass(ClassLoader.java:621)
  at java.security.SecureClassLoader.defineClass(SecureClassLoader.java:141)
  at java.net.URLClassLoader.defineClass(URLClassLoader.java:283)
  at java.net.URLClassLoader.access$000(URLClassLoader.java:58)
  at java.net.URLClassLoader$1.run(URLClassLoader.java:197)
  at java.security.AccessController.doPrivileged(Native Method)
  at java.net.URLClassLoader.findClass(URLClassLoader.java:190)
  at java.lang.ClassLoader.loadClass(ClassLoader.java:306)
  at java.lang.ClassLoader.loadClass(ClassLoader.java:247)
  at java.lang.Class.forName0(Native Method)
  at java.lang.Class.forName(Class.java:171)
  at org.eclipse.osgi.internal.hookregistry.HookRegistry.loadConfigurators(HookRegistry.java:185)
  at org.eclipse.osgi.internal.hookregistry.HookRegistry.initialize(HookRegistry.java:106)
  at org.eclipse.osgi.internal.framework.EquinoxContainer.<init>(EquinoxContainer.java:73)
  at org.eclipse.osgi.launch.Equinox.<init>(Equinox.java:31)
  at org.eclipse.core.runtime.adaptor.EclipseStarter.startup(EclipseStarter.java:295)
  at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:231)
  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
  at java.lang.reflect.Method.invoke(Method.java:597)
  at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
  at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
  at org.eclipse.equinox.launcher.Main.run(Main.java:1465)

!ENTRY org.eclipse.equinox.ds 4 0 2015-11-16 10:41:16.685
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.equinox.ds [4]
  Unresolved requirement: Import-Package: org.eclipse.equinox.internal.util.event; version="1.0.0"

  at org.eclipse.osgi.container.Module.start(Module.java:434)
  at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.eclipse.compare.win32 4 0 2015-11-16 10:41:22.386

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.eclipse.compare.win32 [74]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=win32)"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.componentdesigner 4 0 2015-11-16 10:41:22.525

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.componentdesigner [475]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.core.repository 4 0 2015-11-16 10:41:22.534

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.repository [478]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.core.runtime 4 0 2015-11-16 10:41:22.543

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.core.ui 4 0 2015-11-16 10:41:22.552

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.ui [482]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.core 4 0 2015-11-16 10:41:22.561

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

```
org.talend.core.runtime [480]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.model [641]
        Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.abstractmap 4 0 2015-11-16 10:41:22.571

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.abstractmap [488]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.alfrescooutput 4 0 2015-11-16 10:41:22.580

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.alfrescooutput [490]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
    org.talend.model [641]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.business.diagram 4 0 2015-11-16 10:41:22.589

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.business.diagram [492]

Unresolved requirement: Require-Bundle: org.talend.core

```
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
```

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

```
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
```

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
```

Unresolved requirement: Require-Bundle: org.talend.model

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.codegen 4 0 2015-11-16 10:41:22.597

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.codegen [494]

Unresolved requirement: Require-Bundle: org.talend.core.repository

```
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.repository [478]
```

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
```

Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.components.exchange 4 0 2015-11-16 10:41:22.606

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.exchange [496]

Unresolved requirement: Import-Package: org.talend.registration.wizards.register

-> Export-Package: org.talend.registration.wizards.register; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"

org.talend.registration [653]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.components.localprovider 4 0 2015-11-16 10:41:22.614

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.localprovider [497]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.core 4 0 2015-11-16 10:41:22.622

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.core [499]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"

org.talend.hadoop.distribution [566]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.dbmap 4 0 2015-11-16 10:41:22.629

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.dbmap [501]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

```
!ENTRY org.talend.designer.esb.components.rs.consumer 4 0 2015-11-16 10:41:22.638
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.rs.consumer [504]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core [483]
        Unresolved requirement: Require-Bundle: org.talend.metadata.managment
          -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.metadata.managment [634]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.core.runtime [480]
                    Unresolved requirement: Require-Bundle: org.talend.model
                      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                        org.talend.model [641]
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.esb.components.ws.consumer 4 0 2015-11-16 10:41:22.646
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.ws.consumer [505]
  Unresolved requirement: Import-Package: org.talend.designer.core.model.components
    -> Export-Package: org.talend.designer.core.model.components; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.designer.core"; version="0.0.0"
      org.talend.designer.core [499]
        Unresolved requirement: Import-Package: org.talend.hadoop.distribution
          -> Export-Package: org.talend.hadoop.distribution; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"
            org.talend.hadoop.distribution [566]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.core.runtime [480]
                    Unresolved requirement: Require-Bundle: org.talend.model
                      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                        org.talend.model [641]
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.routines 4 0 2015-11-16 10:41:22.654

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.routines [506]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.filemultischemas 4 0 2015-11-16 10:41:22.661

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.filemultischemas [507]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.fileoutputxml 4 0 2015-11-16 10:41:22.667

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.fileoutputxml [509]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.gefabstractmap 4 0 2015-11-16 10:41:22.674

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.gefabstractmap [511]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.hl7 4 0 2015-11-16 10:41:22.681

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.hl7 [513]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.mapper 4 0 2015-11-16 10:41:22.687

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.mapper [515]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven.job 4 0 2015-11-16 10:41:22.694

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.job [517]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven.ui 4 0 2015-11-16 10:41:22.699

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.ui [519]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven 4 0 2015-11-16 10:41:22.705

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven [520]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.rowgenerator 4 0 2015-11-16 10:41:22.730

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.rowgenerator [522]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.runprocess 4 0 2015-11-16 10:41:22.735

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runprocess [524]

Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization

-> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"
org.talend.designer.runtime.visualization [526]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.runtime.visualization.tools 4 0 2015-11-16 10:41:22.740

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization.tools [525]

Unresolved requirement: Require-Bundle: org.talend.designer.runtime.visualization

-> Bundle-SymbolicName: org.talend.designer.runtime.visualization; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.runtime.visualization [526]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.runtime.visualization 4 0 2015-11-16 10:41:22.745

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization [526]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.scd 4 0 2015-11-16 10:41:22.750

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.scd [528]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.spss 4 0 2015-11-16 10:41:22.756

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.spss [529]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.webservice 4 0 2015-11-16 10:41:22.762

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.webservice [531]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.xmlmap 4 0 2015-11-16 10:41:22.767

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.xmlmap [533]

Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.expressionbuilder 4 0 2015-11-16 10:41:22.771

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.expressionbuilder [535]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.apache100 4 0 2015-11-16 10:41:22.775

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.apache100 [536]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh4mr1 4 0 2015-11-16 10:41:22.780

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh4mr1 [537]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.cdh4mr2 4 0 2015-11-16 10:41:22.784

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh4mr2 [538]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.cdh500mr2 4 0 2015-11-16 10:41:22.787

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh500mr2 [539]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.cdh510mr1 4 0 2015-11-16 10:41:22.792

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh510mr1 [540]
```

Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh510mr2 4 0 2015-11-16 10:41:22.797

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh510mr2 [541]

Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh540 4 0 2015-11-16 10:41:22.801

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh540 [542]

Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.custom 4 0 2015-11-16 10:41:22.804

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.custom [543]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr103 4 0 2015-11-16 10:41:22.808

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr103 [544]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr240 4 0 2015-11-16 10:41:22.810

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240 [545]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
    org.talend.model [641]
      Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.emr240hive0131 4 0 2015-11-16 10:41:22.813
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240hive0131 [546]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
    org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.emr400 4 0 2015-11-16 10:41:22.816
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr400 [547]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
    org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdinsight310 4 0 2015-11-16 10:41:22.819

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight310 [548]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdinsight320 4 0 2015-11-16 10:41:22.823

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight320 [549]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp120 4 0 2015-11-16 10:41:22.826

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp120 [550]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

```
org.talend.core.runtime [480]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.model [641]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp130 4 0 2015-11-16 10:41:22.830

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp130 [551]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.core.runtime [480]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp200 4 0 2015-11-16 10:41:22.837

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp200 [552]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.core.runtime [480]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp210 4 0 2015-11-16 10:41:22.841

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp210 [553]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp220 4 0 2015-11-16 10:41:22.846

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp220 [554]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp230 4 0 2015-11-16 10:41:22.849

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp230 [555]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
```

Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr200 4 0 2015-11-16 10:41:22.852

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr200 [556]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr212 4 0 2015-11-16 10:41:22.855

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr212 [557]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr213 4 0 2015-11-16 10:41:22.857

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr213 [558]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr301 4 0 2015-11-16 10:41:22.861

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr301 [559]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr310 4 0 2015-11-16 10:41:22.864

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr310 [560]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr401 4 0 2015-11-16 10:41:22.867

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr401 [561]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr410 4 0 2015-11-16 10:41:22.870

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr410 [562]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr500 4 0 2015-11-16 10:41:22.873

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr500 [563]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.piv101 4 0 2015-11-16 10:41:22.876

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.piv101 [564]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.piv200 4 0 2015-11-16 10:41:22.878

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.piv200 [565]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution 4 0 2015-11-16 10:41:22.881

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution [566]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.libraries.hadoop.mapr.5.0.0 4 0 2015-11-16 10:41:22.886

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.libraries.hadoop.mapr.5.0.0 [591]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.librariesmanager.ui 4 0 2015-11-16 10:41:22.893

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.librariesmanager.ui [629]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.librariesmanager 4 0 2015-11-16 10:41:22.895

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.librariesmanager [630]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.metadata.managment.ui 4 0 2015-11-16 10:41:22.898

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.metadata.managment.ui [633]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.metadata.managment 4 0 2015-11-16 10:41:22.901

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.migrationTool 4 0 2015-11-16 10:41:22.903

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.migrationTool [635]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.model.edit 4 0 2015-11-16 10:41:22.907

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.model.edit [637]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.model.migration 4 0 2015-11-16 10:41:22.910

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.model.migration [639]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.model 4 0 2015-11-16 10:41:22.914

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.rcp.branding.tos 4 0 2015-11-16 10:41:22.918

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.rcp.branding.tos [649]

Unresolved requirement: Require-Bundle: org.talend.rcp

-> Bundle-SymbolicName: org.talend.rcp; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.rcp [651]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

```
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core.runtime [480]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.model [641]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.rcp 4 0 2015-11-16 10:41:22.921

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.rcp [651]

Unresolved requirement: Require-Bundle: org.talend.core

```
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
```

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

```
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
```

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
```

Unresolved requirement: Require-Bundle: org.talend.model

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.registration 4 0 2015-11-16 10:41:22.926

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.registration [653]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
```

Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.items.importexport.ui 4 0 2015-11-16 10:41:22.929

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.items.importexport.ui [658]

Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.items.importexport 4 0 2015-11-16 10:41:22.932

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.items.importexport [659]

Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.json 4 0 2015-11-16 10:41:22.935

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.json [661]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.localprovider 4 0 2015-11-16 10:41:22.938

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.localprovider [663]
  Unresolved requirement: Require-Bundle: org.talend.core.repository
    -> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.repository [478]
      Unresolved requirement: Require-Bundle: org.talend.core.runtime
        -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.core.runtime [480]
          Unresolved requirement: Require-Bundle: org.talend.model
            -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
                org.talend.model [641]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.mdm 4 0 2015-11-16 10:41:22.940

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.mdm [665]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.model [641]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.metadata 4 0 2015-11-16 10:41:22.943

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.metadata [667]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.view.di 4 0 2015-11-16 10:41:22.946

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.view.di [670]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.view 4 0 2015-11-16 10:41:22.949

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.view [672]

Unresolved requirement: Require-Bundle: org.talend.model; visibility="reexport"

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository 4 0 2015-11-16 10:41:22.952

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository [673]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.resources 4 0 2015-11-16 10:41:22.954

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.resources [675]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.sbi.engines.client 4 0 2015-11-16 10:41:22.957

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.sbi.engines.client [677]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.spagic.engines.client 4 0 2015-11-16 10:41:22.960

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.spagic.engines.client [679]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.sqlbuilder 4 0 2015-11-16 10:41:22.963

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.sqlbuilder [681]

Unresolved requirement: Require-Bundle: org.talend.core.repository

-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.repository [478]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.updates.runtime 4 0 2015-11-16 10:41:22.968

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.updates.runtime [684]

Unresolved requirement: Require-Bundle: org.talend.librariesmanager

-> Bundle-SymbolicName: org.talend.librariesmanager; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.librariesmanager [630]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.equinox.app 0 0 2015-11-16 10:41:24.308

!MESSAGE Product org.talend.rcp.branding.tos.product could not be found.

!ENTRY org.talend.maven.resolver 4 0 2015-11-16 10:41:24.345

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Error starting module.

at org.eclipse.osgi.container.Module.doStart(Module.java:580)
at org.eclipse.osgi.container.Module.start(Module.java:439)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

Caused by: java.lang.UnsupportedClassVersionError: org/talend/maven/resolver/Activator : Unsupported major.minor version 51.0

at java.lang.ClassLoader.defineClass1(Native Method)
at java.lang.ClassLoader.defineClassCond(ClassLoader.java:637)
at java.lang.ClassLoader.defineClass(ClassLoader.java:621)
at org.eclipse.osgi.internal.loader.ModuleClassLoader.defineClass(ModuleClassLoader.java:285)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.defineClass(ClasspathManager.java:632)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findClassImpl(ClasspathManager.java:588)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClassImpl(ClasspathManager.java:540)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClass(ClasspathManager.java:527)
at org.eclipse.osgi.internal.loader.ModuleClassLoader.findLocalClass(ModuleClassLoader.java:324)
at org.eclipse.osgi.internal.loader.BundleLoader.findLocalClass(BundleLoader.java:320)
at org.eclipse.osgi.internal.loader.BundleLoader.findClassInternal(BundleLoader.java:395)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:345)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:337)
at org.eclipse.osgi.internal.framework.BundleContextImpl.loadBundleActivator(BundleContextImpl.java:754)
at org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:706)
at org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:936)
at org.eclipse.osgi.internal.framework.EquinoxBundle\$EquinoxModule.startWorker(EquinoxBundle.java:319)
at org.eclipse.osgi.container.Module.doStart(Module.java:571)
... 8 more

Root exception:

java.lang.UnsupportedClassVersionError: org/talend/maven/resolver/Activator : Unsupported major.minor version 51.0

at java.lang.ClassLoader.defineClass1(Native Method)
at java.lang.ClassLoader.defineClassCond(ClassLoader.java:637)
at java.lang.ClassLoader.defineClass(ClassLoader.java:621)
at org.eclipse.osgi.internal.loader.ModuleClassLoader.defineClass(ModuleClassLoader.java:285)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.defineClass(ClasspathManager.java:632)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findClassImpl(ClasspathManager.java:588)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClassImpl(ClasspathManager.java:540)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClass(ClasspathManager.java:527)
at org.eclipse.osgi.internal.loader.ModuleClassLoader.findLocalClass(ModuleClassLoader.java:324)
at org.eclipse.osgi.internal.loader.BundleLoader.findLocalClass(BundleLoader.java:320)
at org.eclipse.osgi.internal.loader.BundleLoader.findClassInternal(BundleLoader.java:395)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:345)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:337)
at org.eclipse.osgi.internal.framework.BundleContextImpl.loadBundleActivator(BundleContextImpl.java:754)
at org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:706)
at org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:936)
at org.eclipse.osgi.internal.framework.EquinoxBundle\$EquinoxModule.startWorker(EquinoxBundle.java:319)
at org.eclipse.osgi.container.Module.doStart(Module.java:571)
at org.eclipse.osgi.container.Module.start(Module.java:439)

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.eclipse.osgi 4 0 2015-11-16 10:41:24.752

!MESSAGE Bundle org.talend.maven.resolver_6.1.0.20151029_1337 [6] is not active.

!ENTRY org.eclipse.compare.win32 4 0 2015-11-16 10:41:24.761

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.eclipse.compare.win32 [74]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=win32)"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.componentdesigner 4 0 2015-11-16 10:41:24.836

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.componentdesigner [475]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.core.repository 4 0 2015-11-16 10:41:24.845

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.repository [478]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.runtime 4 0 2015-11-16 10:41:24.853

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.ui 4 0 2015-11-16 10:41:24.857

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.ui [482]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core 4 0 2015-11-16 10:41:24.860

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

```
!ENTRY org.talend.designer.abstractmap 4 0 2015-11-16 10:41:24.866
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.abstractmap [488]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core [483]
        Unresolved requirement: Require-Bundle: org.talend.metadata.managment
          -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.metadata.managment [634]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.core.runtime [480]
                    Unresolved requirement: Require-Bundle: org.talend.model
                      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                        org.talend.model [641]
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.alfrescooutput 4 0 2015-11-16 10:41:24.869
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.alfrescooutput [490]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core [483]
        Unresolved requirement: Require-Bundle: org.talend.metadata.managment
          -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.metadata.managment [634]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.core.runtime [480]
                    Unresolved requirement: Require-Bundle: org.talend.model
                      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                        org.talend.model [641]
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.business.diagram 4 0 2015-11-16 10:41:24.872
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.business.diagram [492]
```

Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.codegen 4 0 2015-11-16 10:41:24.874

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.codegen [494]

Unresolved requirement: Require-Bundle: org.talend.core.repository

-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.repository [478]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.components.exchange 4 0 2015-11-16 10:41:24.877

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.exchange [496]

Unresolved requirement: Import-Package: org.talend.registration.wizards.register

-> Export-Package: org.talend.registration.wizards.register; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"
org.talend.registration [653]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.components.localprovider 4 0 2015-11-16 10:41:24.880
!MESSAGE FrameworkEvent ERROR
!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.localprovider [497]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.core 4 0 2015-11-16 10:41:24.883
!MESSAGE FrameworkEvent ERROR
!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.core [499]
Unresolved requirement: Import-Package: org.talend.hadoop.distribution
-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"
org.talend.hadoop.distribution [566]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.dbmap 4 0 2015-11-16 10:41:24.886

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.dbmap [501]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.components.rs.consumer 4 0 2015-11-16 10:41:24.890

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.rs.consumer [504]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.components.ws.consumer 4 0 2015-11-16 10:41:24.897

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.ws.consumer [505]

Unresolved requirement: Import-Package: org.talend.designer.core.model.components

-> Export-Package: org.talend.designer.core.model.components; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.designer.core"; version="0.0.0"

org.talend.designer.core [499]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"

org.talend.hadoop.distribution [566]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.routines 4 0 2015-11-16 10:41:24.898

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.routines [506]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.filemultischemas 4 0 2015-11-16 10:41:24.899

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.filemultischemas [507]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.fileoutputxml 4 0 2015-11-16 10:41:24.901

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.fileoutputxml [509]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.gefabstractmap 4 0 2015-11-16 10:41:24.903

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.gefabstractmap [511]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.hl7 4 0 2015-11-16 10:41:24.906

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.hl7 [513]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.mapper 4 0 2015-11-16 10:41:24.911

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.mapper [515]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.maven.job 4 0 2015-11-16 10:41:24.921

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.job [517]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.maven.ui 4 0 2015-11-16 10:41:24.926

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.ui [519]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven 4 0 2015-11-16 10:41:24.931

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven [520]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.core.filesystem.java7 2 0 2015-11-16 10:41:24.938

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.java7 [88]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

Unresolved requirement: Fragment-Host: org.eclipse.core.filesystem; bundle-version="[1.4.100,2.0.0)"

!ENTRY org.talend.designer.runtime.visualization 2 0 2015-11-16 10:41:24.939

!MESSAGE Could not resolve module: org.talend.designer.runtime.visualization [526]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.win32.win32.x86_64 2 0 2015-11-16 10:41:24.939

!MESSAGE Could not resolve module: org.eclipse.swt.win32.win32.x86_64 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=win32)(osgi.os=win32)(osgi.arch=x86_64))"

!ENTRY org.eclipse.core.resources.win32.x86_64 2 0 2015-11-16 10:41:24.939

!MESSAGE Could not resolve module: org.eclipse.core.resources.win32.x86_64 [106]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.os=win32)(osgi.arch=x86_64))"

!ENTRY org.talend.designer.dbmap 2 0 2015-11-16 10:41:24.939

!MESSAGE Could not resolve module: org.talend.designer.dbmap [501]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.apache100 2 0 2015-11-16 10:41:24.940

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.apache100 [536]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.alfrescooutput 2 0 2015-11-16 10:41:24.940
!MESSAGE Could not resolve module: org.talend.designer.alfrescooutput [490]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.documentation.nl 2 0 2015-11-16 10:41:24.940
!MESSAGE Could not resolve module: org.talend.designer.documentation.nl [502]
Unresolved requirement: Fragment-Host: org.talend.designer.documentation
-> Bundle-SymbolicName: org.talend.designer.documentation; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.documentation [503]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.rowgenerator 4 0 2015-11-16 10:41:24.941
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.rowgenerator [522]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.spagic.engines.client 2 0 2015-11-16 10:41:24.941

!MESSAGE Could not resolve module: org.talend.spagic.engines.client [679]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport.ui.nl 2 0 2015-11-16 10:41:24.941

!MESSAGE Could not resolve module: org.talend.repository.items.importexport.ui.nl [657]

Unresolved requirement: Fragment-Host: org.talend.repository.items.importexport.ui

-> Bundle-SymbolicName: org.talend.repository.items.importexport.ui; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.repository.items.importexport.ui [658]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.ftp.nl 2 0 2015-11-16 10:41:24.942

!MESSAGE Could not resolve module: org.talend.repository.ftp.nl [654]

Unresolved requirement: Fragment-Host: org.talend.repository.ftp

-> Bundle-SymbolicName: org.talend.repository.ftp; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.repository.ftp [655]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.fileoutputxml 2 0 2015-11-16 10:41:24.942

!MESSAGE Could not resolve module: org.talend.designer.fileoutputxml [509]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.solaris.sparc 2 0 2015-11-16 10:41:24.943
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.solaris.sparc [205]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=sparc))"

!ENTRY org.talend.hadoop.distribution.hdp200 2 0 2015-11-16 10:41:24.943
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp200 [552]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model 2 0 2015-11-16 10:41:24.943
!MESSAGE Could not resolve module: org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.scd.nl 2 0 2015-11-16 10:41:24.944
!MESSAGE Could not resolve module: org.talend.designer.scd.nl [527]
Unresolved requirement: Fragment-Host: org.talend.designer.scd
-> Bundle-SymbolicName: org.talend.designer.scd; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.scd [528]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.expressionbuilder 2 0 2015-11-16 10:41:24.944
!MESSAGE Could not resolve module: org.talend.expressionbuilder [535]
Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.runtime 2 0 2015-11-16 10:41:24.944
!MESSAGE Could not resolve module: org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp230 2 0 2015-11-16 10:41:24.944
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp230 [555]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.gefabstractmap.nl 2 0 2015-11-16 10:41:24.945
!MESSAGE Could not resolve module: org.talend.designer.gefabstractmap.nl [510]
Unresolved requirement: Fragment-Host: org.talend.designer.gefabstractmap
-> Bundle-SymbolicName: org.talend.designer.gefabstractmap; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.gefabstractmap [511]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr310 2 0 2015-11-16 10:41:24.945
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr310 [560]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.net.win32.x86 2 0 2015-11-16 10:41:24.945
!MESSAGE Could not resolve module: org.eclipse.core.net.win32.x86 [102]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.talend.designer.runprocess 4 0 2015-11-16 10:41:24.945
!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runprocess [524]

Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization

-> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"
org.talend.designer.runtime.visualization [526]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.ftp 2 0 2015-11-16 10:41:24.945

!MESSAGE Could not resolve module: org.talend.repository.ftp [655]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdinsight310 2 0 2015-11-16 10:41:24.946

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdinsight310 [548]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr212 2 0 2015-11-16 10:41:24.946

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr212 [557]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp120 2 0 2015-11-16 10:41:24.946

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp120 [550]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model.nl 2 0 2015-11-16 10:41:24.946
!MESSAGE Could not resolve module: org.talend.model.nl [640]
Unresolved requirement: Fragment-Host: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cdh540 2 0 2015-11-16 10:41:24.947
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cdh540 [542]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.metadata.nl 2 0 2015-11-16 10:41:24.947
!MESSAGE Could not resolve module: org.talend.repository.metadata.nl [666]
Unresolved requirement: Fragment-Host: org.talend.repository.metadata
-> Bundle-SymbolicName: org.talend.repository.metadata; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.repository.metadata [667]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.solaris.sparc 2 0 2015-11-16 10:41:24.947
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.solaris.sparc [407]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=sparc))"

!ENTRY org.eclipse.swt.gtk.linux.ppc64 2 0 2015-11-16 10:41:24.947
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.ppc64 [394]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

!ENTRY org.talend.repository.metadata 2 0 2015-11-16 10:41:24.947
!MESSAGE Could not resolve module: org.talend.repository.metadata [667]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cdh4mr2 2 0 2015-11-16 10:41:24.947

```
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cd4mr2 [538]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
    org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.hpux.ia64 2 0 2015-11-16 10:41:24.948
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.hpux.ia64 [197]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

!ENTRY org.talend.designer.runtime.visualization.tools 4 0 2015-11-16 10:41:24.948
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization.tools [525]
  Unresolved requirement: Require-Bundle: org.talend.designer.runtime.visualization
    -> Bundle-SymbolicName: org.talend.designer.runtime.visualization; bundle-version="6.1.0.20151029_1337"; singleton="true"
    org.talend.designer.runtime.visualization [526]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

  at org.eclipse.osgi.container.Module.start(Module.java:434)
  at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
  at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
  at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
  at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.talend.rcp 2 0 2015-11-16 10:41:24.948
!MESSAGE Could not resolve module: org.talend.rcp [651]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
    org.talend.core [483]
      Unresolved requirement: Require-Bundle: org.talend.metadata.managment
        -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.metadata.managment [634]
          Unresolved requirement: Require-Bundle: org.talend.core.runtime
            -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.core.runtime [480]
              Unresolved requirement: Require-Bundle: org.talend.model
                -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
                org.talend.model [641]
                  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.compare.win32 2 0 2015-11-16 10:41:24.948
!MESSAGE Could not resolve module: org.eclipse.compare.win32 [74]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=win32)"

!ENTRY org.eclipse.core.filesystem.aix.ppc64 2 0 2015-11-16 10:41:24.949
```

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.aix.ppc64 [85]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=aix) (osgi.arch=ppc64))"

!ENTRY org.talend.hadoop.distribution.mapr213 2 0 2015-11-16 10:41:24.949
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr213 [558]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.emr400 2 0 2015-11-16 10:41:24.949
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr400 [547]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.metadata.managment.ui 2 0 2015-11-16 10:41:24.949
!MESSAGE Could not resolve module: org.talend.metadata.managment.ui [633]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.metadata.managment.nl 2 0 2015-11-16 10:41:24.950
!MESSAGE Could not resolve module: org.talend.metadata.managment.nl [631]
Unresolved requirement: Fragment-Host: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.ppc64le 2 0 2015-11-16 10:41:24.950
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.ppc64le [199]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64le))"

!ENTRY org.talend.designer.runtime.visualization 4 0 2015-11-16 10:41:24.950

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization [526]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.sbi.engines.client 2 0 2015-11-16 10:41:24.950

!MESSAGE Could not resolve module: org.talend.sbi.engines.client [677]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport.ui 2 0 2015-11-16 10:41:24.951

!MESSAGE Could not resolve module: org.talend.repository.items.importexport.ui [658]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.runprocess.nl 2 0 2015-11-16 10:41:24.951

!MESSAGE Could not resolve module: org.talend.designer.runprocess.nl [523]

Unresolved requirement: Fragment-Host: org.talend.designer.runprocess

-> Bundle-SymbolicName: org.talend.designer.runprocess; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.designer.runprocess [524]

Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization

-> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"

org.talend.designer.runtime.visualization [526]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.spagic.engines.client.nl 2 0 2015-11-16 10:41:24.951

!MESSAGE Could not resolve module: org.talend.spagic.engines.client.nl [678]

Unresolved requirement: Fragment-Host: org.talend.spagic.engines.client

-> Bundle-SymbolicName: org.talend.spagic.engines.client; bundle-version="6.1.0.20151029_1337"; singleton="true"; singleton:="true"

```
org.talend.spagic.engines.client [679]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
  org.talend.core [483]
    Unresolved requirement: Require-Bundle: org.talend.metadata.managment
      -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
    org.talend.metadata.managment [634]
      Unresolved requirement: Require-Bundle: org.talend.core.runtime
        -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core.runtime [480]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
        org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.mapr401 2 0 2015-11-16 10:41:24.951
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr401 [561]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
  org.talend.core.runtime [480]
    Unresolved requirement: Require-Bundle: org.talend.model
      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
    org.talend.model [641]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.componentdesigner 2 0 2015-11-16 10:41:24.952
!MESSAGE Could not resolve module: org.talend.componentdesigner [475]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
  org.talend.model [641]
    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.sqlbuilder 2 0 2015-11-16 10:41:24.952
!MESSAGE Could not resolve module: org.talend.sqlbuilder [681]
  Unresolved requirement: Require-Bundle: org.talend.core.repository
    -> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton:="true"
  org.talend.core.repository [478]
    Unresolved requirement: Require-Bundle: org.talend.core.runtime
      -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
    org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.model [641]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.resources 2 0 2015-11-16 10:41:24.952
!MESSAGE Could not resolve module: org.talend.resources [675]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
```

org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.business.diagram.nl 2 0 2015-11-16 10:41:24.952
!MESSAGE Could not resolve module: org.talend.designer.business.diagram.nl [491]
Unresolved requirement: Fragment-Host: org.talend.designer.business.diagram
-> Bundle-SymbolicName: org.talend.designer.business.diagram; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.designer.business.diagram [492]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.runtime.visualization.tools 2 0 2015-11-16 10:41:24.953
!MESSAGE Could not resolve module: org.talend.designer.runtime.visualization.tools [525]
Unresolved requirement: Require-Bundle: org.talend.designer.runtime.visualization
-> Bundle-SymbolicName: org.talend.designer.runtime.visualization; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.designer.runtime.visualization [526]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.migrationTool 2 0 2015-11-16 10:41:24.953
!MESSAGE Could not resolve module: org.talend.migrationTool [635]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.scd 4 0 2015-11-16 10:41:24.953
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.scd [528]

Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr200 2 0 2015-11-16 10:41:24.953
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr200 [556]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.linux.s390 2 0 2015-11-16 10:41:24.954
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.s390 [399]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

!ENTRY org.talend.designer.spss 2 0 2015-11-16 10:41:24.954
!MESSAGE Could not resolve module: org.talend.designer.spss [529]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.hpux.ia64 2 0 2015-11-16 10:41:24.954
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.hpux.ia64 [391]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

!ENTRY org.eclipse.core.filesystem.linux.ppc64 2 0 2015-11-16 10:41:24.954
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.ppc64 [89]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=ppc64))"

!ENTRY org.eclipse.core.filesystem.hpux.ia64 2 0 2015-11-16 10:41:24.955
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.hpux.ia64 [87]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=hpux) (osgi.arch=ia64))"

!ENTRY org.talend.librariesmanager 2 0 2015-11-16 10:41:24.955
!MESSAGE Could not resolve module: org.talend.librariesmanager [630]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp210 2 0 2015-11-16 10:41:24.955
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp210 [553]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.ui 2 0 2015-11-16 10:41:24.955
!MESSAGE Could not resolve module: org.talend.designer.maven.ui [519]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr500 2 0 2015-11-16 10:41:24.956
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr500 [563]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.spss 4 0 2015-11-16 10:41:24.956

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.spss [529]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution 2 0 2015-11-16 10:41:24.956

!MESSAGE Could not resolve module: org.talend.hadoop.distribution [566]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.esb.components.ws.consumer 2 0 2015-11-16 10:41:24.956

!MESSAGE Could not resolve module: org.talend.designer.esb.components.ws.consumer [505]

Unresolved requirement: Import-Package: org.talend.designer.core.model.components

-> Export-Package: org.talend.designer.core.model.components; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.designer.core"; version="0.0.0"

org.talend.designer.core [499]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"

org.talend.hadoop.distribution [566]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.esb.components.rs.consumer 2 0 2015-11-16 10:41:24.957

!MESSAGE Could not resolve module: org.talend.designer.esb.components.rs.consumer [504]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model.migration.nl 2 0 2015-11-16 10:41:24.957
!MESSAGE Could not resolve module: org.talend.model.migration.nl [638]
Unresolved requirement: Fragment-Host: org.talend.model.migration
-> Bundle-SymbolicName: org.talend.model.migration; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model.migration [639]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.job 2 0 2015-11-16 10:41:24.957
!MESSAGE Could not resolve module: org.talend.designer.maven.job [517]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.mdm 2 0 2015-11-16 10:41:24.957
!MESSAGE Could not resolve module: org.talend.repository.mdm [665]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.localprovider 2 0 2015-11-16 10:41:24.958
!MESSAGE Could not resolve module: org.talend.repository.localprovider [663]
Unresolved requirement: Require-Bundle: org.talend.core.repository
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.repository [478]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.webservice.nl 2 0 2015-11-16 10:41:24.958
!MESSAGE Could not resolve module: org.talend.designer.webservice.nl [530]
Unresolved requirement: Fragment-Host: org.talend.designer.webservice
-> Bundle-SymbolicName: org.talend.designer.webservice; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.designer.webservice [531]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr410 2 0 2015-11-16 10:41:24.958
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr410 [562]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.net.linux.x86_64 2 0 2015-11-16 10:41:24.958
!MESSAGE Could not resolve module: org.eclipse.core.net.linux.x86_64 [101]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(&(osgi.os=linux)(osgi.arch=x86_64))"

!ENTRY org.talend.repository.view.nl 2 0 2015-11-16 10:41:24.958
!MESSAGE Could not resolve module: org.talend.repository.view.nl [671]
Unresolved requirement: Fragment-Host: org.talend.repository.view
-> Bundle-SymbolicName: org.talend.repository.view; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.repository.view [672]
Unresolved requirement: Require-Bundle: org.talend.model; visibility="reexport"
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
!ENTRY org.talend.designer.webservice 4 0 2015-11-16 10:41:24.959
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.webservice [531]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core [483]
        Unresolved requirement: Require-Bundle: org.talend.metadata.managment
          -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.metadata.managment [634]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.core.runtime [480]
                    Unresolved requirement: Require-Bundle: org.talend.model
                      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                        org.talend.model [641]
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.rcp.nl 2 0 2015-11-16 10:41:24.959
!MESSAGE Could not resolve module: org.talend.rcp.nl [650]
  Unresolved requirement: Fragment-Host: org.talend.rcp
    -> Bundle-SymbolicName: org.talend.rcp; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.rcp [651]
        Unresolved requirement: Require-Bundle: org.talend.core
          -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.core [483]
              Unresolved requirement: Require-Bundle: org.talend.metadata.managment
                -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.metadata.managment [634]
                    Unresolved requirement: Require-Bundle: org.talend.core.runtime
                      -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                        org.talend.core.runtime [480]
                          Unresolved requirement: Require-Bundle: org.talend.model
                            -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                              org.talend.model [641]
                                Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.mapr301 2 0 2015-11-16 10:41:24.959
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr301 [559]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core.runtime [480]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.model [641]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.x86 2 0 2015-11-16 10:41:24.959

!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.x86 [203]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86))"

!ENTRY org.talend.designer.mapper 2 0 2015-11-16 10:41:24.960

!MESSAGE Could not resolve module: org.talend.designer.mapper [515]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.xmlmap 2 0 2015-11-16 10:41:24.960

!MESSAGE Could not resolve module: org.talend.designer.xmlmap [533]

Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.resources.win32.x86 2 0 2015-11-16 10:41:24.960

!MESSAGE Could not resolve module: org.eclipse.core.resources.win32.x86 [105]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.talend.metadata.managment 2 0 2015-11-16 10:41:24.960

!MESSAGE Could not resolve module: org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.aix.ppc64 2 0 2015-11-16 10:41:24.960

!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.aix.ppc64 [195]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc64))"

!ENTRY org.talend.librariesmanager.ui 2 0 2015-11-16 10:41:24.960

!MESSAGE Could not resolve module: org.talend.librariesmanager.ui [629]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.hl7 2 0 2015-11-16 10:41:24.961

!MESSAGE Could not resolve module: org.talend.designer.hl7 [513]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.hl7.nl 2 0 2015-11-16 10:41:24.961

!MESSAGE Could not resolve module: org.talend.designer.hl7.nl [512]

Unresolved requirement: Fragment-Host: org.talend.designer.hl7

-> Bundle-SymbolicName: org.talend.designer.hl7; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.hl7 [513]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.security.win32.x86_64 2 0 2015-11-16 10:41:24.961

!MESSAGE Could not resolve module: org.eclipse.equinox.security.win32.x86_64 [248]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.os=win32)(osgi.arch=x86_64))"

!ENTRY org.eclipse.core.net.linux.x86 2 0 2015-11-16 10:41:24.961

!MESSAGE Could not resolve module: org.eclipse.core.net.linux.x86 [100]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.os=linux)(osgi.arch=x86))"

!ENTRY org.talend.designer.xmlmap 4 0 2015-11-16 10:41:24.962

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.xmlmap [533]

Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.business.diagram 2 0 2015-11-16 10:41:24.962

!MESSAGE Could not resolve module: org.talend.designer.business.diagram [492]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.win32.x86 2 0 2015-11-16 10:41:24.962
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.win32.x86 [96]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.talend.repository.items.importexport.nl 2 0 2015-11-16 10:41:24.962
!MESSAGE Could not resolve module: org.talend.repository.items.importexport.nl [656]
Unresolved requirement: Fragment-Host: org.talend.repository.items.importexport
-> Bundle-SymbolicName: org.talend.repository.items.importexport; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.repository.items.importexport [659]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.metadata.managment.ui.nl 2 0 2015-11-16 10:41:24.963
!MESSAGE Could not resolve module: org.talend.metadata.managment.ui.nl [632]
Unresolved requirement: Fragment-Host: org.talend.metadata.managment.ui
-> Bundle-SymbolicName: org.talend.metadata.managment.ui; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment.ui [633]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.registration.nl 2 0 2015-11-16 10:41:24.963
!MESSAGE Could not resolve module: org.talend.registration.nl [652]
Unresolved requirement: Fragment-Host: org.talend.registration
-> Bundle-SymbolicName: org.talend.registration; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.registration [653]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.job.nl 2 0 2015-11-16 10:41:24.963

```
!MESSAGE Could not resolve module: org.talend.designer.maven.job.nl [516]
  Unresolved requirement: Fragment-Host: org.talend.designer.maven.job
    -> Bundle-SymbolicName: org.talend.designer.maven.job; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.designer.maven.job [517]
        Unresolved requirement: Require-Bundle: org.talend.core.runtime
          -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.core.runtime [480]
              Unresolved requirement: Require-Bundle: org.talend.model
                -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
                  org.talend.model [641]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core 2 0 2015-11-16 10:41:24.964
!MESSAGE Could not resolve module: org.talend.core [483]
  Unresolved requirement: Require-Bundle: org.talend.metadata.managment
    -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.metadata.managment [634]
        Unresolved requirement: Require-Bundle: org.talend.core.runtime
          -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.core.runtime [480]
              Unresolved requirement: Require-Bundle: org.talend.model
                -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
                  org.talend.model [641]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.mapper.nl 2 0 2015-11-16 10:41:24.964
!MESSAGE Could not resolve module: org.talend.designer.mapper.nl [514]
  Unresolved requirement: Fragment-Host: org.talend.designer.mapper
    -> Bundle-SymbolicName: org.talend.designer.mapper; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.designer.mapper [515]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.presentation.onboarding.resource 2 0 2015-11-16 10:41:24.965
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource [647]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
      org.talend.core [483]
        Unresolved requirement: Require-Bundle: org.talend.metadata.managment
          -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.metadata.managment [634]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
                  org.talend.core.runtime [480]
                    Unresolved requirement: Require-Bundle: org.talend.model
                      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
                        org.talend.model [641]
                          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.expressionbuilder 4 0 2015-11-16 10:41:24.965

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.expressionbuilder [535]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.swt.gtk.aix.ppc64 2 0 2015-11-16 10:41:24.965

!MESSAGE Could not resolve module: org.eclipse.swt.gtk.aix.ppc64 [388]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc64))"

!ENTRY org.talend.repository.localprovider.nl 2 0 2015-11-16 10:41:24.966

!MESSAGE Could not resolve module: org.talend.repository.localprovider.nl [662]

Unresolved requirement: Fragment-Host: org.talend.repository.localprovider

-> Bundle-SymbolicName: org.talend.repository.localprovider; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.repository.localprovider [663]

Unresolved requirement: Require-Bundle: org.talend.core.repository

-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.repository [478]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp130 2 0 2015-11-16 10:41:24.966

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp130 [551]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.view.di.nl 2 0 2015-11-16 10:41:24.966

!MESSAGE Could not resolve module: org.talend.repository.view.di.nl [669]

Unresolved requirement: Fragment-Host: org.talend.repository.view.di

-> Bundle-SymbolicName: org.talend.repository.view.di; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.repository.view.di [670]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.rowgenerator 2 0 2015-11-16 10:41:24.967
!MESSAGE Could not resolve module: org.talend.designer.rowgenerator [522]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.json 2 0 2015-11-16 10:41:24.967
!MESSAGE Could not resolve module: org.talend.repository.json [661]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.ppc 2 0 2015-11-16 10:41:24.967
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.ppc [200]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.ppc64 2 0 2015-11-16 10:41:24.967
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.ppc64 [198]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

!ENTRY org.talend.hadoop.distribution.apache100 4 0 2015-11-16 10:41:24.968
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.apache100 [536]

Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.abstractmap.nl 2 0 2015-11-16 10:41:24.968

!MESSAGE Could not resolve module: org.talend.designer.abstractmap.nl [487]

Unresolved requirement: Fragment-Host: org.talend.designer.abstractmap
-> Bundle-SymbolicName: org.talend.designer.abstractmap; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.designer.abstractmap [488]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.gefabstractmap 2 0 2015-11-16 10:41:24.968

!MESSAGE Could not resolve module: org.talend.designer.gefabstractmap [511]

Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.registration 2 0 2015-11-16 10:41:24.968

!MESSAGE Could not resolve module: org.talend.registration [653]

Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.repository.nl 2 0 2015-11-16 10:41:24.969
!MESSAGE Could not resolve module: org.talend.core.repository.nl [477]
Unresolved requirement: Fragment-Host: org.talend.core.repository
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.repository [478]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.runtime.nl 2 0 2015-11-16 10:41:24.969
!MESSAGE Could not resolve module: org.talend.core.runtime.nl [479]
Unresolved requirement: Fragment-Host: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.documentation 2 0 2015-11-16 10:41:24.969
!MESSAGE Could not resolve module: org.talend.designer.documentation [503]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.core.nl 2 0 2015-11-16 10:41:24.970
!MESSAGE Could not resolve module: org.talend.designer.core.nl [498]
Unresolved requirement: Fragment-Host: org.talend.designer.core
-> Bundle-SymbolicName: org.talend.designer.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.core [499]
Unresolved requirement: Import-Package: org.talend.hadoop.distribution
-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"
org.talend.hadoop.distribution [566]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.nl 2 0 2015-11-16 10:41:24.970
!MESSAGE Could not resolve module: org.talend.repository.nl [668]
Unresolved requirement: Fragment-Host: org.talend.repository

```
-> Bundle-SymbolicName: org.talend.repository; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.repository [673]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.model [641]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.cd4mr1 4 0 2015-11-16 10:41:24.970
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cd4mr1 [537]
```

```
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core.runtime [480]
```

```
      Unresolved requirement: Require-Bundle: org.talend.model
```

```
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
          org.talend.model [641]
```

```
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.presentation.onboarding.resource.tos.nl 2 0 2015-11-16 10:41:24.973
```

```
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource.tos.nl [645]
```

```
  Unresolved requirement: Fragment-Host: org.talend.presentation.onboarding.resource.tos
```

```
    -> Bundle-SymbolicName: org.talend.presentation.onboarding.resource.tos; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.presentation.onboarding.resource.tos [646]
```

```
      Unresolved requirement: Require-Bundle: org.talend.presentation.onboarding.resource
```

```
        -> Bundle-SymbolicName: org.talend.presentation.onboarding.resource; bundle-version="6.1.0.20151029_1337"; singleton:="true"
          org.talend.presentation.onboarding.resource [647]
```

```
          Unresolved requirement: Require-Bundle: org.talend.core
```

```
            -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
              org.talend.core [483]
```

```
              Unresolved requirement: Require-Bundle: org.talend.metadata.managment
```

```
                -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.metadata.managment [634]
```

```
                  Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
                    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                      org.talend.core.runtime [480]
```

```
                      Unresolved requirement: Require-Bundle: org.talend.model
```

```
                        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                          org.talend.model [641]
```

```
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.designer.runprocess 2 0 2015-11-16 10:41:24.973
```

```
!MESSAGE Could not resolve module: org.talend.designer.runprocess [524]
```

```
  Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization
```

```
    -> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"
```

org.talend.designer.runtime.visualization [526]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.codegen.nl 2 0 2015-11-16 10:41:24.974
!MESSAGE Could not resolve module: org.talend.designer.codegen.nl [493]
Unresolved requirement: Fragment-Host: org.talend.designer.codegen
-> Bundle-SymbolicName: org.talend.designer.codegen; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.codegen [494]
Unresolved requirement: Require-Bundle: org.talend.core.repository
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.repository [478]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.piv200 2 0 2015-11-16 10:41:24.974
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.piv200 [565]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp220 2 0 2015-11-16 10:41:24.974
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp220 [554]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.xmlmap.nl 2 0 2015-11-16 10:41:24.974
!MESSAGE Could not resolve module: org.talend.designer.xmlmap.nl [532]
Unresolved requirement: Fragment-Host: org.talend.designer.xmlmap
-> Bundle-SymbolicName: org.talend.designer.xmlmap; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.xmlmap [533]
Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
!ENTRY org.eclipse.jdt.annotation 2 0 2015-11-16 10:41:24.975
!MESSAGE Could not resolve module: org.eclipse.jdt.annotation [298]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.8))"

!ENTRY org.eclipse.core.filesystem.aix.ppc 2 0 2015-11-16 10:41:24.975
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.aix.ppc [86]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=aix) (osgi.arch=ppc))"

!ENTRY org.talend.presentation.onboarding.resource.nl 2 0 2015-11-16 10:41:24.975
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource.nl [644]
  Unresolved requirement: Fragment-Host: org.talend.presentation.onboarding.resource
    -> Bundle-SymbolicName: org.talend.presentation.onboarding.resource; bundle-version="6.1.0.20151029_1337"; singleton:="true"
    org.talend.presentation.onboarding.resource [647]
      Unresolved requirement: Require-Bundle: org.talend.core
        -> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
        org.talend.core [483]
          Unresolved requirement: Require-Bundle: org.talend.metadata.managment
            -> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.metadata.managment [634]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                org.talend.core.runtime [480]
                  Unresolved requirement: Require-Bundle: org.talend.model
                    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                    org.talend.model [641]
                      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.cocoa.macosx 2 0 2015-11-16 10:41:24.975
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.cocoa.macosx [194]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=cocoa) (osgi.os=macosx) ((osgi.arch=x86)(osgi.arch=ppc)) )"

!ENTRY org.talend.hadoop.distribution.cd4mr2 4 0 2015-11-16 10:41:24.976
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cd4mr2 [538]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
    org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
        org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.eclipse.core.filesystem.linux.ppc64le 2 0 2015-11-16 10:41:24.976
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.ppc64le [90]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=ppc64le))"

!ENTRY org.talend.hadoop.distribution.piv101 2 0 2015-11-16 10:41:24.976
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.piv101 [564]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.emr103 2 0 2015-11-16 10:41:24.977
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr103 [544]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.win32.x86_64 2 0 2015-11-16 10:41:24.977
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.win32.x86_64 [97]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=win32) (osgi.arch=x86_64))"

!ENTRY org.talend.repository.json.nl 2 0 2015-11-16 10:41:24.977
!MESSAGE Could not resolve module: org.talend.repository.json.nl [660]
Unresolved requirement: Fragment-Host: org.talend.repository.json
-> Bundle-SymbolicName: org.talend.repository.json; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.repository.json [661]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.nl 2 0 2015-11-16 10:41:24.977
!MESSAGE Could not resolve module: org.talend.core.nl [476]
Unresolved requirement: Fragment-Host: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.rcp.branding.tos 2 0 2015-11-16 10:41:24.978

!MESSAGE Could not resolve module: org.talend.rcp.branding.tos [649]

Unresolved requirement: Require-Bundle: org.talend.rcp

-> Bundle-SymbolicName: org.talend.rcp; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.rcp [651]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment

-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.x86_64 2 0 2015-11-16 10:41:24.978

!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.x86_64 [204]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86_64))"

!ENTRY org.talend.libraries.hadoop.mapr.5.0.0 2 0 2015-11-16 10:41:24.978

!MESSAGE Could not resolve module: org.talend.libraries.hadoop.mapr.5.0.0 [591]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.security.win32.x86 2 0 2015-11-16 10:41:24.979

!MESSAGE Could not resolve module: org.eclipse.equinox.security.win32.x86 [246]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.talend.model.edit 2 0 2015-11-16 10:41:24.979

```
!MESSAGE Could not resolve module: org.talend.model.edit [637]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.model [641]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.linux.ppc 2 0 2015-11-16 10:41:24.979
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.ppc [397]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc))"

!ENTRY org.talend.sqlbuilder.nl 2 0 2015-11-16 10:41:24.979
!MESSAGE Could not resolve module: org.talend.sqlbuilder.nl [680]
  Unresolved requirement: Fragment-Host: org.talend.sqlbuilder
    -> Bundle-SymbolicName: org.talend.sqlbuilder; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.sqlbuilder [681]
        Unresolved requirement: Require-Bundle: org.talend.core.repository
          -> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.core.repository [478]
              Unresolved requirement: Require-Bundle: org.talend.core.runtime
                -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                  org.talend.core.runtime [480]
                    Unresolved requirement: Require-Bundle: org.talend.model
                      -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
                        org.talend.model [641]
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.dbmap.nl 2 0 2015-11-16 10:41:24.980
!MESSAGE Could not resolve module: org.talend.designer.dbmap.nl [500]
  Unresolved requirement: Fragment-Host: org.talend.designer.dbmap
    -> Bundle-SymbolicName: org.talend.designer.dbmap; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.designer.dbmap [501]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.model [641]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cdh500mr2 4 0 2015-11-16 10:41:24.980
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh500mr2 [539]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
      org.talend.core.runtime [480]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
            org.talend.model [641]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.swt.cocoa.macosx.2.0.2015-11-16.10:41:24.980

!MESSAGE Could not resolve module: org.eclipse.swt.cocoa.macosx [385]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=cocoa) (osgi.os=macosx) ((osgi.arch=x86)(osgi.arch=ppc)))"

!ENTRY org.eclipse.equinox.launcher.gtk.solaris.x86.2.0.2015-11-16.10:41:24.980

!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.solaris.x86 [206]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

!ENTRY org.talend.designer.components.exchange.2.0.2015-11-16.10:41:24.981

!MESSAGE Could not resolve module: org.talend.designer.components.exchange [496]

Unresolved requirement: Import-Package: org.talend.registration.wizards.register

-> Export-Package: org.talend.registration.wizards.register; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"

org.talend.registration [653]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.updates.runtime.2.0.2015-11-16.10:41:24.981

!MESSAGE Could not resolve module: org.talend.updates.runtime [684]

Unresolved requirement: Require-Bundle: org.talend.librariesmanager

-> Bundle-SymbolicName: org.talend.librariesmanager; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.librariesmanager [630]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.view.2.0.2015-11-16.10:41:24.981

!MESSAGE Could not resolve module: org.talend.repository.view [672]

Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.resources.nl.2.0.2015-11-16.10:41:24.982

!MESSAGE Could not resolve module: org.talend.resources.nl [674]

Unresolved requirement: Fragment-Host: org.talend.resources

-> Bundle-SymbolicName: org.talend.resources; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.resources [675]

Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.filemultischemas 2 0 2015-11-16 10:41:24.982

!MESSAGE Could not resolve module: org.talend.designer.filemultischemas [507]

Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.expressionbuilder.nl 2 0 2015-11-16 10:41:24.983

!MESSAGE Could not resolve module: org.talend.expressionbuilder.nl [534]

Unresolved requirement: Fragment-Host: org.talend.expressionbuilder
-> Bundle-SymbolicName: org.talend.expressionbuilder; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.expressionbuilder [535]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.scd 2 0 2015-11-16 10:41:24.983

!MESSAGE Could not resolve module: org.talend.designer.scd [528]

Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.solaris.sparc 2 0 2015-11-16 10:41:24.983
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.solaris.sparc [95]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=solaris) (osgi.arch=sparc))"

!ENTRY org.eclipse.swt.gtk.linux.ppc64le 2 0 2015-11-16 10:41:24.983
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.ppc64le [396]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64le))"

!ENTRY org.talend.hadoop.distribution.cd500mr2 2 0 2015-11-16 10:41:24.984
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cd500mr2 [539]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.s390x 2 0 2015-11-16 10:41:24.984
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.s390x [202]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

!ENTRY org.talend.designer.core 2 0 2015-11-16 10:41:24.984
!MESSAGE Could not resolve module: org.talend.designer.core [499]
Unresolved requirement: Import-Package: org.talend.hadoop.distribution
-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"
org.talend.hadoop.distribution [566]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.win32.win32.x86_64 2 0 2015-11-16 10:41:24.984
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.win32.win32.x86_64 [208]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=win32) (osgi.os=win32) (osgi.arch=x86_64))"

!ENTRY org.talend.designer.rowgenerator.nl 2 0 2015-11-16 10:41:24.985

!MESSAGE Could not resolve module: org.talend.designer.rowgenerator.nl [521]
Unresolved requirement: Fragment-Host: org.talend.designer.rowgenerator
-> Bundle-SymbolicName: org.talend.designer.rowgenerator; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.rowgenerator [522]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.librariesmanager.nl 2 0 2015-11-16 10:41:24.985

!MESSAGE Could not resolve module: org.talend.librariesmanager.nl [627]

Unresolved requirement: Fragment-Host: org.talend.librariesmanager

-> Bundle-SymbolicName: org.talend.librariesmanager; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.librariesmanager [630]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.linux.ppc 2 0 2015-11-16 10:41:24.986

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.ppc [91]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.os=linux)(osgi.arch=ppc))"

!ENTRY org.talend.designer.components.exchange.nl 2 0 2015-11-16 10:41:24.986

!MESSAGE Could not resolve module: org.talend.designer.components.exchange.nl [495]

Unresolved requirement: Fragment-Host: org.talend.designer.components.exchange

-> Bundle-SymbolicName: org.talend.designer.components.exchange; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.designer.components.exchange [496]

Unresolved requirement: Import-Package: org.talend.registration.wizards.register

-> Export-Package: org.talend.registration.wizards.register; bundle-version="6.1.0.20151029_1337"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"

org.talend.registration [653]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.sbi.engines.client.nl 2 0 2015-11-16 10:41:24.986

!MESSAGE Could not resolve module: org.talend.sbi.engines.client.nl [676]
Unresolved requirement: Fragment-Host: org.talend.sbi.engines.client
-> Bundle-SymbolicName: org.talend.sbi.engines.client; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.sbi.engines.client [677]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.linux.x86 2 0 2015-11-16 10:41:24.987
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.x86 [92]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.os=linux) (osgi.arch=x86))"

!ENTRY org.talend.repository.mdm.nl 2 0 2015-11-16 10:41:24.987
!MESSAGE Could not resolve module: org.talend.repository.mdm.nl [664]
Unresolved requirement: Fragment-Host: org.talend.repository.mdm
-> Bundle-SymbolicName: org.talend.repository.mdm; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.repository.mdm [665]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.aix.ppc 2 0 2015-11-16 10:41:24.987
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.aix.ppc [196]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc))"

!ENTRY org.talend.designer.components.localprovider 2 0 2015-11-16 10:41:24.988
!MESSAGE Could not resolve module: org.talend.designer.components.localprovider [497]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cd4mr1 2 0 2015-11-16 10:41:24.988
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cd4mr1 [537]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cd510mr1 4 0 2015-11-16 10:41:24.988
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cd510mr1 [540]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.fileoutputxml.nl 2 0 2015-11-16 10:41:24.988
!MESSAGE Could not resolve module: org.talend.designer.fileoutputxml.nl [508]
Unresolved requirement: Fragment-Host: org.talend.designer.fileoutputxml
-> Bundle-SymbolicName: org.talend.designer.fileoutputxml; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.fileoutputxml [509]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.linux.x86 2 0 2015-11-16 10:41:24.989
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.x86 [403]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86))"

!ENTRY org.talend.repository 2 0 2015-11-16 10:41:24.989
!MESSAGE Could not resolve module: org.talend.repository [673]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven 2 0 2015-11-16 10:41:24.989
!MESSAGE Could not resolve module: org.talend.designer.maven [520]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.emr240 2 0 2015-11-16 10:41:24.990
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr240 [545]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.codegen 2 0 2015-11-16 10:41:24.990
!MESSAGE Could not resolve module: org.talend.designer.codegen [494]
Unresolved requirement: Require-Bundle: org.talend.core.repository
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.repository [478]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport 2 0 2015-11-16 10:41:24.990
!MESSAGE Could not resolve module: org.talend.repository.items.importexport [659]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.componentdesigner.nl 2 0 2015-11-16 10:41:24.990
!MESSAGE Could not resolve module: org.talend.componentdesigner.nl [474]
Unresolved requirement: Fragment-Host: org.talend.componentdesigner
-> Bundle-SymbolicName: org.talend.componentdesigner; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.componentdesigner [475]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.abstractmap 2 0 2015-11-16 10:41:24.991
!MESSAGE Could not resolve module: org.talend.designer.abstractmap [488]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.custom 2 0 2015-11-16 10:41:24.991
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.custom [543]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.repository 2 0 2015-11-16 10:41:24.991
!MESSAGE Could not resolve module: org.talend.core.repository [478]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.alfrescooutput.nl 2 0 2015-11-16 10:41:24.992
!MESSAGE Could not resolve module: org.talend.designer.alfrescooutput.nl [489]

Unresolved requirement: Fragment-Host: org.talend.designer.alfrescooutput
-> Bundle-SymbolicName: org.talend.designer.alfrescooutput; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.designer.alfrescooutput [490]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.ui.nl 2 0 2015-11-16 10:41:24.992

!MESSAGE Could not resolve module: org.talend.designer.maven.ui.nl [518]

Unresolved requirement: Fragment-Host: org.talend.designer.maven.ui

-> Bundle-SymbolicName: org.talend.designer.maven.ui; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.designer.maven.ui [519]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.ui.win32 2 0 2015-11-16 10:41:24.992

!MESSAGE Could not resolve module: org.eclipse.ui.win32 [438]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.ws=win32)"

!ENTRY org.talend.model.migration 2 0 2015-11-16 10:41:24.993

!MESSAGE Could not resolve module: org.talend.model.migration [639]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.model [641]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.aix.ppc 2 0 2015-11-16 10:41:24.993

!MESSAGE Could not resolve module: org.eclipse.swt.gtk.aix.ppc [389]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc))"

!ENTRY org.talend.repository.view.di 2 0 2015-11-16 10:41:24.993

!MESSAGE Could not resolve module: org.talend.repository.view.di [670]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"

org.talend.core.runtime [480]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.win32.win32.x86 2 0 2015-11-16 10:41:24.993
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.win32.win32.x86 [207]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=win32) (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.eclipse.swt.win32.win32.x86 2 0 2015-11-16 10:41:24.994
!MESSAGE Could not resolve module: org.eclipse.swt.win32.win32.x86 [411]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=win32) (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.eclipse.swt.gtk.linux.x86_64 2 0 2015-11-16 10:41:24.994
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.x86_64 [405]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86_64))"

!ENTRY org.talend.hadoop.distribution.cdh510mr2 4 0 2015-11-16 10:41:24.994
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh510mr2 [541]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh510mr2 2 0 2015-11-16 10:41:24.994
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cdh510mr2 [541]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model.edit.nl 2 0 2015-11-16 10:41:24.995
!MESSAGE Could not resolve module: org.talend.model.edit.nl [636]
Unresolved requirement: Fragment-Host: org.talend.model.edit
-> Bundle-SymbolicName: org.talend.model.edit; bundle-version="6.1.0.20151029_1337"; singleton="true"

org.talend.model.edit [637]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.ui.nl 2 0 2015-11-16 10:41:24.995
!MESSAGE Could not resolve module: org.talend.core.ui.nl [481]
Unresolved requirement: Fragment-Host: org.talend.core.ui
-> Bundle-SymbolicName: org.talend.core.ui; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.ui [482]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.librariesmanager.ui.nl 2 0 2015-11-16 10:41:24.995
!MESSAGE Could not resolve module: org.talend.librariesmanager.ui.nl [628]
Unresolved requirement: Fragment-Host: org.talend.librariesmanager.ui
-> Bundle-SymbolicName: org.talend.librariesmanager.ui; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.librariesmanager.ui [629]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.emr240hive0131 2 0 2015-11-16 10:41:24.996
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr240hive0131 [546]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.linux.s390x 2 0 2015-11-16 10:41:24.996
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.s390x [401]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

!ENTRY org.talend.designer.webservice 2 0 2015-11-16 10:41:24.996
!MESSAGE Could not resolve module: org.talend.designer.webservice [531]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]

Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.presentation.onboarding.resource.tos 2 0 2015-11-16 10:41:24.997
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource.tos [646]
Unresolved requirement: Require-Bundle: org.talend.presentation.onboarding.resource
-> Bundle-SymbolicName: org.talend.presentation.onboarding.resource; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.presentation.onboarding.resource [647]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.solaris.x86 2 0 2015-11-16 10:41:24.997
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.solaris.x86 [409]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

!ENTRY org.talend.hadoop.distribution.cdh510mr1 2 0 2015-11-16 10:41:24.997
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cdh510mr1 [540]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.net.win32.x86_64 2 0 2015-11-16 10:41:24.997
!MESSAGE Could not resolve module: org.eclipse.core.net.win32.x86_64 [103]
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.os=win32) (osgi.arch=x86_64))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.s390 2 0 2015-11-16 10:41:24.997
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.s390 [201]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

!ENTRY org.talend.datatools.xml 2 0 2015-11-16 10:41:24.998
!MESSAGE Could not resolve module: org.talend.datatools.xml [486]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.esb.routines 2 0 2015-11-16 10:41:24.998
!MESSAGE Could not resolve module: org.talend.designer.esb.routines [506]
Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core [483]
Unresolved requirement: Require-Bundle: org.talend.metadata.managment
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.metadata.managment [634]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdinsight320 2 0 2015-11-16 10:41:24.998
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdinsight320 [549]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.core.runtime [480]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton:="true"
org.talend.model [641]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.linux.x86_64 2 0 2015-11-16 10:41:24.999
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.x86_64 [93]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=x86_64))"

!ENTRY org.talend.hadoop.distribution.cdh540 4 0 2015-11-16 10:41:24.999
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh540 [542]

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
org.talend.core.runtime [480]
  Unresolved requirement: Require-Bundle: org.talend.model
  -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
  org.talend.model [641]
    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.ui 2 0 2015-11-16 10:41:24.999
!MESSAGE Could not resolve module: org.talend.core.ui [482]
  Unresolved requirement: Require-Bundle: org.talend.model
  -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
  org.talend.model [641]
    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.osgi 4 0 2015-11-16 10:41:25.001
!MESSAGE Application error
!STACK 1
java.lang.RuntimeException: No application id has been found.
  at org.eclipse.equinox.internal.app.EclipseAppContainer.startDefaultApp(EclipseAppContainer.java:242)
  at org.eclipse.equinox.internal.app.MainApplicationLauncher.run(MainApplicationLauncher.java:29)
  at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)
  at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
  at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)
  at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)
  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
  at java.lang.reflect.Method.invoke(Method.java:597)
  at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
  at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
  at org.eclipse.equinox.launcher.Main.run(Main.java:1465)

!ENTRY org.talend.hadoop.distribution.custom 4 0 2015-11-16 10:41:25.005
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.custom [543]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
  -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
  org.talend.core.runtime [480]
    Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
    org.talend.model [641]
      Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr103 4 0 2015-11-16 10:41:25.011

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr103 [544]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr240 4 0 2015-11-16 10:41:25.015

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240 [545]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr240hive0131 4 0 2015-11-16 10:41:25.017

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240hive0131 [546]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr400 4 0 2015-11-16 10:41:25.020

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr400 [547]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdinsight310 4 0 2015-11-16 10:41:25.023

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight310 [548]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdinsight320 4 0 2015-11-16 10:41:25.026

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight320 [549]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp120 4 0 2015-11-16 10:41:25.029

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp120 [550]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp130 4 0 2015-11-16 10:41:25.034

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp130 [551]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.1.0.20151029_1337"; singleton="true"
        org.talend.core.runtime [480]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.1.0.20151029_1337"; singleton="true"
            org.talend.model [641]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```