

I followed this tutorial:

<https://talendforge.org/tutorials/tutorial.php?language=english&idTuto=100#Action>

in which I create a service and a consumer. When I call the service from the consumer I get an error:

```
Starting job AirportConsumer at 18:40 14/09/2016.
```

```
connecting to socket on port 3662
```

```
connected
```

```
Sep 14, 2016 6:40:48 PM org.apache.cxf.service.factory.ReflectionServiceFactoryBean buildServiceFromWSDL
```

```
INFO: Creating Service {http://airportsoap.sopera.de}airport from WSDL: classpath:/local_project/airportconsumer_0_1/wsdl/tESBConsumer_1.wsdl
```

```
.-----.
```

```
|tLogRow_1|
```

```
|=====|
```

```
|payload|
```

```
|=====|
```

```
|-----|
```

```
-----+-----
```

```
|
```

```
tLogRow_2
```

```
|
```

```
|=====|
```

```
-----+-----
```

```
|faultCode
```

```
|faultString
```

```
|
```

```
|=====|
```

```
-----+-----
```

```
|{http://schemas.xmlsoap.org/soap/envelope/}Server|Could not generate the XML stream caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF
```

```
at : .|null |null |null |null |
```

And in the service the error is:

```
Starting job airportSoap_getAirportInformationByISOCountryCode at 18:36 14/09/2016.
```

```
connecting to socket on port 3785
```

```
connected
```

```
: org.apache.cxf.service.factory.ReflectionServiceFactoryBean - Creating Service {http://airportsoap.sopera.de}airport from WSDL: C:/Users/Seba/De
```

```
: org.apache.cxf.endpoint.ServerImpl - Setting the server's publish address to be http://localhost:8200/esb/AirportService
```

```
: org.eclipse.jetty.server.Server - jetty-8.1.14.v20131031
```

```
: org.eclipse.jetty.server.AbstractConnector - Started SelectChannelConnector@localhost:8200
```

```
web service published
```

```
: org.apache.cxf.phase.PhaseInterceptorChain - Interceptor for {http://airportsoap.sopera.de}airport#{http://airportsoap.sopera.de}getAirportInfo
```

```
org.apache.cxf.interceptor.Fault: Could not generate the XML stream caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
```

```
at : .
```

```
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:94)
```

```
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:54)
```

```
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:48)
```

```
at org.apache.cxf.interceptor.AbstractOutDatabindingInterceptor.writeParts(AbstractOutDatabindingInterceptor.java:123)
```

```
at org.apache.cxf.interceptor.BareOutInterceptor.handleMessage(BareOutInterceptor.java:68)
```

```
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
```

```
at org.apache.cxf.interceptor.OutgoingChainInterceptor.handleMessage(OutgoingChainInterceptor.java:81)
```

```
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
```

```
at org.apache.cxf.transport.ChainInitiationObserver.onMessage(ChainInitiationObserver.java:121)
```

```
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.serviceRequest(JettyHTTPDestination.java:355)
```

```
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.doService(JettyHTTPDestination.java:319)
```

```
at org.apache.cxf.transport.http_jetty.JettyHTTPHandler.handle(JettyHTTPHandler.java:65)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1088)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1024)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:135)
at org.eclipse.jetty.server.handler.ContextHandlerCollection.handle(ContextHandlerCollection.java:255)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:116)
at org.eclipse.jetty.server.Server.handle(Server.java:370)
at org.eclipse.jetty.server.AbstractHttpConnection.handleRequest(AbstractHttpConnection.java:494)
at org.eclipse.jetty.server.AbstractHttpConnection.content(AbstractHttpConnection.java:982)
at org.eclipse.jetty.server.AbstractHttpConnection$RequestHandler.content(AbstractHttpConnection.java:1043)
at org.eclipse.jetty.http.HttpParser.parseNext(HttpParser.java:865)
at org.eclipse.jetty.http.HttpParser.parseAvailable(HttpParser.java:240)
at org.eclipse.jetty.server.AsyncHttpConnection.handle(AsyncHttpConnection.java:82)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint.handle(SelectChannelEndPoint.java:667)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint$1.run(SelectChannelEndPoint.java:52)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:608)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:543)
at java.lang.Thread.run(Unknown Source)
Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
at :
at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:677)
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2137)
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2043)
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1133)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:766)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:696)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:620)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:91)
... 28 more
: org.apache.cxf.phase.PhaseInterceptorChain - Interceptor for {http://airportsoap.sopera.de}airport#{http://airportsoap.sopera.de}getAirportInfo

org.apache.cxf.interceptor.Fault: Could not generate the XML stream caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
at : .
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:94)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:54)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:48)
at org.apache.cxf.interceptor.AbstractOutDatabindingInterceptor.writeParts(AbstractOutDatabindingInterceptor.java:123)
at org.apache.cxf.interceptor.BareOutInterceptor.handleMessage(BareOutInterceptor.java:68)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.interceptor.OutgoingChainInterceptor.handleMessage(OutgoingChainInterceptor.java:81)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.transport.ChainInitiationObserver.onMessage(ChainInitiationObserver.java:121)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.serviceRequest(JettyHTTPDestination.java:355)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.doService(JettyHTTPDestination.java:319)
at org.apache.cxf.transport.http_jetty.JettyHTTPHandler.handle(JettyHTTPHandler.java:65)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1088)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1024)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:135)
at org.eclipse.jetty.server.handler.ContextHandlerCollection.handle(ContextHandlerCollection.java:255)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:116)
at org.eclipse.jetty.server.Server.handle(Server.java:370)
at org.eclipse.jetty.server.AbstractHttpConnection.handleRequest(AbstractHttpConnection.java:494)
at org.eclipse.jetty.server.AbstractHttpConnection.content(AbstractHttpConnection.java:982)
at org.eclipse.jetty.server.AbstractHttpConnection$RequestHandler.content(AbstractHttpConnection.java:1043)
at org.eclipse.jetty.http.HttpParser.parseNext(HttpParser.java:865)
at org.eclipse.jetty.http.HttpParser.parseAvailable(HttpParser.java:240)
```

```
at org.eclipse.jetty.server.AsyncHttpConnection.handle(AsyncHttpConnection.java:82)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint.handle(SelectChannelEndPoint.java:667)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint$1.run(SelectChannelEndPoint.java:52)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:608)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:543)
at java.lang.Thread.run(Unknown Source)
Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
at :
at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:677)
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2137)
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2043)
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1133)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:766)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:696)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:620)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:91)
... 28 more
: org.apache.cxf.phase.PhaseInterceptorChain - Interceptor for {http://airportsoap.sopera.de}airport#{http://airportsoap.sopera.de}getAirportInfo

org.apache.cxf.interceptor.Fault: Could not generate the XML stream caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
at : .
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:94)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:54)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:48)
at org.apache.cxf.interceptor.AbstractOutDatabindingInterceptor.writeParts(AbstractOutDatabindingInterceptor.java:123)
at org.apache.cxf.interceptor.BareOutInterceptor.handleMessage(BareOutInterceptor.java:68)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.interceptor.OutgoingChainInterceptor.handleMessage(OutgoingChainInterceptor.java:81)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.transport.ChainInitiationObserver.onMessage(ChainInitiationObserver.java:121)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.serviceRequest(JettyHTTPDestination.java:355)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.doService(JettyHTTPDestination.java:319)
at org.apache.cxf.transport.http_jetty.JettyHTTPHandler.handle(JettyHTTPHandler.java:65)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1088)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1024)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:135)
at org.eclipse.jetty.server.handler.ContextHandlerCollection.handle(ContextHandlerCollection.java:255)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:116)
at org.eclipse.jetty.server.Server.handle(Server.java:370)
at org.eclipse.jetty.server.AbstractHttpConnection.handleRequest(AbstractHttpConnection.java:494)
at org.eclipse.jetty.server.AbstractHttpConnection.content(AbstractHttpConnection.java:982)
at org.eclipse.jetty.server.AbstractHttpConnection$RequestHandler.content(AbstractHttpConnection.java:1043)
at org.eclipse.jetty.http.HttpParser.parseNext(HttpParser.java:865)
at org.eclipse.jetty.http.HttpParser.parseAvailable(HttpParser.java:235)
at org.eclipse.jetty.server.AsyncHttpConnection.handle(AsyncHttpConnection.java:82)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint.handle(SelectChannelEndPoint.java:667)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint$1.run(SelectChannelEndPoint.java:52)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:608)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:543)
at java.lang.Thread.run(Unknown Source)
Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
at :
at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:677)
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2137)
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2043)
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1133)
```

```
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:766)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:696)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:620)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:91)
... 28 more
: org.apache.cxf.phase.PhaseInterceptorChain - Interceptor for {http://airportsoap.sopera.de}airport#{http://airportsoap.sopera.de}getAirportInfo
```

```
org.apache.cxf.interceptor.Fault: Could not generate the XML stream caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
```

```
at : .
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:94)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:54)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:48)
at org.apache.cxf.interceptor.AbstractOutDatabindingInterceptor.writeParts(AbstractOutDatabindingInterceptor.java:123)
at org.apache.cxf.interceptor.BareOutInterceptor.handleMessage(BareOutInterceptor.java:68)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.interceptor.OutgoingChainInterceptor.handleMessage(OutgoingChainInterceptor.java:81)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.transport.ChainInitiationObserver.onMessage(ChainInitiationObserver.java:121)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.serviceRequest(JettyHTTPDestination.java:355)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.doService(JettyHTTPDestination.java:319)
at org.apache.cxf.transport.http_jetty.JettyHTTPHandler.handle(JettyHTTPHandler.java:65)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1088)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1024)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:135)
at org.eclipse.jetty.server.handler.ContextHandlerCollection.handle(ContextHandlerCollection.java:255)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:116)
at org.eclipse.jetty.server.Server.handle(Server.java:370)
at org.eclipse.jetty.server.AbstractHttpConnection.handleRequest(AbstractHttpConnection.java:494)
at org.eclipse.jetty.server.AbstractHttpConnection.content(AbstractHttpConnection.java:982)
at org.eclipse.jetty.server.AbstractHttpConnection$RequestHandler.content(AbstractHttpConnection.java:1043)
at org.eclipse.jetty.http.HttpParser.parseNext(HttpParser.java:865)
at org.eclipse.jetty.http.HttpParser.parseAvailable(HttpParser.java:235)
at org.eclipse.jetty.server.AsyncHttpConnection.handle(AsyncHttpConnection.java:82)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint.handle(SelectChannelEndPoint.java:667)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint$1.run(SelectChannelEndPoint.java:52)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:608)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:543)
at java.lang.Thread.run(Unknown Source)
```

```
Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
```

```
at :
at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:677)
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2137)
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2043)
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1133)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:766)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:696)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:620)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:91)
... 28 more
: org.apache.cxf.phase.PhaseInterceptorChain - Interceptor for {http://airportsoap.sopera.de}airport#{http://airportsoap.sopera.de}getAirportInfo
```

```
org.apache.cxf.interceptor.Fault: Could not generate the XML stream caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
```

```
at : .
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:94)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:54)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:48)
```

```
at org.apache.cxf.interceptor.AbstractOutDatabindingInterceptor.writeParts(AbstractOutDatabindingInterceptor.java:123)
at org.apache.cxf.interceptor.BareOutInterceptor.handleMessage(BareOutInterceptor.java:68)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.interceptor.OutgoingChainInterceptor.handleMessage(OutgoingChainInterceptor.java:81)
at org.apache.cxf.phase.PhaseInterceptorChain.doIntercept(PhaseInterceptorChain.java:272)
at org.apache.cxf.transport.ChainInitiationObserver.onMessage(ChainInitiationObserver.java:121)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.serviceRequest(JettyHTTPDestination.java:355)
at org.apache.cxf.transport.http_jetty.JettyHTTPDestination.doService(JettyHTTPDestination.java:319)
at org.apache.cxf.transport.http_jetty.JettyHTTPHandler.handle(JettyHTTPHandler.java:65)
at org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1088)
at org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1024)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:135)
at org.eclipse.jetty.server.handler.ContextHandlerCollection.handle(ContextHandlerCollection.java:255)
at org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:116)
at org.eclipse.jetty.server.Server.handle(Server.java:370)
at org.eclipse.jetty.server.AbstractHttpConnection.handleRequest(AbstractHttpConnection.java:494)
at org.eclipse.jetty.server.AbstractHttpConnection.content(AbstractHttpConnection.java:982)
at org.eclipse.jetty.server.AbstractHttpConnection$RequestHandler.content(AbstractHttpConnection.java:1043)
at org.eclipse.jetty.http.HttpParser.parseNext(HttpParser.java:865)
at org.eclipse.jetty.http.HttpParser.parseAvailable(HttpParser.java:235)
at org.eclipse.jetty.server.AsyncHttpConnection.handle(AsyncHttpConnection.java:82)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint.handle(SelectChannelEndPoint.java:667)
at org.eclipse.jetty.io.nio.SelectChannelEndPoint$1.run(SelectChannelEndPoint.java:52)
at org.eclipse.jetty.util.thread.QueuedThreadPool.runJob(QueuedThreadPool.java:608)
at org.eclipse.jetty.util.thread.QueuedThreadPool$3.run(QueuedThreadPool.java:543)
at java.lang.Thread.run(Unknown Source)
Caused by: com.ctc.wstx.exc.WstxEOFException: Unexpected EOF in prolog
at :
at com.ctc.wstx.sr.StreamScanner.throwUnexpectedEOF(StreamScanner.java:677)
at com.ctc.wstx.sr.BasicStreamReader.handleEOF(BasicStreamReader.java:2137)
at com.ctc.wstx.sr.BasicStreamReader.nextFromProlog(BasicStreamReader.java:2043)
at com.ctc.wstx.sr.BasicStreamReader.next(BasicStreamReader.java:1133)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:766)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:696)
at org.apache.cxf.staxutils.StaxUtils.copy(StaxUtils.java:620)
at org.apache.cxf.databinding.source.XMLStreamDataWriter.write(XMLStreamDataWriter.java:91)
```

What did I do wrong?

If I paste "http://localhost:8200/esb/AirportService?WSDL" in browser I get WSDL back. I am using Talend Studio for ESB 5.5.1.