

Hello together,
i successfully installed Talend Data Quality Server in accordance to the installation Document.
but if i access the server/project files over the Talend Data Quality Client I always get following error:
java.lang.SecurityException: Unable to locate a login configuration
at com.sun.security.auth.login.ConfigFile.<init>(Unknown Source)

But I am able to load/save/create projects into the client and deploy them onto the TAC Server.
Any help or ideas?
Thanks
Michael

Our Installation Environment:
Windows Server 2008 R2
JRE 1.6.25
Tomcat 7.0.14
MySql 5.1.57
VisualSVN 2.1.7
Talend ADM-TDQEE-r43696-V4.0.2

```
java.lang.SecurityException: Unable to locate a login configuration
at com.sun.security.auth.login.ConfigFile.<init>(Unknown Source)
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
at java.lang.reflect.Constructor.newInstance(Unknown Source)
at java.lang.Class.newInstance0(Unknown Source)
at java.lang.Class.newInstance(Unknown Source)
at javax.security.auth.login.Configuration$3.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.Configuration.getConfiguration(Unknown Source)
at javax.security.auth.login.LoginContext$1.run(Unknown Source)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.init(Unknown Source)
at javax.security.auth.login.LoginContext.<init>(Unknown Source)
at org.tmatesoft.svn.core.internal.io.dav.http.HTTPNegotiateAuthentication.initializeSubject(HTTPNegotiateAuthentication.java:138)
at org.tmatesoft.svn.core.internal.io.dav.http.HTTPNegotiateAuthentication.authenticate(HTTPNegotiateAuthentication.java:162)
at org.tmatesoft.svn.core.internal.io.dav.http.HTTPConnection.request(HTTPConnection.java:333)
at org.tmatesoft.svn.core.internal.io.dav.http.HTTPConnection.request(HTTPConnection.java:274)
at org.tmatesoft.svn.core.internal.io.dav.http.HTTPConnection.request(HTTPConnection.java:262)
at org.tmatesoft.svn.core.internal.io.dav.DAVConnection.doPropfind(DAVConnection.java:126)
at org.tmatesoft.svn.core.internal.io.dav.DAVUtil.getProperties(DAVUtil.java:63)
at org.tmatesoft.svn.core.internal.io.dav.DAVUtil.getResourceProperties(DAVUtil.java:69)
at org.tmatesoft.svn.core.internal.io.dav.DAVUtil.getStartingProperties(DAVUtil.java:93)
at org.tmatesoft.svn.core.internal.io.dav.DAVUtil.findStartingProperties(DAVUtil.java:115)
at org.tmatesoft.svn.core.internal.io.dav.DAVUtil.getBaselineProperties(DAVUtil.java:216)
at org.tmatesoft.svn.core.internal.io.dav.DAVUtil.getBaselineInfo(DAVUtil.java:174)
at org.tmatesoft.svn.core.internal.io.dav.DAVConnection.fetchRepositoryRoot(DAVConnection.java:105)
at org.tmatesoft.svn.core.internal.io.dav.DAVRepository.getRepositoryRoot(DAVRepository.java:132)
at org.tmatesoft.svn.core.wc.SVNCommitClient.doCommit(SVNCommitClient.java:1001)
at org.tmatesoft.svn.core.wc.SVNCommitClient.doCommit(SVNCommitClient.java:896)
at org.tmatesoft.svn.core.wc.SVNCommitClient.doCommit(SVNCommitClient.java:828)
at org.tmatesoft.svn.core.javahl.SVNClientImpl.commit(SVNClientImpl.java:665)
at org.talend.repository.svnprovider.SvnHandler.commit(Unknown Source)
```

at org.talend.repository.svnprovider.SvnEclipseHandler.commit(Unknown Source)
at org.talend.repository.svnprovider.SvnCommitAbstractStrategy.commit(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.executeRepositoryWorkUnit(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.lock(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.lock(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.lock(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.lock(Unknown Source)
at org.talend.designer.core.ui.AbstractMultiPageTalendEditor.init(Unknown Source)
at org.talend.designer.core.ui.MultiPageTalendEditor.init(Unknown Source)
at org.eclipse.ui.internal.EditorManager.createSite(EditorManager.java:798)
at org.eclipse.ui.internal.EditorReference.createPartHelper(EditorReference.java:644)
at org.eclipse.ui.internal.EditorReference.createPart(EditorReference.java:462)
at org.eclipse.ui.internal.WorkbenchPartReference.getPart(WorkbenchPartReference.java:595)
at org.eclipse.ui.internal.PartPane.setVisible(PartPane.java:313)
at org.eclipse.ui.internal.presentations.PresentablePart.setVisible(PresentablePart.java:180)
at org.eclipse.ui.internal.presentations.util.PresentablePartFolder.select(PresentablePartFolder.java:270)
at org.eclipse.ui.internal.presentations.util.LeftToRightTabOrder.select(LeftToRightTabOrder.java:65)
at org.eclipse.ui.internal.presentations.util.TabbedStackPresentation.selectPart(TabbedStackPresentation.java:473)
at org.eclipse.ui.internal.PartStack.refreshPresentationSelection(PartStack.java:1256)
at org.eclipse.ui.internal.PartStack.setSelection(PartStack.java:1209)
at org.eclipse.ui.internal.PartStack.showPart(PartStack.java:1608)
at org.eclipse.ui.internal.PartStack.add(PartStack.java:499)
at org.eclipse.ui.internal.EditorStack.add(EditorStack.java:103)
at org.eclipse.ui.internal.PartStack.add(PartStack.java:485)
at org.eclipse.ui.internal.EditorStack.add(EditorStack.java:112)
at org.eclipse.ui.internal.EditorSashContainer.addEditor(EditorSashContainer.java:63)
at org.eclipse.ui.internal.EditorAreaHelper.addToLayout(EditorAreaHelper.java:225)
at org.eclipse.ui.internal.EditorAreaHelper.addEditor(EditorAreaHelper.java:213)
at org.eclipse.ui.internal.EditorManager.createEditorTab(EditorManager.java:778)
at org.eclipse.ui.internal.EditorManager.openEditorFromDescriptor(EditorManager.java:677)
at org.eclipse.ui.internal.EditorManager.openEditor(EditorManager.java:638)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditorBatched(WorkbenchPage.java:2854)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditor(WorkbenchPage.java:2762)
at org.eclipse.ui.internal.WorkbenchPage.access\$11(WorkbenchPage.java:2754)
at org.eclipse.ui.internal.WorkbenchPage\$10.run(WorkbenchPage.java:2705)
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:70)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2701)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2685)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2676)
at org.talend.designer.core.ui.action.CreateProcess.doRun(Unknown Source)
at org.talend.repository.ui.actions.AContextualAction\$2.run(Unknown Source)
at org.talend.repository.RepositoryWorkUnit.executeRun(Unknown Source)
at org.talend.repository.model.AbstractRepositoryFactory.executeRepositoryWorkUnit(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.executeRepositoryWorkUnit(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.executeRepositoryWorkUnit(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.executeRepositoryWorkUnit(Unknown Source)
at org.talend.repository.ui.actions.AContextualAction.run(Unknown Source)
at org.eclipse.jface.action.Action.runWithEvent(Action.java:498)
at org.eclipse.jface.action.ActionContributionItem.handleWidgetSelection(ActionContributionItem.java:584)
at org.eclipse.jface.action.ActionContributionItem.access\$2(ActionContributionItem.java:501)
at org.eclipse.jface.action.ActionContributionItem\$5.handleEvent(ActionContributionItem.java:411)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)

at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.datacleansing.core.ui.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
Caused by: java.io.IOException: Unable to locate a login configuration
at com.sun.security.auth.login.ConfigFile.init(Unknown Source)
... 108 more