

Hi,

I developed a job that inserts data from xml files into a database using multithreading. There are 12 iterations on 12 XML files, and so 12 executions on the component connection to the database(I'm using tAS400Output).

The console shows the error at the end of the execution that are probalblement in conjunction with the number of simultaneous connections. what to do in this case

A screenshot below explain the job architecture

Error in the console :

```
connecting to socket on port 3495
connected
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Communication link failure. (Software caused connection abort: recv failed) SQLSTATE= CODE
Exception in component tAS400Output_2
Exception in component tAS400Output_2
Exception in component tAS400Output_2
Exception in component tAS400Output_2
Exception in component tAS400Output_2
Exception in component tAS400Output_2
Exception in component tAS400Output_2
Exception in component tAS400Output_2
Exception in component tAS400Output_2
java.sql.SQLException: The connection does not exist.
    at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
    at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
    at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
    at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5664)
java.sql.SQLException: The connection does not exist.
    at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
    at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
    at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
    at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5664)
java.sql.SQLException: The connection does not exist.
    at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
    at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
    at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
    at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5664)
java.sql.SQLException: The connection does not exist.
    at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
    at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
    at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
    at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
    at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5664)
java.sql.SQLException: The connection does not exist.
```

```
at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5664)
java.sql.SQLException: The connection does not exist.
at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5664)
java.lang.InterruptedException
at java.lang.Object.wait(Native Method)
at java.lang.Object.wait(Object.java:503)
at routines.system.ParallelThread.waitForFree(ParallelThread.java:40)
at routines.system.ParallelThreadPool.waitForEnd(ParallelThreadPool.java:101)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tFileInputXML_2Thread.run(ClientVUC2.java:4701)
at routines.system.ThreadPoolWorker.runIt(TalendThreadPool.java:159)
at routines.system.ThreadPoolWorker.runWork(TalendThreadPool.java:150)
at routines.system.ThreadPoolWorker.access$0(TalendThreadPool.java:145)
at routines.system.ThreadPoolWorker$1.run(TalendThreadPool.java:122)
at java.lang.Thread.run(Unknown Source)
java.sql.SQLException: The connection does not exist.
at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5654)
java.sql.SQLException: The connection does not exist.
at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5654)
java.lang.InterruptedException
at java.lang.Object.wait(Native Method)
at java.lang.Object.wait(Object.java:503)
at routines.system.ParallelThread.waitForFree(ParallelThread.java:40)
at routines.system.ParallelThreadPool.waitForEnd(ParallelThreadPool.java:101)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tFileInputXML_2Thread.run(ClientVUC2.java:4697)
at routines.system.ThreadPoolWorker.runIt(TalendThreadPool.java:159)
at routines.system.ThreadPoolWorker.runWork(TalendThreadPool.java:150)
at routines.system.ThreadPoolWorker.access$0(TalendThreadPool.java:145)
at routines.system.ThreadPoolWorker$1.run(TalendThreadPool.java:122)
at java.lang.Thread.run(Unknown Source)
java.lang.InterruptedException
at java.lang.Object.wait(Native Method)
at java.lang.Object.wait(Object.java:503)
at routines.system.ParallelThread.waitForFree(ParallelThread.java:40)
at routines.system.ParallelThreadPool.waitForEnd(ParallelThreadPool.java:101)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tFileInputXML_2Thread.run(ClientVUC2.java:4701)
at routines.system.ThreadPoolWorker.runIt(TalendThreadPool.java:159)
```

```
at routines.system.ThreadPoolWorker.runWork(TalendThreadPool.java:150)
at routines.system.ThreadPoolWorker.access$0(TalendThreadPool.java:145)
at routines.system.ThreadPoolWorker$1.run(TalendThreadPool.java:122)
at java.lang.Thread.run(Unknown Source)
java.lang.InterruptedException
at java.lang.Object.wait(Native Method)
at java.lang.Object.wait(Object.java:503)
at routines.system.ParallelThread.waitForFree(ParallelThread.java:40)
at routines.system.ParallelThreadPool.waitForEnd(ParallelThreadPool.java:101)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tFileInputXML_2Thread.run(ClientVUC2.java:4697)
at routines.system.ThreadPoolWorker.runIt(TalendThreadPool.java:159)
at routines.system.ThreadPoolWorker.runWork(TalendThreadPool.java:150)
at routines.system.ThreadPoolWorker.access$0(TalendThreadPool.java:145)
at routines.system.ThreadPoolWorker$1.run(TalendThreadPool.java:122)
at java.lang.Thread.run(Unknown Source)
Exception in component tAS400Output_2
java.sql.SQLException: The connection does not exist.
at com.ibm.as400.access.JDError.throwSQLException(JDError.java:389)
at com.ibm.as400.access.AS400JDBCConnection.checkOpen(AS400JDBCConnection.java:420)
at com.ibm.as400.access.AS400JDBCStatement.checkOpen(AS400JDBCStatement.java:323)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setValue(AS400JDBCPreparedStatement.java:2913)
at com.ibm.as400.access.AS400JDBCPreparedStatement.setInt(AS400JDBCPreparedStatement.java:2292)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tAsyncIn_tAS400Output_2_ParallelThread.run(ClientVUC2.java:5664)
java.lang.InterruptedException
at java.lang.Object.wait(Native Method)
at java.lang.Object.wait(Object.java:503)
at routines.system.ParallelThread.waitForFree(ParallelThread.java:40)
at routines.system.ParallelThreadPool.waitForEnd(ParallelThreadPool.java:101)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tFileInputXML_2Thread.run(ClientVUC2.java:4701)
at routines.system.ThreadPoolWorker.runIt(TalendThreadPool.java:159)
at routines.system.ThreadPoolWorker.runWork(TalendThreadPool.java:150)
at routines.system.ThreadPoolWorker.access$0(TalendThreadPool.java:145)
at routines.system.ThreadPoolWorker$1.run(TalendThreadPool.java:122)
at java.lang.Thread.run(Unknown Source)
java.lang.InterruptedException
at java.lang.Object.wait(Native Method)
at java.lang.Object.wait(Object.java:503)
at routines.system.ParallelThread.waitForFree(ParallelThread.java:40)
at routines.system.ParallelThreadPool.waitForEnd(ParallelThreadPool.java:101)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tFileInputXML_2Thread.run(ClientVUC2.java:4701)
at routines.system.ThreadPoolWorker.runIt(TalendThreadPool.java:159)
at routines.system.ThreadPoolWorker.runWork(TalendThreadPool.java:150)
at routines.system.ThreadPoolWorker.access$0(TalendThreadPool.java:145)
at routines.system.ThreadPoolWorker$1.run(TalendThreadPool.java:122)
at java.lang.Thread.run(Unknown Source)
java.lang.InterruptedException
at java.lang.Object.wait(Native Method)
at java.lang.Object.wait(Object.java:503)
at routines.system.ParallelThread.waitForFree(ParallelThread.java:40)
at routines.system.ParallelThreadPool.waitForEnd(ParallelThreadPool.java:101)
at projetvuc.clientvuc2_0_1.ClientVUC2$1tFileInputXML_2Thread.run(ClientVUC2.java:4701)
at routines.system.ThreadPoolWorker.runIt(TalendThreadPool.java:159)
at routines.system.ThreadPoolWorker.runWork(TalendThreadPool.java:150)
at routines.system.ThreadPoolWorker.access$0(TalendThreadPool.java:145)
at routines.system.ThreadPoolWorker$1.run(TalendThreadPool.java:122)
at java.lang.Thread.run(Unknown Source)
```

disconnected
disconnected