

Hi,

I can't open any more my jobs as I have the same problem as described in this post : <https://community.talend.com/t5/Design-and-Development/error-when-opening-job/td-p/63706>

When I try to open a job :

Error opening the editor

Reason :

Folder within .Java project not founded

I tried to :

- close TOS

- delete ".Java" and ".JETEmetters" folders in <TOS>/workspace/

After launching again TOS, when I try to open a job, I have 2 errors at same time :

Error opening the editor.

java.lang.NullPointerException

and :

An error has occurred. See error log for more details.

org.eclipse.ui.internal.ErrorEditorPart cannot be cast to org.talend.designer.core.ui.MultiPageTalendEditor

I work on TOS 2.3.1 r11699, and the project was exported from TOS 2.3.0, then imported in TOS 2.3.1 under a different name . Could that be the root of my problem ?

I'm really annoyed, as I have a work to finish quickly...

Any help please ?

Thanks

----- Log for 1st problem -----

!ENTRY org.eclipse.ui 4 0 2008-03-11 09:18:28.843

!MESSAGE Unable to create editor ID org.talend.designer.core.ui.MultiPageTalendEditor: Folder within .Java project not founded

!STACK 0

java.lang.RuntimeException: Folder within .Java project not founded

at org.talend.designer.runprocess.java.JavaProcessor.createInternalPackage(Unknown Source)

at org.talend.designer.runprocess.java.JavaProcessor.initPaths(Unknown Source)

at org.talend.designer.runprocess.Processor.setContext(Unknown Source)

at org.talend.designer.runprocess.ProcessorUtilities.getProcessor(Unknown Source)

at org.talend.designer.core.ui.AbstractMultiPageTalendEditor.createPage1(Unknown Source)

at org.talend.designer.core.ui.AbstractMultiPageTalendEditor.createPages(Unknown Source)

at org.talend.designer.core.ui.MultiPageTalendEditor.createPages(Unknown Source)

at org.eclipse.ui.part.MultiPageEditorPart.createPartControl(MultiPageEditorPart.java:283)

at org.eclipse.ui.internal.EditorReference.createPartHelper(EditorReference.java:661)

at org.eclipse.ui.internal.EditorReference.createPart(EditorReference.java:426)

at org.eclipse.ui.internal.WorkbenchPartReference.getPart(WorkbenchPartReference.java:592)

at org.eclipse.ui.internal.PartPane.setVisible(PartPane.java:299)

at org.eclipse.ui.internal.presentations.PresentablePart.setVisible(PresentablePart.java:179)

at org.eclipse.ui.internal.presentations.util.PresentablePartFolder.select(PresentablePartFolder.java:268)

at org.eclipse.ui.internal.presentations.util.LeftToRightTabOrder.select(LeftToRightTabOrder.java:65)

at org.eclipse.ui.internal.presentations.util.TabbedStackPresentation.selectPart(TabbedStackPresentation.java:400)

at org.eclipse.ui.internal.PartStack.refreshPresentationSelection(PartStack.java:1256)

at org.eclipse.ui.internal.PartStack.setSelection(PartStack.java:1209)

at org.eclipse.ui.internal.PartStack.showPart(PartStack.java:1604)

at org.eclipse.ui.internal.PartStack.add(PartStack.java:499)

at org.eclipse.ui.internal.EditorStack.add(EditorStack.java:103)

at org.eclipse.ui.internal.PartStack.add(PartStack.java:485)

at org.eclipse.ui.internal.EditorStack.add(EditorStack.java:112)

at org.eclipse.ui.internal.EditorSashContainer.addEditor(EditorSashContainer.java:63)

at org.eclipse.ui.internal.EditorAreaHelper.addToLayout(EditorAreaHelper.java:217)

at org.eclipse.ui.internal.EditorAreaHelper.addEditor(EditorAreaHelper.java:207)

```
at org.eclipse.ui.internal.EditorManager.createEditorTab(EditorManager.java:774)
at org.eclipse.ui.internal.EditorManager.openEditorFromDescriptor(EditorManager.java:673)
at org.eclipse.ui.internal.EditorManager.openEditor(EditorManager.java:634)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditorBatched(WorkbenchPage.java:2719)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditor(WorkbenchPage.java:2633)
at org.eclipse.ui.internal.WorkbenchPage.access$12(WorkbenchPage.java:2625)
at org.eclipse.ui.internal.WorkbenchPage$10.run(WorkbenchPage.java:2577)
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:67)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2572)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2556)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2547)
at org.talend.designer.core.ui.action.EditProcess.run(Unknown Source)
at org.talend.repository.ui.actions.RepositoryDoubleClickAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$6.doubleClick(Unknown Source)
at org.eclipse.jface.viewers.StructuredViewer$1.run(StructuredViewer.java:799)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:37)
at org.eclipse.core.runtime.Platform.run(Platform.java:857)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:46)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:193)
at org.eclipse.jface.viewers.StructuredViewer.fireDoubleClick(StructuredViewer.java:797)
at org.eclipse.jface.viewers.AbstractTreeViewer.handleDoubleClick(AbstractTreeViewer.java:1384)
at org.eclipse.jface.viewers.StructuredViewer$4.widgetDefaultSelected(StructuredViewer.java:1173)
at org.eclipse.jface.util.OpenStrategy.fireDefaultSelectionEvent(OpenStrategy.java:237)
at org.eclipse.jface.util.OpenStrategy.access$0(OpenStrategy.java:234)
at org.eclipse.jface.util.OpenStrategy$1.handleEvent(OpenStrategy.java:295)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:66)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:938)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3682)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3293)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2389)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2353)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2219)
at org.eclipse.ui.internal.Workbench$4.run(Workbench.java:466)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:289)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:461)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:153)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:106)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:76)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:363)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:176)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:504)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:443)
at org.eclipse.equinox.launcher.Main.run(Main.java:1169)
!ENTRY org.eclipse.jface 4 2 2008-03-11 09:18:28.921
!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.jface".
!STACK 0
java.lang.ClassCastException: org.eclipse.ui.internal.ErrorEditorPart cannot be cast to org.talend.designer.core.ui.MultiPageTalendEditor
```

```
at org.talend.designer.core.ui.action.EditProcess.run(Unknown Source)
at org.talend.repository.ui.actions.RepositoryDoubleClickAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$6.doubleClick(Unknown Source)
at org.eclipse.jface.viewers.StructuredViewer$1.run(StructuredViewer.java:799)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:37)
at org.eclipse.core.runtime.Platform.run(Platform.java:857)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:46)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:193)
at org.eclipse.jface.viewers.StructuredViewer.fireDoubleClick(StructuredViewer.java:797)
at org.eclipse.jface.viewers.AbstractTreeViewer.handleDoubleClick(AbstractTreeViewer.java:1384)
at org.eclipse.jface.viewers.StructuredViewer$4.widgetDefaultSelected(StructuredViewer.java:1173)
at org.eclipse.jface.util.OpenStrategy.fireDefaultSelectionEvent(OpenStrategy.java:237)
at org.eclipse.jface.util.OpenStrategy.access$0(OpenStrategy.java:234)
at org.eclipse.jface.util.OpenStrategy$1.handleEvent(OpenStrategy.java:295)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:66)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:938)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3682)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3293)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2389)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2353)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2219)
at org.eclipse.ui.internal.Workbench$4.run(Workbench.java:466)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:289)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:461)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:153)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:106)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:76)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:363)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:176)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:504)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:443)
at org.eclipse.equinox.launcher.Main.run(Main.java:1169)
```

----- Log at startup after deleting .Java and .JETEmitters folders -----

```
!ENTRY org.eclipse.core.resources 4 567 2008-03-11 09:37:44.890
```

```
!MESSAGE Workspace restored, but some problems occurred.
```

```
!SUBENTRY 1 org.eclipse.core.resources 4 567 2008-03-11 09:37:44.890
```

```
!MESSAGE Could not read metadata for '.JETEmitters'.
```

```
!STACK 1
```

```
org.eclipse.core.internal.resources.ResourceException: The project description file (.project) for '.JETEmitters' is missing. This file contains important information about the project. The project will not function properly until this file is restored.
```

```
at org.eclipse.core.internal.localstore.FileSystemResourceManager.read(FileSystemResourceManager.java:660)
```

```
at org.eclipse.core.internal.resources.SaveManager.restoreMetaInfo(SaveManager.java:792)
```

```
at org.eclipse.core.internal.resources.SaveManager.restoreMetaInfo(SaveManager.java:772)
```

```
at org.eclipse.core.internal.resources.SaveManager.restore(SaveManager.java:663)
```

```
at org.eclipse.core.internal.resources.SaveManager.startup(SaveManager.java:1319)
```

```
at org.eclipse.core.internal.resources.Workspace.startup(Workspace.java:1949)
```

at org.eclipse.core.internal.resources.Workspace.open(Workspace.java:1713)
at org.eclipse.core.resources.ResourcesPlugin.start(ResourcesPlugin.java:363)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl\$2.run(BundleContextImpl.java:999)
at java.security.AccessController.doPrivileged(Native Method)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl.startActivator(BundleContextImpl.java:993)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl.start(BundleContextImpl.java:974)
at org.eclipse.osgi.framework.internal.core.BundleHost.startWorker(BundleHost.java:346)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.start(AbstractBundle.java:260)
at org.eclipse.osgi.framework.util.SecureAction.start(SecureAction.java:400)
at org.eclipse.core.runtime.internal.adaptor.EclipseLazyStarter.postFindLocalClass(EclipseLazyStarter.java:111)
at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClass(ClasspathManager.java:417)
at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.findLocalClass(DefaultClassLoader.java:189)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findLocalClass(BundleLoader.java:340)
at org.eclipse.osgi.framework.internal.core.SingleSourcePackage.loadClass(SingleSourcePackage.java:37)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findClassInternal(BundleLoader.java:405)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:369)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:357)
at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:83)
at java.lang.ClassLoader.loadClass(Unknown Source)
at java.lang.ClassLoader.loadClassInternal(Unknown Source)
at org.eclipse.team.internal.core.TeamPlugin.start(TeamPlugin.java:75)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl\$2.run(BundleContextImpl.java:999)
at java.security.AccessController.doPrivileged(Native Method)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl.startActivator(BundleContextImpl.java:993)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl.start(BundleContextImpl.java:974)
at org.eclipse.osgi.framework.internal.core.BundleHost.startWorker(BundleHost.java:346)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.start(AbstractBundle.java:260)
at org.eclipse.osgi.framework.util.SecureAction.start(SecureAction.java:400)
at org.eclipse.core.runtime.internal.adaptor.EclipseLazyStarter.postFindLocalClass(EclipseLazyStarter.java:111)
at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClass(ClasspathManager.java:417)
at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.findLocalClass(DefaultClassLoader.java:189)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findLocalClass(BundleLoader.java:340)
at org.eclipse.osgi.framework.internal.core.SingleSourcePackage.loadClass(SingleSourcePackage.java:37)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findClassInternal(BundleLoader.java:405)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:369)
at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:357)
at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:83)
at java.lang.ClassLoader.loadClass(Unknown Source)
at java.lang.ClassLoader.loadClassInternal(Unknown Source)
at org.epic.perleditor.PerlEditorPlugin.<init>(Unknown Source)
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
at java.lang.reflect.Constructor.newInstance(Unknown Source)
at java.lang.Class.newInstance0(Unknown Source)
at java.lang.Class.newInstance(Unknown Source)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.loadBundleActivator(AbstractBundle.java:136)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl.start(BundleContextImpl.java:970)
at org.eclipse.osgi.framework.internal.core.BundleHost.startWorker(BundleHost.java:346)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.start(AbstractBundle.java:260)
at org.eclipse.core.internal.runtime.InternalPlatform.start(InternalPlatform.java:877)
at org.eclipse.core.internal.plugins.PluginDescriptor.doPluginActivation(PluginDescriptor.java:360)
at org.eclipse.core.internal.plugins.PluginDescriptor.getPlugin(PluginDescriptor.java:340)

at org.eclipse.core.runtime.Platform.getPlugin(Platform.java:736)
at org.eclipse.core.internal.preferences.legacy.InitLegacyPreferences.init(InitLegacyPreferences.java:43)
at org.eclipse.core.internal.preferences.PreferenceServiceRegistryHelper.applyRuntimeDefaults(PreferenceServiceRegistryHelper.java:146)
at org.eclipse.core.internal.preferences.PreferencesService.applyRuntimeDefaults(PreferencesService.java:337)
at org.eclipse.core.internal.preferences.DefaultPreferences.applyRuntimeDefaults(DefaultPreferences.java:163)
at org.eclipse.core.internal.preferences.DefaultPreferences.loadDefaults(DefaultPreferences.java:236)
at org.eclipse.core.internal.preferences.DefaultPreferences.load(DefaultPreferences.java:232)
at org.eclipse.core.internal.preferences.EclipsePreferences.create(EclipsePreferences.java:307)
at org.eclipse.core.internal.preferences.EclipsePreferences.internalNode(EclipsePreferences.java:543)
at org.eclipse.core.internal.preferences.EclipsePreferences.node(EclipsePreferences.java:662)
at org.eclipse.core.internal.preferences.AbstractScope.getNode(AbstractScope.java:38)
at org.eclipse.core.runtime.preferences.DefaultScope.getNode(DefaultScope.java:67)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getDefaultPreferences(ScopedPreferenceStore.java:247)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getPreferenceNodes(ScopedPreferenceStore.java:281)
at org.eclipse.ui.preferences.ScopedPreferenceStore.internalGet(ScopedPreferenceStore.java:471)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getBoolean(ScopedPreferenceStore.java:383)
at org.eclipse.ui.preferences.ScopedPreferenceStore.setValue(ScopedPreferenceStore.java:794)
at org.talend.core.prefs.CorePreferenceInitializer.initializeDefaultPreferences(Unknown Source)
at org.eclipse.core.internal.preferences.PreferenceServiceRegistryHelper.runInitializer(PreferenceServiceRegistryHelper.java:276)
at org.eclipse.core.internal.preferences.PreferenceServiceRegistryHelper.applyRuntimeDefaults(PreferenceServiceRegistryHelper.java:130)
at org.eclipse.core.internal.preferences.PreferencesService.applyRuntimeDefaults(PreferencesService.java:337)
at org.eclipse.core.internal.preferences.DefaultPreferences.applyRuntimeDefaults(DefaultPreferences.java:163)
at org.eclipse.core.internal.preferences.DefaultPreferences.loadDefaults(DefaultPreferences.java:236)
at org.eclipse.core.internal.preferences.DefaultPreferences.load(DefaultPreferences.java:232)
at org.eclipse.core.internal.preferences.EclipsePreferences.create(EclipsePreferences.java:307)
at org.eclipse.core.internal.preferences.EclipsePreferences.internalNode(EclipsePreferences.java:543)
at org.eclipse.core.internal.preferences.EclipsePreferences.node(EclipsePreferences.java:662)
at org.eclipse.core.internal.preferences.AbstractScope.getNode(AbstractScope.java:38)
at org.eclipse.core.runtime.preferences.DefaultScope.getNode(DefaultScope.java:67)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getDefaultPreferences(ScopedPreferenceStore.java:247)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getPreferenceNodes(ScopedPreferenceStore.java:281)
at org.eclipse.ui.preferences.ScopedPreferenceStore.internalGet(ScopedPreferenceStore.java:471)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getString(ScopedPreferenceStore.java:531)
at org.talend.core.prefs.PreferenceManipulator.readStringList(Unknown Source)
at org.talend.core.prefs.PreferenceManipulator.readWorkspaceTasksDone(Unknown Source)
at org.talend.migrationtool.MigrationToolService.executeWorspaceTasks(Unknown Source)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:153)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:106)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:76)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:363)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:176)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:504)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:443)
at org.eclipse.equinox.launcher.Main.run(Main.java:1169)
!SUBENTRY 2 org.eclipse.core.resources 4 567 2008-03-11 09:37:44.890
!MESSAGE The project description file (.project) for '.JETEmitters' is missing. This file contains important information about the project. The project will not function properly until this file is restored.
!SUBENTRY 1 org.eclipse.core.resources 4 567 2008-03-11 09:37:44.890

!MESSAGE Could not read metadata for '.Java'.

!STACK 1

org.eclipse.core.internal.resources.ResourceException: The project description file (.project) for '.Java' is missing. This file contains important information about the project. The project will not function properly until this file is restored.

at org.eclipse.core.internal.localstore.FileSystemResourceManager.read(FileSystemResourceManager.java:660)

at org.eclipse.core.internal.resources.SaveManager.restoreMetaInfo(SaveManager.java:792)

at org.eclipse.core.internal.resources.SaveManager.restoreMetaInfo(SaveManager.java:772)

at org.eclipse.core.internal.resources.SaveManager.restore(SaveManager.java:663)

at org.eclipse.core.internal.resources.SaveManager.startup(SaveManager.java:1319)

at org.eclipse.core.internal.resources.Workspace.startup(Workspace.java:1949)

at org.eclipse.core.internal.resources.Workspace.open(Workspace.java:1713)

at org.eclipse.core.resources.ResourcesPlugin.start(ResourcesPlugin.java:363)

at org.eclipse.osgi.framework.internal.core.BundleContextImpl\$2.run(BundleContextImpl.java:999)

at java.security.AccessController.doPrivileged(Native Method)

at org.eclipse.osgi.framework.internal.core.BundleContextImpl.startActivator(BundleContextImpl.java:993)

at org.eclipse.osgi.framework.internal.core.BundleContextImpl.start(BundleContextImpl.java:974)

at org.eclipse.osgi.framework.internal.core.BundleHost.startWorker(BundleHost.java:346)

at org.eclipse.osgi.framework.internal.core.AbstractBundle.start(AbstractBundle.java:260)

at org.eclipse.osgi.framework.util.SecureAction.start(SecureAction.java:400)

at org.eclipse.core.runtime.internal.adaptor.EclipseLazyStarter.postFindLocalClass(EclipseLazyStarter.java:111)

at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClass(ClasspathManager.java:417)

at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.findLocalClass(DefaultClassLoader.java:189)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findLocalClass(BundleLoader.java:340)

at org.eclipse.osgi.framework.internal.core.SingleSourcePackage.loadClass(SingleSourcePackage.java:37)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findClassInternal(BundleLoader.java:405)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:369)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:357)

at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:83)

at java.lang.ClassLoader.loadClass(Unknown Source)

at java.lang.ClassLoader.loadClassInternal(Unknown Source)

at org.eclipse.team.internal.core.TeamPlugin.start(TeamPlugin.java:75)

at org.eclipse.osgi.framework.internal.core.BundleContextImpl\$2.run(BundleContextImpl.java:999)

at java.security.AccessController.doPrivileged(Native Method)

at org.eclipse.osgi.framework.internal.core.BundleContextImpl.startActivator(BundleContextImpl.java:993)

at org.eclipse.osgi.framework.internal.core.BundleContextImpl.start(BundleContextImpl.java:974)

at org.eclipse.osgi.framework.internal.core.BundleHost.startWorker(BundleHost.java:346)

at org.eclipse.osgi.framework.internal.core.AbstractBundle.start(AbstractBundle.java:260)

at org.eclipse.osgi.framework.util.SecureAction.start(SecureAction.java:400)

at org.eclipse.core.runtime.internal.adaptor.EclipseLazyStarter.postFindLocalClass(EclipseLazyStarter.java:111)

at org.eclipse.osgi.baseadaptor.loader.ClasspathManager.findLocalClass(ClasspathManager.java:417)

at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.findLocalClass(DefaultClassLoader.java:189)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findLocalClass(BundleLoader.java:340)

at org.eclipse.osgi.framework.internal.core.SingleSourcePackage.loadClass(SingleSourcePackage.java:37)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findClassInternal(BundleLoader.java:405)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:369)

at org.eclipse.osgi.framework.internal.core.BundleLoader.findClass(BundleLoader.java:357)

at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:83)

at java.lang.ClassLoader.loadClass(Unknown Source)

at java.lang.ClassLoader.loadClassInternal(Unknown Source)

at org.epic.perleditor.PerlEditorPlugin.<init>(Unknown Source)

at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)

at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)

at java.lang.reflect.Constructor.newInstance(Unknown Source)
at java.lang.Class.newInstance0(Unknown Source)
at java.lang.Class.newInstance(Unknown Source)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.loadBundleActivator(AbstractBundle.java:136)
at org.eclipse.osgi.framework.internal.core.BundleContextImpl.start(BundleContextImpl.java:970)
at org.eclipse.osgi.framework.internal.core.BundleHost.startWorker(BundleHost.java:346)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.start(AbstractBundle.java:260)
at org.eclipse.core.internal.runtime.InternalPlatform.start(InternalPlatform.java:877)
at org.eclipse.core.internal.plugins.PluginDescriptor.doPluginActivation(PluginDescriptor.java:360)
at org.eclipse.core.internal.plugins.PluginDescriptor.getPlugin(PluginDescriptor.java:340)
at org.eclipse.core.runtime.Platform.getPlugin(Platform.java:736)
at org.eclipse.core.internal.preferences.legacy.InitLegacyPreferences.init(InitLegacyPreferences.java:43)
at org.eclipse.core.internal.preferences.PreferenceServiceRegistryHelper.applyRuntimeDefaults(PreferenceServiceRegistryHelper.java:146)
at org.eclipse.core.internal.preferences.PreferencesService.applyRuntimeDefaults(PreferencesService.java:337)
at org.eclipse.core.internal.preferences.DefaultPreferences.applyRuntimeDefaults(DefaultPreferences.java:163)
at org.eclipse.core.internal.preferences.DefaultPreferences.loadDefaults(DefaultPreferences.java:236)
at org.eclipse.core.internal.preferences.DefaultPreferences.load(DefaultPreferences.java:232)
at org.eclipse.core.internal.preferences.EclipsePreferences.create(EclipsePreferences.java:307)
at org.eclipse.core.internal.preferences.EclipsePreferences.internalNode(EclipsePreferences.java:543)
at org.eclipse.core.internal.preferences.EclipsePreferences.node(EclipsePreferences.java:662)
at org.eclipse.core.internal.preferences.AbstractScope.getNode(AbstractScope.java:38)
at org.eclipse.core.runtime.preferences.DefaultScope.getNode(DefaultScope.java:67)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getDefaultPreferences(ScopedPreferenceStore.java:247)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getPreferenceNodes(ScopedPreferenceStore.java:281)
at org.eclipse.ui.preferences.ScopedPreferenceStore.internalGet(ScopedPreferenceStore.java:471)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getBoolean(ScopedPreferenceStore.java:383)
at org.eclipse.ui.preferences.ScopedPreferenceStore.setValue(ScopedPreferenceStore.java:794)
at org.talend.core.prefs.CorePreferenceInitializer.initializeDefaultPreferences(Unknown Source)
at org.eclipse.core.internal.preferences.PreferenceServiceRegistryHelper.runInitializer(PreferenceServiceRegistryHelper.java:276)
at org.eclipse.core.internal.preferences.PreferenceServiceRegistryHelper.applyRuntimeDefaults(PreferenceServiceRegistryHelper.java:130)
at org.eclipse.core.internal.preferences.PreferencesService.applyRuntimeDefaults(PreferencesService.java:337)
at org.eclipse.core.internal.preferences.DefaultPreferences.applyRuntimeDefaults(DefaultPreferences.java:163)
at org.eclipse.core.internal.preferences.DefaultPreferences.loadDefaults(DefaultPreferences.java:236)
at org.eclipse.core.internal.preferences.DefaultPreferences.load(DefaultPreferences.java:232)
at org.eclipse.core.internal.preferences.EclipsePreferences.create(EclipsePreferences.java:307)
at org.eclipse.core.internal.preferences.EclipsePreferences.internalNode(EclipsePreferences.java:543)
at org.eclipse.core.internal.preferences.EclipsePreferences.node(EclipsePreferences.java:662)
at org.eclipse.core.internal.preferences.AbstractScope.getNode(AbstractScope.java:38)
at org.eclipse.core.runtime.preferences.DefaultScope.getNode(DefaultScope.java:67)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getDefaultPreferences(ScopedPreferenceStore.java:247)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getPreferenceNodes(ScopedPreferenceStore.java:281)
at org.eclipse.ui.preferences.ScopedPreferenceStore.internalGet(ScopedPreferenceStore.java:471)
at org.eclipse.ui.preferences.ScopedPreferenceStore.getString(ScopedPreferenceStore.java:531)
at org.talend.core.prefs.PreferenceManipulator.readStringList(Unknown Source)
at org.talend.core.prefs.PreferenceManipulator.readWorkspaceTasksDone(Unknown Source)
at org.talend.migrationtool.MigrationToolService.executeWorspaceTasks(Unknown Source)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:153)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:106)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:76)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:363)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:176)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

```
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:504)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:443)
at org.eclipse.equinox.launcher.Main.run(Main.java:1169)
!SUBENTRY 2 org.eclipse.core.resources 4 567 2008-03-11 09:37:44.890
!MESSAGE The project description file (.project) for '.Java' is missing. This file contains important information about the project. The project will not function properly until this file is restored.
(...)
```

----- Log for 2nd problem -----

```
!ENTRY org.eclipse.ui 4 0 2008-03-11 09:44:10.281
!MESSAGE Unable to create editor ID org.talend.designer.core.ui.MultiPageTalendEditor: An unexpected exception was thrown.
!STACK 0
java.lang.NullPointerException
at org.talend.designer.runprocess.java.JavaProcessor.createInternalPackage(Unknown Source)
at org.talend.designer.runprocess.java.JavaProcessor.initPaths(Unknown Source)
at org.talend.designer.runprocess.Processor.setContext(Unknown Source)
at org.talend.designer.runprocess.ProcessorUtilities.getProcessor(Unknown Source)
at org.talend.designer.core.ui.AbstractMultiPageTalendEditor.createPage1(Unknown Source)
at org.talend.designer.core.ui.AbstractMultiPageTalendEditor.createPages(Unknown Source)
at org.talend.designer.core.ui.MultiPageTalendEditor.createPages(Unknown Source)
at org.eclipse.ui.part.MultiPageEditorPart.createPartControl(MultiPageEditorPart.java:283)
at org.eclipse.ui.internal.EditorReference.createPartHelper(EditorReference.java:661)
at org.eclipse.ui.internal.EditorReference.createPart(EditorReference.java:426)
at org.eclipse.ui.internal.WorkbenchPartReference.getPart(WorkbenchPartReference.java:592)
at org.eclipse.ui.internal.PartPane.setVisible(PartPane.java:299)
at org.eclipse.ui.internal.presentations.PresentablePart.setVisible(PresentablePart.java:179)
at org.eclipse.ui.internal.presentations.util.PresentablePartFolder.select(PresentablePartFolder.java:268)
at org.eclipse.ui.internal.presentations.util.LeftToRightTabOrder.select(LeftToRightTabOrder.java:65)
at org.eclipse.ui.internal.presentations.util.TabbedStackPresentation.selectPart(TabbedStackPresentation.java:400)
at org.eclipse.ui.internal.PartStack.refreshPresentationSelection(PartStack.java:1256)
at org.eclipse.ui.internal.PartStack.setSelection(PartStack.java:1209)
at org.eclipse.ui.internal.PartStack.showPart(PartStack.java:1604)
at org.eclipse.ui.internal.PartStack.add(PartStack.java:499)
at org.eclipse.ui.internal.EditorStack.add(EditorStack.java:103)
at org.eclipse.ui.internal.PartStack.add(PartStack.java:485)
at org.eclipse.ui.internal.EditorStack.add(EditorStack.java:112)
at org.eclipse.ui.internal.EditorSashContainer.addEditor(EditorSashContainer.java:63)
at org.eclipse.ui.internal.EditorAreaHelper.addToLayout(EditorAreaHelper.java:217)
at org.eclipse.ui.internal.EditorAreaHelper.addEditor(EditorAreaHelper.java:207)
at org.eclipse.ui.internal.EditorManager.createEditorTab(EditorManager.java:774)
at org.eclipse.ui.internal.EditorManager.openEditorFromDescriptor(EditorManager.java:673)
at org.eclipse.ui.internal.EditorManager.openEditor(EditorManager.java:634)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditorBatched(WorkbenchPage.java:2719)
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditor(WorkbenchPage.java:2633)
at org.eclipse.ui.internal.WorkbenchPage.access$12(WorkbenchPage.java:2625)
at org.eclipse.ui.internal.WorkbenchPage$10.run(WorkbenchPage.java:2577)
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:67)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2572)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2556)
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2547)
at org.talend.designer.core.ui.action.EditProcess.run(Unknown Source)
```

```
at org.talend.repository.ui.actions.RepositoryDoubleClickAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$6.doubleClick(Unknown Source)
at org.eclipse.jface.viewers.StructuredViewer$1.run(StructuredViewer.java:799)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:37)
at org.eclipse.core.runtime.Platform.run(Platform.java:857)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:46)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:193)
at org.eclipse.jface.viewers.StructuredViewer.fireDoubleClick(StructuredViewer.java:797)
at org.eclipse.jface.viewers.AbstractTreeViewer.handleDoubleClick(AbstractTreeViewer.java:1384)
at org.eclipse.jface.viewers.StructuredViewer$4.widgetDefaultSelected(StructuredViewer.java:1173)
at org.eclipse.jface.util.OpenStrategy.fireDefaultSelectionEvent(OpenStrategy.java:237)
at org.eclipse.jface.util.OpenStrategy.access$0(OpenStrategy.java:234)
at org.eclipse.jface.util.OpenStrategy$1.handleEvent(OpenStrategy.java:295)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:66)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:938)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3682)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3293)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2389)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2353)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2219)
at org.eclipse.ui.internal.Workbench$4.run(Workbench.java:466)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:289)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:461)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:153)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:106)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:76)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:363)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:176)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:504)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:443)
at org.eclipse.equinox.launcher.Main.run(Main.java:1169)
!ENTRY org.eclipse.jface 4 2 2008-03-11 09:44:10.296
!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.jface".
!STACK 0
java.lang.ClassCastException: org.eclipse.ui.internal.ErrorEditorPart cannot be cast to org.talend.designer.core.ui.MultiPageTalendEditor
at org.talend.designer.core.ui.action.EditProcess.run(Unknown Source)
at org.talend.repository.ui.actions.RepositoryDoubleClickAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$6.doubleClick(Unknown Source)
at org.eclipse.jface.viewers.StructuredViewer$1.run(StructuredViewer.java:799)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:37)
at org.eclipse.core.runtime.Platform.run(Platform.java:857)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:46)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:193)
at org.eclipse.jface.viewers.StructuredViewer.fireDoubleClick(StructuredViewer.java:797)
at org.eclipse.jface.viewers.AbstractTreeViewer.handleDoubleClick(AbstractTreeViewer.java:1384)
at org.eclipse.jface.viewers.StructuredViewer$4.widgetDefaultSelected(StructuredViewer.java:1173)
at org.eclipse.jface.util.OpenStrategy.fireDefaultSelectionEvent(OpenStrategy.java:237)
```

at org.eclipse.jface.util.OpenStrategy.access\$0(OpenStrategy.java:234)
at org.eclipse.jface.util.OpenStrategy\$1.handleEvent(OpenStrategy.java:295)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:66)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:938)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3682)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3293)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2389)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2353)
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2219)
at org.eclipse.ui.internal.Workbench\$4.run(Workbench.java:466)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:289)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:461)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:153)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:106)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:76)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:363)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:176)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:504)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:443)
at org.eclipse.equinox.launcher.Main.run(Main.java:1169)