

```
2012-04-10 11:15:00 ERROR CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
  at java.net.PlainSocketImpl.socketConnect(Native Method)
  at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
  at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
  at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
  at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
  at java.net.Socket.connect(Socket.java:529)
  at java.net.Socket.connect(Socket.java:478)
  at java.net.Socket.<init>(Socket.java:375)
  at java.net.Socket.<init>(Socket.java:189)
  at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:15:06 WARN CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
  at java.net.PlainSocketImpl.socketConnect(Native Method)
  at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
  at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
  at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
  at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
  at java.net.Socket.connect(Socket.java:529)
  at java.net.Socket.connect(Socket.java:478)
  at java.net.Socket.<init>(Socket.java:375)
  at java.net.Socket.<init>(Socket.java:189)
  at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:15:11 ERROR CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
  at java.net.PlainSocketImpl.socketConnect(Native Method)
  at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
  at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
  at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
  at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
  at java.net.Socket.connect(Socket.java:529)
  at java.net.Socket.connect(Socket.java:478)
  at java.net.Socket.<init>(Socket.java:375)
  at java.net.Socket.<init>(Socket.java:189)
  at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
  at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:15:33 WARN UserMapping - Cannot get additionnal data from bean ({}))
2012-04-10 11:16:13 WARN UserMapping - Cannot get additionnal data from bean ({}))
2012-04-10 11:16:18 WARN CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
  at java.net.PlainSocketImpl.socketConnect(Native Method)
  at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
  at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
  at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
  at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
  at java.net.Socket.connect(Socket.java:529)
  at java.net.Socket.connect(Socket.java:478)
```

```
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:16:23 ERROR CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:16:23 ERROR JobGenerator - Failed to connect to CommandLine
org.talend.administrator.common.exception.SystemException: Failed to connect to CommandLine
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:220)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.generate(JobGenerator.java:126)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler.generateJobScriptUnit(ExecutionTaskHandler.java:341)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler$1.run(ExecutionTaskHandler.java:294)
Caused by: org.talend.commons.exception.BusinessException: commandline.error.connection
at org.talend.administrator.commandline.CommandLineFactory.getCommandLineConf(CommandLineFactory.java:85)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:217)
... 3 more
Caused by: java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:16:23 ERROR ExecutionTaskHandler - org.talend.administrator.common.exception.SystemException: Failed to connect to CommandLine
org.talend.administrator.common.exception.ProcessedException: org.talend.administrator.common.exception.SystemException: Failed to connect to Comm

at org.talend.administrator.scheduler.business.job.generate.JobGenerator.generate(JobGenerator.java:197)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler.generateJobScriptUnit(ExecutionTaskHandler.java:341)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler$1.run(ExecutionTaskHandler.java:294)
Caused by: org.talend.administrator.common.exception.SystemException: Failed to connect to CommandLine
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:220)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.generate(JobGenerator.java:126)
... 2 more
Caused by: org.talend.commons.exception.BusinessException: commandline.error.connection
```

```
at org.talend.administrator.commandline.CommandLineFactory.getCommandLineConf(CommandLineFactory.java:85)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:217)
... 3 more
Caused by: java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:16:53 WARN UserMapping - Cannot get additionnal data from bean ({}))
2012-04-10 11:17:33 WARN UserMapping - Cannot get additionnal data from bean ({}))
2012-04-10 11:18:05 WARN CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:18:10 ERROR CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:18:10 ERROR JobGenerator - Failed to connect to CommandLine
org.talend.administrator.common.exception.SystemException: Failed to connect to CommandLine
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:220)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.generate(JobGenerator.java:126)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler.generateJobScriptUnit(ExecutionTaskHandler.java:341)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler$1.run(ExecutionTaskHandler.java:294)
Caused by: org.talend.commons.exception.BusinessException: commandline.error.connection
```

```
at org.talend.administrator.commandline.CommandLineFactory.getCommandLineConf(CommandLineFactory.java:85)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:217)
... 3 more
Caused by: java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:18:11 ERROR ExecutionTaskHandler - org.talend.administrator.common.exception.SystemException: Failed to connect to CommandLine
org.talend.administrator.common.exception.ProcessedException: org.talend.administrator.common.exception.SystemException: Failed to connect to Comm

at org.talend.administrator.scheduler.business.job.generate.JobGenerator.generate(JobGenerator.java:197)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler.generateJobScriptUnit(ExecutionTaskHandler.java:341)
at org.talend.administrator.scheduler.business.ExecutionTaskHandler$1.run(ExecutionTaskHandler.java:294)
Caused by: org.talend.administrator.common.exception.SystemException: Failed to connect to CommandLine
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:220)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.generate(JobGenerator.java:126)
... 2 more
Caused by: org.talend.common.exception.BusinessException: commandline.error.connection
at org.talend.administrator.commandline.CommandLineFactory.getCommandLineConf(CommandLineFactory.java:85)
at org.talend.administrator.scheduler.business.job.generate.JobGenerator.connectCommandLine(JobGenerator.java:217)
... 3 more
Caused by: java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:18:13 WARN UserMapping - Cannot get additional data from bean ({}))
2012-04-10 11:18:25 WARN CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
```

```
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
2012-04-10 11:18:26 ERROR gwt-log -
2012-04-10 11:18:30 ERROR CommandLineFactory - could not connect to commandline
java.net.ConnectException: Connection refused: connect
at java.net.PlainSocketImpl.socketConnect(Native Method)
at java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:351)
at java.net.PlainSocketImpl.connectToAddress(PlainSocketImpl.java:213)
at java.net.PlainSocketImpl.connect(PlainSocketImpl.java:200)
at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:366)
at java.net.Socket.connect(Socket.java:529)
at java.net.Socket.connect(Socket.java:478)
at java.net.Socket.<init>(Socket.java:375)
at java.net.Socket.<init>(Socket.java:189)
at org.talend.commandline.client.CommandLineAbstractClient.connect(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.command(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient.access$0(Unknown Source)
at org.talend.commandline.client.CommandLineJavaClient$1.run(Unknown Source)
```