

Hi Adam,

I have found log file in workspace/.metadata. In this file there is part indicating that TOS can not load E010_prepareMLP_0.1.properties as shown at the end of quoted log. Unfortunately it doesn't state why this happens, or I can't figure out 😞

```
!ENTRY org.talend.platform.logging 1 0 2012-08-23 11:44:26.327
!MESSAGE 2012-08-23 11:44:26,327 INFO org.talend.designer.core.runprocess.Processor - Command line: C:/Program Files/Java/jre7/bin/java.exe -Xms
```

```
!ENTRY org.talend.platform.logging 1 0 2012-08-23 11:47:41.490
!MESSAGE 2012-08-23 11:47:41,490 INFO org.talend.designer.core.runprocess.Processor - Command line: C:/Program Files/Java/jre7/bin/java.exe -Xms
```

```
!ENTRY org.talend.platform.logging 1 0 2012-08-23 11:53:28.733
!MESSAGE 2012-08-23 11:53:28,733 INFO org.talend.designer.core.runprocess.Processor - Command line: C:/Program Files/Java/jre7/bin/java.exe -Xms
```

```
!ENTRY org.talend.platform.logging 1 0 2012-08-23 12:17:20.705
!MESSAGE 2012-08-23 12:17:20,705 INFO org.talend.designer.core.runprocess.Processor - Command line: C:/Program Files/Java/jre7/bin/java.exe -Xms
```

```
!ENTRY org.eclipse.ui.workbench 4 0 2012-08-23 14:00:54.093
```

```
!MESSAGE An unexpected exception was thrown.
```

```
!STACK 0
```

```
java.lang.NullPointerException
```

```
at org.talend.designer.core.ui.AbstractMultiPageTalendEditor.dispose(AbstractMultiPageTalendEditor.java:1438)
at org.eclipse.ui.internal.WorkbenchPartReference.doDisposePart(WorkbenchPartReference.java:737)
at org.eclipse.ui.internal.EditorReference.doDisposePart(EditorReference.java:327)
at org.eclipse.ui.internal.WorkbenchPartReference.dispose(WorkbenchPartReference.java:684)
at org.eclipse.ui.internal.WorkbenchPage.disposePart(WorkbenchPage.java:1721)
at org.eclipse.ui.internal.WorkbenchPage.handleDeferredEvents(WorkbenchPage.java:1426)
at org.eclipse.ui.internal.WorkbenchPage.deferUpdates(WorkbenchPage.java:1410)
at org.eclipse.ui.internal.WorkbenchPage.closeEditors(WorkbenchPage.java:1384)
at org.eclipse.ui.internal.WorkbenchPage.closeAllEditors(WorkbenchPage.java:1188)
at org.eclipse.ui.internal.Workbench$16.run(Workbench.java:1064)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.ui.internal.Workbench.busyClose(Workbench.java:1057)
at org.eclipse.ui.internal.Workbench.access$15(Workbench.java:1032)
at org.eclipse.ui.internal.Workbench$25.run(Workbench.java:1276)
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:70)
at org.eclipse.ui.internal.Workbench.close(Workbench.java:1274)
at org.eclipse.ui.internal.Workbench.close(Workbench.java:1246)
at org.eclipse.ui.internal.WorkbenchWindow.busyClose(WorkbenchWindow.java:731)
at org.eclipse.ui.internal.WorkbenchWindow.access$0(WorkbenchWindow.java:710)
at org.eclipse.ui.internal.WorkbenchWindow$5.run(WorkbenchWindow.java:826)
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:70)
at org.eclipse.ui.internal.WorkbenchWindow.close(WorkbenchWindow.java:824)
at org.eclipse.jface.window.Window.handleShellCloseEvent(Window.java:741)
at org.eclipse.jface.window.Window$3.shellClosed(Window.java:687)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:98)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1053)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1077)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1062)
at org.eclipse.swt.widgets.Decorations.closeWidget(Decorations.java:308)
at org.eclipse.swt.widgets.Decorations.WM_CLOSE(Decorations.java:1665)
```

```
at org.eclipse.swt.widgets.Control.windowProc(Control.java:4162)
at org.eclipse.swt.widgets.Canvas.windowProc(Canvas.java:341)
at org.eclipse.swt.widgets.Decorations.windowProc(Decorations.java:1598)
at org.eclipse.swt.widgets.Shell.windowProc(Shell.java:2038)
at org.eclipse.swt.widgets.Display.windowProc(Display.java:4873)
at org.eclipse.swt.internal.win32.OS.DefWindowProcW(Native Method)
at org.eclipse.swt.internal.win32.OS.DefWindowProc(OS.java:2454)
at org.eclipse.swt.widgets.Shell.callWindowProc(Shell.java:497)
at org.eclipse.swt.widgets.Control.windowProc(Control.java:4251)
at org.eclipse.swt.widgets.Canvas.windowProc(Canvas.java:341)
at org.eclipse.swt.widgets.Decorations.windowProc(Decorations.java:1598)
at org.eclipse.swt.widgets.Shell.windowProc(Shell.java:2038)
at org.eclipse.swt.widgets.Display.windowProc(Display.java:4873)
at org.eclipse.swt.internal.win32.OS.DefWindowProcW(Native Method)
at org.eclipse.swt.internal.win32.OS.DefWindowProc(OS.java:2454)
at org.eclipse.swt.widgets.Shell.callWindowProc(Shell.java:497)
at org.eclipse.swt.widgets.Control.windowProc(Control.java:4251)
at org.eclipse.swt.widgets.Canvas.windowProc(Canvas.java:341)
at org.eclipse.swt.widgets.Decorations.windowProc(Decorations.java:1598)
at org.eclipse.swt.widgets.Shell.windowProc(Shell.java:2038)
at org.eclipse.swt.widgets.Display.windowProc(Display.java:4873)
at org.eclipse.swt.internal.win32.OS.DispatchMessageW(Native Method)
at org.eclipse.swt.internal.win32.OS.DispatchMessage(OS.java:2459)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3655)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2640)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2604)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2438)
at org.eclipse.ui.internal.Workbench$7.run(Workbench.java:671)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:664)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Application.java:126)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:369)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:619)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:574)
at org.eclipse.equinox.launcher.Main.run(Main.java:1407)
!SESSION 2012-08-23 14:04:18.405 -----
eclipse.buildId=unknown
java.version=1.7.0_02
java.vendor=Oracle Corporation
BootLoader constants: OS=win32, ARCH=x86, WS=win32, NL=en_US
Command-line arguments: -os win32 -ws win32 -arch x86
!ENTRY org.talend.platform.logging 1 0 2012-08-23 14:04:26.372
!MESSAGE 2012-08-23 14:04:26,369 INFO org.talend.repository.ui.login.LoginComposite - validate updatesite...

!ENTRY org.eclipse.jdt.core 4 4 2012-08-23 14:04:36.783
!MESSAGE Error creating Groovy language support
!STACK 0
```

```
java.lang.ClassNotFoundException: org.codehaus.jdt.groovy.integration.internal.GroovyLanguageSupport
at org.eclipse.osgi.internal.loader.BundleLoader.findClassInternal(BundleLoader.java:506)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:422)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:410)
at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:107)
at java.lang.ClassLoader.loadClass(Unknown Source)
at org.eclipse.osgi.internal.loader.BundleLoader.loadClass(BundleLoader.java:338)
at org.eclipse.osgi.framework.internal.core.BundleHost.loadClass(BundleHost.java:232)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.loadClass(AbstractBundle.java:1197)
at org.codehaus.jdt.groovy.integration.LanguageSupportFactory.tryInstantiate(LanguageSupportFactory.java:122)
at org.codehaus.jdt.groovy.integration.LanguageSupportFactory.getLanguageSupport(LanguageSupportFactory.java:95)
at org.codehaus.jdt.groovy.integration.LanguageSupportFactory.getEventHandler(LanguageSupportFactory.java:142)
at org.eclipse.jdt.internal.core.JavaProject.close(JavaProject.java:470)
at org.eclipse.jdt.internal.core.ClasspathChange.generateDelta(ClasspathChange.java:258)
at org.eclipse.jdt.internal.core.DeltaProcessor.resourceChanged(DeltaProcessor.java:1916)
at org.eclipse.jdt.internal.core.DeltaProcessingState.resourceChanged(DeltaProcessingState.java:470)
at org.eclipse.core.internal.events.NotificationManager$2.run(NotificationManager.java:291)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.core.internal.events.NotificationManager.notify(NotificationManager.java:285)
at org.eclipse.core.internal.events.NotificationManager.broadcastChanges(NotificationManager.java:149)
at org.eclipse.core.internal.resources.Workspace.broadcastPostChange(Workspace.java:327)
at org.eclipse.core.internal.resources.Workspace.endOperation(Workspace.java:1181)
at org.eclipse.core.internal.resources.File.setContents(File.java:369)
at org.eclipse.core.internal.resources.File.setContents(File.java:468)
at org.eclipse.emf.ecore.resource.impl.PlatformResourceURIHandlerImpl$PlatformResourceOutputStream.flush(PlatformResourceURIHandlerImpl.java:134)

at sun.nio.cs.StreamEncoder.implFlush(Unknown Source)
at sun.nio.cs.StreamEncoder.flush(Unknown Source)
at java.io.OutputStreamWriter.flush(Unknown Source)
at org.eclipse.emf.ecore.xmi.impl.XMLSaveImpl.write(XMLSaveImpl.java:1010)
at org.eclipse.emf.ecore.xmi.impl.XMLSaveImpl.save(XMLSaveImpl.java:266)
at org.eclipse.emf.ecore.xmi.impl.XMLResourceImpl.doSave(XMLResourceImpl.java:206)
at org.eclipse.emf.ecore.resource.impl.ResourceImpl.save(ResourceImpl.java:1406)
at org.eclipse.emf.ecore.resource.impl.ResourceImpl.save(ResourceImpl.java:993)
at org.talend.commons.emf.EmfHelper.saveResource(EmfHelper.java:169)
at org.talend.core.repository.utils.XmiResourceManager.saveResource(XmiResourceManager.java:480)
at org.talend.repository.localprovider.model.LocalRepositoryFactory.saveProject(LocalRepositoryFactory.java:799)
at org.talend.repository.localprovider.model.LocalRepositoryFactory.logOnProject(LocalRepositoryFactory.java:2572)
at org.talend.core.repository.model.ProxyRepositoryFactory.logOnProject(ProxyRepositoryFactory.java:1715)
at org.talend.repository.ui.login.LoginDialog$1.run(LoginDialog.java:357)
at org.eclipse.jface.operation.ModalContext$ModalContextThread.run(ModalContext.java:121)
!ENTRY org.talend.platform.logging 4 0 2012-08-23 14:05:06.207
!MESSAGE 2012-08-23 14:05:06,206 ERROR org.talend.repository.localprovider.model.LocalRepositoryFactory - The Repository local provider was unabl

!ENTRY org.talend.platform.logging 4 0 2012-08-23 14:05:08.688
!MESSAGE 2012-08-23 14:05:08,688 ERROR org.talend.repository.localprovider.model.LocalRepositoryFactory - The Repository local provider was unabl

!ENTRY org.talend.platform.logging 1 0 2012-08-23 14:05:08.747
!MESSAGE 2012-08-23 14:05:08,747 INFO org.talend.core.repository.model.ProxyRepositoryFactory - test@talend.com logged on DOMINUS_maloprodaja

!ENTRY org.talend.platform.logging 1 0 2012-08-23 14:05:10.644
!MESSAGE 2012-08-23 14:05:10,643 INFO org.talend.core.repository.GeneratedJetEmittersLoginTask - Generating JetEmitters
```

!ENTRY org.talend.platform.logging 4 0 2012-08-23 14:05:13.011

!MESSAGE 2012-08-23 14:05:13,010 ERROR org.talend.repository.localprovider.model.LocalRepositoryFactory - The Repository local provider was unabl