



So I did what you advice and it reduced considerably the number of error put still i have some.

In the error panel i still have one routine error, when i click on it, I have a java.lang.nullPointerException:



Then i realised i have this routine file without and i can't delete it.



Now my .metadata/.log files look like this :

```
!SESSION 2017-04-14 15:53:16.261 -----  
eclipse.buildId=unknown  
java.version=1.8.0_121  
java.vendor=Oracle Corporation  
BootLoader constants: OS=win32, ARCH=x86_64, WS=win32, NL=en_US  
Command-line arguments: -os win32 -ws win32 -arch x86_64
```

```
!ENTRY org.eclipse.equinox.ds 4 0 2017-04-14 15:53:16.864
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.equinox.ds [4]
    Unresolved requirement: Import-Package: org.eclipse.equinox.internal.util.event; version="1.0.0"

    at org.eclipse.osgi.container.Module.start(Module.java:434)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
    at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
    at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jdt.launching.macosx 4 0 2017-04-14 15:53:21.541
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.macosx [325]
    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

    at org.eclipse.osgi.container.Module.start(Module.java:434)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
    at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
    at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jdt.launching.ui.macosx 4 0 2017-04-14 15:53:21.543
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.ui.macosx [327]
    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

    at org.eclipse.osgi.container.Module.start(Module.java:434)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
    at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
    at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jdt.launching.macosx 4 0 2017-04-14 15:53:23.950
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.macosx [325]
    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

    at org.eclipse.osgi.container.Module.start(Module.java:434)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
    at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
    at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jdt.launching.ui.macosx 4 0 2017-04-14 15:53:23.951
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.ui.macosx [327]
    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jface 4 2 2017-04-14 16:06:18.205
!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.jface".
!STACK 0
java.lang.NullPointerException
at org.talend.designer.core.ui.views.problems.ProblemsView.selectInDesigner(ProblemsView.java:216)
at org.talend.designer.core.ui.views.problems.ProblemsView.access$0(ProblemsView.java:207)
at org.talend.designer.core.ui.views.problems.ProblemsView$1.selectionChanged(ProblemsView.java:144)
at org.eclipse.jface.viewers.Viewer$2.run(Viewer.java:163)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:50)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:178)
at org.eclipse.jface.viewers.Viewer.fireSelectionChanged(Viewer.java:160)
at org.eclipse.jface.viewers.StructuredViewer.updateSelection(StructuredViewer.java:2171)
at org.eclipse.jface.viewers.StructuredViewer.handleSelect(StructuredViewer.java:1202)
at org.eclipse.jface.viewers.StructuredViewer$4.widgetSelected(StructuredViewer.java:1231)
at org.eclipse.jface.util.OpenStrategy.fireSelectionEvent(OpenStrategy.java:242)
at org.eclipse.jface.util.OpenStrategy.access$4(OpenStrategy.java:236)
at org.eclipse.jface.util.OpenStrategy$1.handleEvent(OpenStrategy.java:408)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4353)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1061)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4172)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3761)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:1151)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:1032)
at org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:148)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:636)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
at org.talend.rcp.intro.Application.start(Application.java:243)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
```

```
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)
```

```
!ENTRY org.talend.platform.logging 4 0 2017-04-14 16:07:14.989
```

```
!MESSAGE 2017-04-14 16:07:14,987 ERROR org.talend.commons.exception.CommonExceptionHandler - Download hapi-structures-v251-1.0.1.jar failed!
```

```
!STACK 0
```

```
java.lang.Exception: Download hapi-structures-v251-1.0.1.jar failed!
```

```
at org.talend.librariesmanager.utils.DownloadModuleRunnable.download(DownloadModuleRunnable.java:117)
at org.talend.librariesmanager.utils.DownloadModuleRunnable.run(DownloadModuleRunnable.java:66)
at org.talend.updates.runtime.model.TalendWebServiceUpdateExtraFeature.install(TalendWebServiceUpdateExtraFeature.java:96)
at org.talend.updates.runtime.engine.InstallNewFeatureJob.installFeature(InstallNewFeatureJob.java:74)
at org.talend.updates.runtime.engine.InstallNewFeatureJob.run(InstallNewFeatureJob.java:65)
at org.eclipse.core.internal.jobs.Worker.run(Worker.java:54)
```

```
Caused by: java.net.SocketTimeoutException: Read timed out
```

```
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.socketRead(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at java.net.SocketInputStream.read(Unknown Source)
at sun.security.ssl.InputRecord.readFully(Unknown Source)
at sun.security.ssl.InputRecord.readV3Record(Unknown Source)
at sun.security.ssl.InputRecord.read(Unknown Source)
at sun.security.ssl.SSLSocketImpl.readRecord(Unknown Source)
at sun.security.ssl.SSLSocketImpl.readDataRecord(Unknown Source)
at sun.security.ssl.AppInputStream.read(Unknown Source)
at java.io.BufferedInputStream.read1(Unknown Source)
at java.io.BufferedInputStream.read(Unknown Source)
at sun.net.www.MeteredStream.read(Unknown Source)
at java.io.FilterInputStream.read(Unknown Source)
at sun.net.www.protocol.http.HTTPURLConnection$HTTPInputStream.read(Unknown Source)
at java.io.BufferedInputStream.read1(Unknown Source)
at java.io.BufferedInputStream.read(Unknown Source)
at java.io.FilterInputStream.read(Unknown Source)
at org.talend.librariesmanager.utils.nexus.NexusDownloader.download(NexusDownloader.java:108)
at org.talend.core.download.DownloadHelperWithProgress.download(DownloadHelperWithProgress.java:90)
at org.talend.librariesmanager.utils.nexus.NexusDownloadHelperWithProgress.download(NexusDownloadHelperWithProgress.java:63)
at org.talend.librariesmanager.utils.DownloadModuleRunnable.download(DownloadModuleRunnable.java:102)
... 5 more
```

```
!ENTRY org.eclipse.jface 4 2 2017-04-14 16:12:58.239
```

```
!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.jface".
```

```
!STACK 0
```

```
java.lang.NullPointerException
```

```
at org.talend.designer.core.ui.views.problems.ProblemsView.selectInDesigner(ProblemsView.java:216)
at org.talend.designer.core.ui.views.problems.ProblemsView.access$0(ProblemsView.java:207)
at org.talend.designer.core.ui.views.problems.ProblemsView$1.selectionChanged(ProblemsView.java:144)
at org.eclipse.jface.viewers.Viewer$2.run(Viewer.java:163)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:50)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:178)
at org.eclipse.jface.viewers.Viewer.fireSelectionChanged(Viewer.java:160)
at org.eclipse.jface.viewers.StructuredViewer.updateSelection(StructuredViewer.java:2171)
at org.eclipse.jface.viewers.StructuredViewer.handleSelect(StructuredViewer.java:1202)
at org.eclipse.jface.viewers.StructuredViewer$4.widgetSelected(StructuredViewer.java:1231)
at org.eclipse.jface.util.OpenStrategy.fireSelectionEvent(OpenStrategy.java:242)
at org.eclipse.jface.util.OpenStrategy.access$4(OpenStrategy.java:236)
```

```
at org.eclipse.jface.util.OpenStrategy$1.handleEvent(OpenStrategy.java:408)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4353)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1061)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4172)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3761)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:1151)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:1032)
at org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:148)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:636)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
at org.talend.rcp.intro.Application.start(Application.java:243)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)
```

!ENTRY org.eclipse.jface 4 2 2017-04-14 16:13:05.770

!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.jface".

!STACK 0

java.lang.NullPointerException

```
at org.talend.designer.core.ui.views.problems.ProblemsView.selectInDesigner(ProblemsView.java:216)
at org.talend.designer.core.ui.views.problems.ProblemsView.access$0(ProblemsView.java:207)
at org.talend.designer.core.ui.views.problems.ProblemsView$1.selectionChanged(ProblemsView.java:144)
at org.eclipse.jface.viewers.Viewer$2.run(Viewer.java:163)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:50)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:178)
at org.eclipse.jface.viewers.Viewer.fireSelectionChanged(Viewer.java:160)
at org.eclipse.jface.viewers.StructuredViewer.updateSelection(StructuredViewer.java:2171)
at org.eclipse.jface.viewers.StructuredViewer.handleSelect(StructuredViewer.java:1202)
at org.eclipse.jface.viewers.StructuredViewer$4.widgetSelected(StructuredViewer.java:1231)
at org.eclipse.jface.util.OpenStrategy.fireSelectionEvent(OpenStrategy.java:242)
at org.eclipse.jface.util.OpenStrategy.access$4(OpenStrategy.java:236)
at org.eclipse.jface.util.OpenStrategy$1.handleEvent(OpenStrategy.java:408)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4353)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1061)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4172)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3761)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:1151)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:1032)
at org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:148)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:636)
```

```
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:579)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
at org.talend.rcp.intro.Application.start(Application.java:243)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
...
```

```
!ENTRY org.eclipse.jface 4 2 2017-04-14 16:17:06.025
```

```
!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.jface".
```

```
!STACK 0
```

```
java.lang.NullPointerException
```

```
at org.talend.designer.core.ui.views.problems.ProblemsView.selectInDesigner(ProblemsView.java:216)
at org.talend.designer.core.ui.views.problems.ProblemsView.access$0(ProblemsView.java:207)
at org.talend.designer.core.ui.views.problems.ProblemsView$1.selectionChanged(ProblemsView.java:144)
at org.eclipse.jface.viewers.Viewer$2.run(Viewer.java:163)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.ui.internal.JFaceUtil$1.run(JFaceUtil.java:50)
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:178)
...
```