

Hi janhess

I have this part of code in my jobname.item :

```
<node componentName="tFileOutputMSXML" componentVersion="0.102" offsetLabelX="0" offsetLabelY="0" posX="736" posY="448">
<elementParameter field="TEXT" name="UNIQUE_NAME" value="tFileOutputMSXML_1"/>
<elementParameter field="FILE" name="FILENAME" value=""C:/Talend/test/outXML.xml""/>
<elementParameter field="TABLE" name="ROOT">
<elementValue elementRef="PATH" value="/rootTag"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
</elementParameter>
<elementParameter field="TABLE" name="GROUP">
<elementValue elementRef="PATH" value="/rootTag/transaction"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="id"/>
<elementValue elementRef="COLUMN" value="output1 🤪orderId"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="3"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="paiement"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="10"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/afterLoop1"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value="test"/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
```

```
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/afterLoop2"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value="test"/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag/transaction"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="id"/>
<elementValue elementRef="COLUMN" value="output3 🤖orderId"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="3"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="article"/>
<elementValue elementRef="COLUMN" value="output3:entryNumber"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="6"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="paiement"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="10"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/afterLoop1"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value="test"/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/afterLoop2"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value="test"/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag/transaction"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
```

```
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="id"/>
<elementValue elementRef="COLUMN" value="output2 🤖orderId"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="3"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="article"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="6"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem/retail"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="discount"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="8"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/afterLoop1"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value="test"/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/afterLoop2"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value="test"/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
</elementParameter>
<elementParameter field="TABLE" name="LOOP">
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="article"/>
<elementValue elementRef="COLUMN" value="output1:entryNumber"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
```

```

<elementValue elementRef="ORDER" value="6"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem/retail"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="branch"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="discount"/>
<elementValue elementRef="COLUMN" value="output1"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="8"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem/retail"/>
<elementValue elementRef="COLUMN" value="output3"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="discount"/>
<elementValue elementRef="COLUMN" value="output3:amount"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="8"/>
<elementValue elementRef="PATH" value="/rootTag/transaction/retailTransaction/lineItem"/>
<elementValue elementRef="COLUMN" value="output2"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="main"/>
<elementValue elementRef="ORDER" value=""/>
<elementValue elementRef="PATH" value="paiement"/>
<elementValue elementRef="COLUMN" value="output2:id"/>
<elementValue elementRef="VALUE" value=""/>
<elementValue elementRef="ATTRIBUTE" value="attri"/>
<elementValue elementRef="ORDER" value="10"/>
</elementParameter>
<elementParameter field="EXTERNAL" name="MAP" value=""/>
<elementParameter field="CHECK" name="CREATE" value="true"/>
<elementParameter field="CHECK" name="CREATE_EMPTY_ELEMENT" value="false"/>
<elementParameter field="CHECK" name="ADVANCED_SEPARATOR" value="false"/>
<elementParameter field="TEXT" name="THOUSANDS_SEPARATOR" value="", "/>
<elementParameter field="TEXT" name="DECIMAL_SEPARATOR" value="", "." />
<elementParameter field="ENCODING_TYPE" name="ENCODING" value="UTF-8"/>
<elementParameter field="TECHNICAL" name="ENCODING:ENCODING_TYPE" value="UTF-8"/>
<elementParameter field="CHECK" name="DELETE_EMPTYFILE" value="false"/>
<elementParameter field="TEXT" name="LABEL" value="outputMS_XML"/>
<elementParameter field="TEXT" name="CONNECTION_FORMAT" value="row"/>
<elementParameter field="CHECK" name="INFORMATION" value="false"/>
<elementParameter field="MEMO" name="COMMENT" value=""/>
<elementParameter field="CHECK" name="VALIDATION_RULES" value="false"/>
<metadata connector="FLOW" label="output1" name="tFileOutputMSXML_1">
<column comment="" key="false" length="0" name="orderId" nullable="false" pattern=""dd-MM-yyyy"" precision="0" type="id_BigDecimal"/>
<column comment="" key="false" length="0" name="entryNumber" nullable="false" pattern=""dd-MM-yyyy"" precision="0" type="id_BigDecimal"/>
</metadata>
</node>

```

What do i have to change to make AfterLoop1 and Afterloop1 appear in <RetailTransaction> and after <LineItem>

Regards

