

[@manodwhb](#)

Here I use context variable on Table name in tDBInput component and also in the output tDBRow component.

But still the result is the same. . .

Are there any ways to fixed this?

Run Log

[Spoiler](#) (Highlight to read)

statistics] connected

Table Name = DOM_AIR_MIN_PRICELIST

dbo.DOM_AIR_MIN_PRICELIST|Table|Primary key|PK_DOM_AIR_MIN_PRICELIST|start_point_cd, end_point_cd, airline_cd, tour_kind, yyyyymm

dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS|yyyyymm, mem_id, tour_id

dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS|Table|Primary key|PK_WORK_DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS|yyyyymm, mem_id, tour_id

dbo.DOM_AIR_MONTHLY_SEARCH_TWO_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_MONTHLY_SEARCH_TWO_ONEWAY_TICKETS|yyyyymm, mem_id, tour_id

dbo.DOM_AIR_PL_MONTHLY|Table|Primary key|PK_DOM_AIR_PL_MONTHLY|start_point_cd, end_point_cd, airline_cd, tour_kind, yyyyymm

dbo.DOM_AIR_SEARCH_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_SEARCH_ONEWAY_TICKETS|mem_id, tour_id

dbo.DOM_AIR_SEARCH_ROUNDTRIP_TICKETS|Table|Primary key|PK_DOM_AIR_SEARCH_ROUNDTRIP_TICKETS|mem_id, tour_id

dbo.DOM_AIR_SEARCH_TWO_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_SEARCH_TWO_ONEWAY_TICKETS|mem_id, tour_id

dbo.DOM_AIR_TICKETS_PRICE|Table|Primary key|PK_DOM_AIR_TICKETS_PRICE|mem_id, tour_id, money_start_date

dbo.DOM_AIRLINE|Table|Primary key|PK_DOM_AIRLINE|airline_cd

dbo.DOM_AIRLINE0|Table|Primary key|PK_DOM_AIRLINE0|airline_cd

dbo.DOM_AIRLINE1|Table|Primary key|PK_DOM_AIRLINE1|airline_cd

dbo.DOM_AIRLINE2|Table|Primary key|PK_DOM_AIRLINE2|airline_cd

dbo.DOM_AIRLINE3|Table|Primary key|PK_DOM_AIRLINE3|airline_cd

dbo.DOM_MONEY_FOR_DA_ONEWAY_OUTWARD|Table|Primary key|PK_DOM_MONEY_FOR_DA_ONEWAY_OUTWARD|mem_id, tour_id, start_date, departure_time, arrival_time, flight

dbo.DOM_MONEY_FOR_DA_ROUNDTRIP_HOMeward|Table|Primary key|PK_DOM_MONEY_FOR_DA_ROUNDTRIP_HOMeward|mem_id, tour_id, start_date, departure_time, arrival_time, flight

dbo.DOM_MONEY_FOR_DA_ROUNDTRIP_OUTWARD|Table|Primary key|PK_DOM_MONEY_FOR_DA_ROUNDTRIP_OUTWARD|mem_id, tour_id, start_date, departure_time, arrival_time, flight

dbo.DOM_TOUR_FOR_DA|Table|Primary key|PK_DOM_TOUR_FOR_DA|mem_id, sub_id, tour_id

dbo.DOM_TOUR_FOR_DA_ONEWAY_SEARCH|Table|Primary key|PK_DOM_TOUR_FOR_DA_ONEWAY_SEARCH|mem_id, tour_id, money_start_date, money_end_date

dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH|Table|Primary key|PK_DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH|mem_id, tour_id, money_start_date, money_end_date

dbo.premium_bid_for_dair|Table|Primary key|PK_premium_bid_for_dair|id

dbo.premium_entry_mem|Table|Primary key|PK_premium_entry_mem|mem_id, product_type

dbo.tbl_site_mem|Table|Primary key|PK_tbl_site_mem|site_id, mem_id

dbo.tbl_site_mem_agent|Table|Primary key|PK_tbl_site_mem_agent|site_id, mem_id

dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS|ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT

PK_DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS PRIMARY KEY (yyyyymm, mem_id, tour_id);

Table Name = dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS

AND the Query is = ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT PK_DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS PRIMARY KEY (yyyyymm, mem_id, tour_id);

Job Migration_DB_Parent_Job ended at 14:17 25/03/2020. [Exit code = 1]

Table 'dbo.dom_air_monthly_search_oneway_tickets' doesn't existTable 'dbo.tbl_site_mem' doesn't existTable 'dbo.dom_tour_for_da_roundtrip_search' doesn't existTable

'dbo.dom_air_monthly_search_roundtrip_tickets' doesn't exist
Table 'dbo.dom_air_search_oneway_tickets' doesn't exist
Table 'dbo.premium_bid_for_dair' doesn't exist
Table 'dbo.tbl_site_mem_agent' doesn't exist
Table 'dbo.dom_air_pl_monthly' doesn't exist
Table 'dbo.dom_airline0' doesn't exist
[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_monthly_search_oneway_tickets' doesn't exist
dbo.tbl_site_mem|ALTER TABLE dbo.tbl_site_mem ADD CONSTRAINT PK_tbl_site_mem PRIMARY KEY (site_id, mem_id);
Table Name = dbo.tbl_site_mem
AND the Query is = ALTER TABLE dbo.tbl_site_mem ADD CONSTRAINT PK_tbl_site_mem PRIMARY KEY (site_id, mem_id);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.tbl_site_mem' doesn't exist
dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH|ALTER TABLE dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH ADD CONSTRAINT
PK_DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH PRIMARY KEY (mem_id, tour_id, money_start_date, money_end_date);
Table Name = dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH
AND the Query is = ALTER TABLE dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH ADD CONSTRAINT PK_DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH PRIMARY KEY (mem_id,
tour_id, money_start_date, money_end_date);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_tour_for_da_roundtrip_search' doesn't exist
dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS|ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS ADD CONSTRAINT
PK_WORK_DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS PRIMARY KEY (yyyymm, mem_id, tour_id);
Table Name = dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS
AND the Query is = ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS ADD CONSTRAINT PK_WORK_DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS
PRIMARY KEY (yyyymm, mem_id, tour_id);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_monthly_search_roundtrip_tickets' doesn't exist
dbo.DOM_AIR_SEARCH_ONEWAY_TICKETS|ALTER TABLE dbo.DOM_AIR_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT PK_DOM_AIR_SEARCH_ONEWAY_TICKETS PRIMARY
KEY (mem_id, tour_id);
Table Name = dbo.DOM_AIR_SEARCH_ONEWAY_TICKETS
AND the Query is = ALTER TABLE dbo.DOM_AIR_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT PK_DOM_AIR_SEARCH_ONEWAY_TICKETS PRIMARY KEY (mem_id, tour_id);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_search_oneway_tickets' doesn't exist
dbo.premium_bid_for_dair|ALTER TABLE dbo.premium_bid_for_dair ADD CONSTRAINT PK_premium_bid_for_dair PRIMARY KEY (id);
Table Name = dbo.premium_bid_for_dair
AND the Query is = ALTER TABLE dbo.premium_bid_for_dair ADD CONSTRAINT PK_premium_bid_for_dair PRIMARY KEY (id);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.premium_bid_for_dair' doesn't exist
dbo.tbl_site_mem_agent|ALTER TABLE dbo.tbl_site_mem_agent ADD CONSTRAINT PK_tbl_site_mem_agent PRIMARY KEY (site_id, mem_id);
Table Name = dbo.tbl_site_mem_agent
AND the Query is = ALTER TABLE dbo.tbl_site_mem_agent ADD CONSTRAINT PK_tbl_site_mem_agent PRIMARY KEY (site_id, mem_id);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.tbl_site_mem_agent' doesn't exist
dbo.DOM_AIR_PL_MONTHLY|ALTER TABLE dbo.DOM_AIR_PL_MONTHLY ADD CONSTRAINT PK_DOM_AIR_PL_MONTHLY PRIMARY KEY (start_point_cd, end_point_cd, airline_cd,
tour_kind, yyyymm);
Table Name = dbo.DOM_AIR_PL_MONTHLY
AND the Query is = ALTER TABLE dbo.DOM_AIR_PL_MONTHLY ADD CONSTRAINT PK_DOM_AIR_PL_MONTHLY PRIMARY KEY (start_point_cd, end_point_cd, airline_cd, tour_kind,
yyyymm);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_pl_monthly' doesn't exist
dbo.DOM_AIRLINE0|ALTER TABLE dbo.DOM_AIRLINE0 ADD CONSTRAINT PK_DOM_AIRLINE0 PRIMARY KEY (airline_cd);
Table Name = dbo.DOM_AIRLINE0
AND the Query is = ALTER TABLE dbo.DOM_AIRLINE0 ADD CONSTRAINT PK_DOM_AIRLINE0 PRIMARY KEY (airline_cd);

[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_airline0' doesn't exist
dbo.DOM_AIR_TICKETS_PRICE|ALTER TABLE dbo.DOM_AIR_TICKETS_PRICE ADD CONSTRAINT PK_DOM_AIR_TICKETS_PRICE PRIMARY KEY (mem_id, tour_id,

money_start_date);

Table Name = dbo.DOM_AIR_TICKETS_PRICE

AND the Query is = ALTER TABLE dbo.DOM_AIR_TICKETS_PRICE ADD CONSTRAINT PK_DOM_AIR_TICKETS_PRICE PRIMARY KEY (mem_id, tour_id, money_start_date);

statistics] connectedTable Name = DOM_AIR_MIN_PRICELISTdbo.DOM_AIR_MIN_PRICELIST|Table|Primary key|PK_DOM_AIR_MIN_PRICELIST|start_point_cd, end_point_cd, airline_cd, tour_kind, yyyyMMddbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS|yyyyymm, mem_id, tour_iddbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS|Table|Primary key|PK_WORK_DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS|yyyyymm, mem_id, tour_iddbo.DOM_AIR_MONTHLY_SEARCH_TWO_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_MONTHLY_SEARCH_TWO_ONEWAY_TICKETS|yyyyymm, mem_id, tour_iddbo.DOM_AIR_PL_MONTHLY|Table|Primary key|PK_DOM_AIR_PL_MONTHLY|start_point_cd, end_point_cd, airline_cd, tour_kind, yyyyMMddbo.DOM_AIR_SEARCH_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_SEARCH_ONEWAY_TICKETS|mem_id, tour_iddbo.DOM_AIR_SEARCH_ROUNDTRIP_TICKETS|Table|Primary key|PK_DOM_AIR_SEARCH_ROUNDTRIP_TICKETS|mem_id, tour_iddbo.DOM_AIR_SEARCH_TWO_ONEWAY_TICKETS|Table|Primary key|PK_DOM_AIR_SEARCH_TWO_ONEWAY_TICKETS|mem_id, tour_iddbo.DOM_AIR_TICKETS_PRICE|Table|Primary key|PK_DOM_AIR_TICKETS_PRICE|mem_id, tour_id, money_start_datedbo.DOM_AIRLINE|Table|Primary key|PK_DOM_AIRLINE|airline_cddbo.DOM_AIRLINE0|Table|Primary key|PK_DOM_AIRLINE0|airline_cddbo.DOM_AIRLINE1|Table|Primary key|PK_DOM_AIRLINE1|airline_cddbo.DOM_AIRLINE2|Table|Primary key|PK_DOM_AIRLINE2|airline_cddbo.DOM_AIRLINE3|Table|Primary key|PK_DOM_AIRLINE3|airline_cddbo.DOM_MONEY_FOR_DA_ONEWAY_OUTWARD|Table|Primary key|PK_DOM_MONEY_FOR_DA_ONEWAY_OUTWARD|mem_id, tour_id, start_date, departure_time, arrival_time, flightdbo.DOM_MONEY_FOR_DA_ROUNDTRIP_HOMEWARD|Table|Primary key|PK_DOM_MONEY_FOR_DA_ROUNDTRIP_HOMEWARD|mem_id, tour_id, start_date, departure_time, arrival_time, flightdbo.DOM_MONEY_FOR_DA_ROUNDTRIP_OUTWARD|Table|Primary key|PK_DOM_MONEY_FOR_DA_ROUNDTRIP_OUTWARD|mem_id, tour_id, start_date, departure_time, arrival_time, flightdbo.DOM_TOUR_FOR_DA|Table|Primary key|PK_DOM_TOUR_FOR_DA|mem_id, sub_id, tour_iddbo.DOM_TOUR_FOR_DA_ONEWAY_SEARCH|Table|Primary key|PK_DOM_TOUR_FOR_DA_ONEWAY_SEARCH|mem_id, tour_id, money_start_date, money_end_datedbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH|Table|Primary key|PK_DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH|mem_id, tour_id, money_start_date, money_end_datedbo.premium_bid_for_dair|Table|Primary key|PK_premium_bid_for_dair|idbo.premium_entry_mem|Table|Primary key|PK_premium_entry_mem|mem_id, product_typedbo.tbl_site_mem|Table|Primary key|PK_tbl_site_mem|site_id, mem_iddbo.tbl_site_mem_agent|Table|Primary key|PK_tbl_site_mem_agent|site_id, mem_iddbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS|ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT PK_DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS PRIMARY KEY (yyyyymm, mem_id, tour_id);Table Name = dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETSAND the Query is = ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT PK_DOM_AIR_MONTHLY_SEARCH_ONEWAY_TICKETS PRIMARY KEY (yyyyymm, mem_id, tour_id);Job Migration_DB_Parent_Job ended at 14:17 25/03/2020. [Exit code = 1]Table 'dbo.dom_air_monthly_search_oneway_tickets' doesn't existTable 'dbo.tbl_site_mem' doesn't existTable 'dbo.dom_tour_for_da_roundtrip_search' doesn't existTable 'dbo.dom_air_monthly_search_roundtrip_tickets' doesn't existTable 'dbo.dom_air_search_oneway_tickets' doesn't existTable 'dbo.premium_bid_for_dair' doesn't existTable 'dbo.tbl_site_mem_agent' doesn't existTable 'dbo.dom_air_pl_monthly' doesn't existTable 'dbo.dom_airline0' doesn't exist[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_monthly_search_oneway_tickets' doesn't existdbo.tbl_site_mem|ALTER TABLE dbo.tbl_site_mem ADD CONSTRAINT PK_tbl_site_mem PRIMARY KEY (site_id, mem_id);Table Name = dbo.tbl_site_memAND the Query is = ALTER TABLE dbo.tbl_site_mem ADD CONSTRAINT PK_tbl_site_mem PRIMARY KEY (site_id, mem_id);[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.tbl_site_mem' doesn't existdbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH|ALTER TABLE dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH ADD CONSTRAINT PK_DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH PRIMARY KEY (mem_id, tour_id, money_start_date, money_end_date);Table Name = dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCHAND the Query is = ALTER TABLE dbo.DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH ADD CONSTRAINT PK_DOM_TOUR_FOR_DA_ROUNDTRIP_SEARCH PRIMARY KEY (mem_id, tour_id, money_start_date, money_end_date);[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_tour_for_da_roundtrip_search' doesn't existdbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS|ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS ADD CONSTRAINT PK_WORK_DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS PRIMARY KEY (yyyyymm, mem_id, tour_id);Table Name = dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETSAND the Query is = ALTER TABLE dbo.DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS ADD CONSTRAINT PK_WORK_DOM_AIR_MONTHLY_SEARCH_ROUNDTRIP_TICKETS PRIMARY KEY (yyyyymm, mem_id, tour_id);[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_monthly_search_roundtrip_tickets' doesn't existdbo.DOM_AIR_SEARCH_ONEWAY_TICKETS|ALTER TABLE dbo.DOM_AIR_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT PK_DOM_AIR_SEARCH_ONEWAY_TICKETS PRIMARY KEY (mem_id, tour_id);Table Name = dbo.DOM_AIR_SEARCH_ONEWAY_TICKETSAND the Query is = ALTER TABLE dbo.DOM_AIR_SEARCH_ONEWAY_TICKETS ADD CONSTRAINT PK_DOM_AIR_SEARCH_ONEWAY_TICKETS PRIMARY KEY (mem_id, tour_id);[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_search_oneway_tickets' doesn't existdbo.premium_bid_for_dair|ALTER TABLE dbo.premium_bid_for_dair ADD CONSTRAINT PK_premium_bid_for_dair PRIMARY KEY (id);Table Name = dbo.premium_bid_for_dairAND the Query is = ALTER TABLE dbo.premium_bid_for_dair ADD CONSTRAINT PK_premium_bid_for_dair PRIMARY KEY (id);[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.premium_bid_for_dair' doesn't existdbo.tbl_site_mem_agent|ALTER TABLE dbo.tbl_site_mem_agent ADD CONSTRAINT PK_tbl_site_mem_agent PRIMARY KEY (site_id, mem_id);Table Name = dbo.tbl_site_mem_agentAND the Query is = ALTER TABLE dbo.tbl_site_mem_agent ADD CONSTRAINT PK_tbl_site_mem_agent PRIMARY KEY (site_id, mem_id);[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.tbl_site_mem_agent' doesn't existdbo.DOM_AIR_PL_MONTHLY|ALTER TABLE dbo.DOM_AIR_PL_MONTHLY ADD CONSTRAINT PK_DOM_AIR_PL_MONTHLY PRIMARY KEY (start_point_cd, end_point_cd, airline_cd, tour_kind, yyyyymm);Table Name = dbo.DOM_AIR_PL_MONTHLYAND the Query is = ALTER TABLE dbo.DOM_AIR_PL_MONTHLY ADD CONSTRAINT PK_DOM_AIR_PL_MONTHLY PRIMARY KEY (start_point_cd, end_point_cd, airline_cd, tour_kind, yyyyymm);[ERROR]: local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_air_pl_monthly' doesn't existdbo.DOM_AIRLINE0|ALTER TABLE dbo.DOM_AIRLINE0 ADD CONSTRAINT PK_DOM_AIRLINE0 PRIMARY KEY (airline_cd);Table Name =

dbo.DOM_AIRLINE0 AND the Query is = ALTER TABLE dbo.DOM_AIRLINE0 ADD CONSTRAINT PK_DOM_AIRLINE0 PRIMARY KEY (airline_cd);[ERROR]:
local_test.primary_key_0_1.Primary_Key - tDBRow_1 - Table 'dbo.dom_airline0' doesn't exist
dbo.DOM_AIR_TICKETS_PRICE|ALTER TABLE dbo.DOM_AIR_TICKETS_PRICE ADD
CONSTRAINT PK_DOM_AIR_TICKETS_PRICE PRIMARY KEY (mem_id, tour_id, money_start_date);
Table Name = dbo.DOM_AIR_TICKETS_PRICE AND the Query is = ALTER TABLE
dbo.DOM_AIR_TICKETS_PRICE ADD CONSTRAINT PK_DOM_AIR_TICKETS_PRICE PRIMARY KEY (mem_id, tour_id, money_start_date);

tDBInput

The screenshot displays a job design in a data integration tool. The job flow includes a Prejob component (tPrejob_1) connected to two tDBConnection components (tDBConnection_1 and tDBConnection_2). Below this, a main job flow starts with a tDBInput component (tDBInput_1), followed by a tHashOutput component (tHashOutput_1), a tFilterRow component (tFilterRow_3), and a tLogRow component (tLogRow_1). The tDBInput component is currently selected, and its configuration panel is visible at the bottom.

tDBInput_1 (Microsoft SQL Server)

- Database: Microsoft SQL Server
- Use an existing connection: tDBConnection_1
- Schema: Built-In
- Table Name: context.tableName
- Query Type: Built-In
- Query:

```
select table_view,
object_type,
constraint_type,
constraint_name,
```

tDBRow (Output -- need constraint)

The screenshot shows a workflow designer interface with a sequence of components: row5 (Filter) -> tAggregateRow_1 -> row6 (Main) -> tMap_1 -> query_build (Main) -> tLogRow_2 -> row7 (Main) -> tFlowTolterate_1 -> Iterate -> tJava_1 -> OnComponentOk -> tDBRow_1 -> OnComponentOk -> tDBCommit_1.

The configuration panel for the selected component, **tDBRow_1(MySQL)**, is shown below:

- Database: MySQL
- Use an existing connection:
- Component List: tDBConnection_2
- Schema: Built-In
- Table Name: Dcontext.tableName
- Query Type: Built-In
- Query: ((String)globalMap.get("row7.query.pk"))