

Thanks!

I did some digging around and figured this out. I am able to get a filtered list for the various business groups.

However, when I chose an analysis and execute it I get the following error message....

An error occurred while executing report. Check log file for more information

The error seems to be with the permissions on sub report s01\_column\_subreport. Here's the error log....

```
21 Jun 2017 17:41:50,524 ERROR it.eng.spagobi.utilities.engines.AbstractEngineStartServlet.handleException:64 - Service execution failed
it.eng.spagobi.utilities.engines.SpagoBIEngineException: An error occurred while executing report. Check log file for more information
    at it.eng.spagobi.engines.jasperreport.services.JasperReportEngineStartAction.doService(JasperReportEngineStartAction.java:106)
    at it.eng.spagobi.utilities.engines.AbstractEngineStartServlet.doService(AbstractEngineStartServlet.java:47)
    at it.eng.spagobi.utilities.service.AbstractBaseServlet.service(AbstractBaseServlet.java:48)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:725)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:291)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
    at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:52)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:239)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
    at it.eng.spagobi.utilities.filters.SpagoBIAccessFilter.doFilter(SpagoBIAccessFilter.java:194)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:239)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
    at it.eng.spagobi.utilities.filters.EncodingFilter.doFilter(EncodingFilter.java:42)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:239)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:206)
    at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:219)
    at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:106)
    at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:501)

    at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:142)
    at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:79)
    at org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:610)
    at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:88)
    at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:516)
    at org.apache.coyote.http11.AbstractHttp11Processor.process(AbstractHttp11Processor.java:1086)
    at org.apache.coyote.AbstractProtocol$AbstractConnectionHandler.process(AbstractProtocol.java:659)
    at org.apache.coyote.http11.Http11NioProtocol$Http11ConnectionHandler.process(Http11NioProtocol.java:223)
    at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1558)
    at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.run(NioEndpoint.java:1515)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
```

```

at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)
at java.lang.Thread.run(Thread.java:748)
Caused by: it.eng.spagobi.engines.jasperreport.JasperReportEngineRuntimeException: Impossible to run report
at it.eng.spagobi.engines.jasperreport.JasperReportEngineInstance.runReport(JasperReportEngineInstance.java:118)
at it.eng.spagobi.engines.jasperreport.services.JasperReportEngineStartAction.doService(JasperReportEngineStartAction.java:96)
... 31 more
Caused by: it.eng.spagobi.engines.jasperreport.JasperReportEngineRuntimeException: Impossible to run report
at it.eng.spagobi.engines.jasperreport.JasperReportEngineInstance.runReport(JasperReportEngineInstance.java:251)
at it.eng.spagobi.engines.jasperreport.JasperReportEngineInstance.runReport(JasperReportEngineInstance.java:116)
... 32 more
Caused by: net.sf.jasperreports.engine.JRException: Could not load object from location : s01_column_subreport.jasper
at net.sf.jasperreports.engine.util.JRLoader.loadObjectFromLocation(JRLoader.java:262)
at net.sf.jasperreports.engine.fill.JRFillSubreport.evaluateReport(JRFillSubreport.java:301)
at net.sf.jasperreports.engine.fill.JRFillSubreport.evaluateSubreport(JRFillSubreport.java:327)
at net.sf.jasperreports.engine.fill.JRFillSubreport.evaluate(JRFillSubreport.java:263)
at net.sf.jasperreports.engine.fill.JRFillElementContainer.evaluate(JRFillElementContainer.java:258)
at net.sf.jasperreports.engine.fill.JRFillBand.evaluate(JRFillBand.java:499)
at net.sf.jasperreports.engine.fill.JRVerticalFiller.fillColumnBand(JRVerticalFiller.java:2036)
at net.sf.jasperreports.engine.fill.JRVerticalFiller.fillGroupHeader(JRVerticalFiller.java:621)
at net.sf.jasperreports.engine.fill.JRVerticalFiller.fillGroupHeaders(JRVerticalFiller.java:543)
at net.sf.jasperreports.engine.fill.JRVerticalFiller.fillReportStart(JRVerticalFiller.java:268)
at net.sf.jasperreports.engine.fill.JRVerticalFiller.fillReport(JRVerticalFiller.java:128)
at net.sf.jasperreports.engine.fill.JRBaseFiller.fill(JRBaseFiller.java:946)
at net.sf.jasperreports.engine.fill.JRBaseFiller.fill(JRBaseFiller.java:845)
at net.sf.jasperreports.engine.fill.JRFiller.fillReport(JRFiller.java:58)
at net.sf.jasperreports.engine.JasperFillManager.fillReport(JasperFillManager.java:417)
at it.eng.spagobi.engines.jasperreport.JasperReportEngineInstance.runReport(JasperReportEngineInstance.java:215)

```

The roles that I created have the Execution permission on the Subreports folder (in the functionalities management)

<b>Label</b>	<input type="text" value="subreports"/>	*
<b>Name</b>	<input type="text" value="subreports"/>	*
<b>Description</b>	<input type="text" value="subreports"/>	

Roles	Development	Test	Execution	Creation	
/spagobi/315mgmt ()	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
/spagobi/427mgmt ()	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
/spagobi/admin (/spagobi/admin)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
/spagobi/an_reva (/spagobi/an_reva)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

And here is the screen shot of the Documents Browser - subreports folder. The subreport exists there.



Document browser

Functionality Tree

- Root
  - tdq\_user
  - tdq\_admin
  - Analytical documents
  - biuser
  - Custom documents
  - IT\_Community
  - tdq\_user
    - tdq\_dashboard
    - tdq\_reports
      - column
      - subreports
      - columnset
      - dq\_rule
      - match
      - overview
      - integrity
      - matchAnalysis
    - tdq\_olap
    - tdq\_qbe
  - OPU\_00315\_Users
  - OPU\_00427\_Users

functionalities > tdq\_user > tdq\_reports > subreports

Folders (0)

The selected folder is empty

Documents (4)



s01\_column\_subreport

s01\_column\_subreport

Author: biadmin

Modified 2012-06-29 17:42:14.937



s02\_match\_subreport

s02\_match\_subreport

Author: biadmin

Modified 2012-06-29 17:43:04.

Sort. group and filter