

Hi,

No. The problem is not resolved yet. Pls find the complete stack trace below and help me in resolving it.

```
2014-10-16 15:51:20,863 INFO JUL root logger set to INFO
2014-10-16 15:51:21,101 INFO JBossTS Transaction Service (JTA version) - JBoss Inc.
2014-10-16 15:51:21,102 INFO Setting up property manager MBean and JMX layer
2014-10-16 15:51:21,242 INFO Starting recovery manager
2014-10-16 15:51:21,323 INFO Recovery manager started
2014-10-16 15:51:21,323 INFO Binding TransactionManager JNDI Reference
2014-10-16 15:51:23,859 INFO Starting java:comp multiplexer
2014-10-16 15:51:24,149 INFO no object for null
2014-10-16 15:51:24,152 INFO no object for null
2014-10-16 15:51:24,166 INFO no object for null
2014-10-16 15:51:24,183 INFO no object for {urn:jboss:bean-deployer}supplyType
2014-10-16 15:51:24,193 INFO no object for {urn:jboss:bean-deployer}dependsType
2014-10-16 15:51:26,229 INFO JBoss Web Services - Native
2014-10-16 15:51:26,230 INFO jbossws-native-2.0.1.SP2 (build=200710210837)
2014-10-16 15:51:27,061 INFO Catalina naming disabled
2014-10-16 15:51:27,248 INFO Loaded Apache Tomcat Native library 1.1.18.
2014-10-16 15:51:27,248 INFO APR capabilities: IPv6 , sendfile , accept filters , random .
2014-10-16 15:51:28,868 INFO Initializing Coyote HTTP/1.1 on http-0.0.0.0-8280
2014-10-16 15:51:28,869 INFO Initializing Coyote AJP/1.3 on ajp-0.0.0.0-8209
2014-10-16 15:51:28,870 INFO Initialization processed in 1809 ms
2014-10-16 15:51:28,870 INFO Starting service jboss.web
2014-10-16 15:51:28,872 INFO Starting Servlet Engine: JBossWeb/2.0.1.GA
2014-10-16 15:51:28,944 INFO Server startup in 74 ms
2014-10-16 15:51:29,049 INFO deploy, ctxPath=/, warUrl=.../deploy/jboss-web.deployer/ROOT.war/
2014-10-16 15:51:29,741 INFO deploy, ctxPath=/invoker, warUrl=.../deploy/http-invoker.sar/invoker.war/
2014-10-16 15:51:29,892 INFO deploy, ctxPath=/jbossws, warUrl=.../deploy/jbossws.sar/jbossws-context.war/
2014-10-16 15:51:29,976 INFO deploy, ctxPath=/jbossmq-httpil, warUrl=.../deploy/jms/jbossmq-httpil.sar/jbossmq-httpil.war/
2014-10-16 15:51:30,640 INFO deploy, ctxPath=/web-console, warUrl=.../deploy/management/console-mgr.sar/web-console.war/
2014-10-16 15:51:31,047 INFO Mail Service bound to java:/Mail
2014-10-16 15:51:31,255 INFO Required license terms exist, view META-INF/ra.xml in .../deploy/jboss-ha-local-jdbc.rar
2014-10-16 15:51:31,502 INFO Required license terms exist, view META-INF/ra.xml in .../deploy/jboss-ha-xa-jdbc.rar
2014-10-16 15:51:31,784 INFO Required license terms exist, view META-INF/ra.xml in .../deploy/jboss-local-jdbc.rar
2014-10-16 15:51:32,338 INFO Required license terms exist, view META-INF/ra.xml in .../deploy/jboss-xa-jdbc.rar
2014-10-16 15:51:32,412 INFO Required license terms exist, view META-INF/ra.xml in .../deploy/jms/jms-ra.rar
2014-10-16 15:51:32,597 INFO Required license terms exist, view META-INF/ra.xml in .../deploy/mail-ra.rar
2014-10-16 15:51:32,670 INFO Required license terms exist, view META-INF/ra.xml in .../deploy/quartz-ra.rar
2014-10-16 15:51:32,680 INFO start quartz!!!
2014-10-16 15:51:32,764 INFO Job execution threads will use class loader of thread: main
2014-10-16 15:51:32,790 INFO Quartz Scheduler v.1.5.2 created.
2014-10-16 15:51:32,793 INFO RAMJobStore initialized.
2014-10-16 15:51:32,793 INFO Quartz scheduler 'DefaultQuartzScheduler' initialized from default resource file in Quartz package: 'quartz.properties'
2014-10-16 15:51:32,794 INFO Quartz scheduler version: 1.5.2
2014-10-16 15:51:32,794 INFO Scheduler DefaultQuartzScheduler_$_NON_CLUSTERED started.
2014-10-16 15:51:32,934 INFO Bound ConnectionManager 'jboss.jca:service=DataSourceBinding,name=bonita/default/journal' to JNDI name 'java:bonita/default/journal'
2014-10-16 15:51:32,937 INFO Bound ConnectionManager 'jboss.jca:service=DataSourceBinding,name=bonita/default/history' to JNDI name 'java:bonita/default/history'
2014-10-16 15:51:33,744 INFO Bound ConnectionManager 'jboss.jca:service=DataSourceBinding,name=DefaultDS' to JNDI name 'java:defaultDS'
2014-10-16 15:51:33,949 INFO Bound to JNDI name: queue/A
2014-10-16 15:51:33,950 INFO Bound to JNDI name: queue/B
2014-10-16 15:51:33,951 INFO Bound to JNDI name: queue/C
2014-10-16 15:51:33,951 INFO Bound to JNDI name: queue/D
```

2014-10-16 15:51:33,952 INFO Bound to JNDI name: queue/ex
2014-10-16 15:51:33,970 INFO Bound to JNDI name: topic/testTopic
2014-10-16 15:51:33,971 INFO Bound to JNDI name: topic/securedTopic
2014-10-16 15:51:33,973 INFO Bound to JNDI name: topic/testDurableTopic
2014-10-16 15:51:33,975 INFO Bound to JNDI name: queue/testQueue
2014-10-16 15:51:34,009 INFO JBossMQ UIL service available at : /0.0.0.0:8293
2014-10-16 15:51:34,043 INFO Bound to JNDI name: queue/DLQ
2014-10-16 15:51:34,164 INFO Bound ConnectionManager 'jboss.jca:service=ConnectionFactoryBinding,name=JmsXA' to JNDI name 'java:JmsXA'
2014-10-16 15:51:54,966 INFO deploy, ctxPath=/drools-guvnor, warUrl=.../tmp/deploy/tmp1342308325761208683drools-guvnor-exp.war/
2014-10-16 15:53:16,246 INFO INFO 16-10 15:53:16,241 (RulesRepositoryConfigurator.java:getInstance:46) Creating an instance of the RulesRepositoryConfigurator.
2014-10-16 15:53:20,524 INFO INFO 16-10 15:53:20,523 (LoggingHelper.java:info:50) Starting mailbox service
2014-10-16 15:53:20,526 INFO INFO 16-10 15:53:20,525 (LoggingHelper.java:info:50) mailbox service is up
2014-10-16 15:53:20,528 INFO Registering check-in listener
2014-10-16 15:53:20,533 INFO Check-in listener up
2014-10-16 15:53:20,967 INFO deploy, ctxPath=/exist, warUrl=.../deploy/exist-1.4.0-rev11706-TalendPatch.war/
2014-10-16 15:53:22,060 INFO - IOException reading index. Creating new index.
2014-10-16 15:53:22,164 INFO ===== eXist Initialization =====
2014-10-16 15:53:22,165 INFO Thu Oct 16 15:53:22 IST 2014 - eXist logs
dir=C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\exist-1.4.0-rev11706-TalendPatch.war\WEB-INF\logs
2014-10-16 15:53:22,172 INFO Thu Oct 16 15:53:22 IST 2014 - eXist log4j
configuration=C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\exist-1.4.0-rev11706-TalendPatch.war\WEB-INF\TMPfile.xml
2014-10-16 15:53:22,203 INFO Thu Oct 16 15:53:22 IST 2014 - eXist-DB
configuration=C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\exist-1.4.0-rev11706-TalendPatch.war\WEB-INF\conf.xml
2014-10-16 15:53:22,771 INFO =====
2014-10-16 15:53:22,969 ERROR File lock last access timestamp: Oct 16, 2014
C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\exist-1.4.0-rev11706-TalendPatch.war\WEB-INF\data\dbx_dir.lck
2014-10-16 15:53:22,971 ERROR Found a stale lockfile. Trying to remove it:
C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\exist-1.4.0-rev11706-TalendPatch.war\WEB-INF\data\dbx_dir.lck
2014-10-16 15:53:23,069 ERROR File lock last access timestamp: Oct 16, 2014
C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\exist-1.4.0-rev11706-TalendPatch.war\WEB-INF\data\journal.lck
2014-10-16 15:53:23,071 ERROR Found a stale lockfile. Trying to remove it:
C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\exist-1.4.0-rev11706-TalendPatch.war\WEB-INF\data\journal.lck
2014-10-16 15:53:24,489 INFO deploy, ctxPath=/jmx-console, warUrl=.../deploy/jmx-console.war/
2014-10-16 15:54:29,641 INFO deploy, ctxPath=/org.talend.administrator, warUrl=.../tmp/deploy/tmp3314608159997714712org.talend.administrator-exp.war/
2014-10-16 15:55:03,676 INFO deploy, ctxPath=/org.talend.datastewardship, warUrl=.../deploy/org.talend.datastewardship.war/
2014-10-16 15:55:04,040 INFO ..] Initializing Spring root WebApplicationContext
2014-10-16 15:55:04,040 INFO Root WebApplicationContext: initialization started
2014-10-16 15:55:04,096 INFO Refreshing org.springframework.web.context.support.XmlWebApplicationContext@1c829ae: display name ; startup date ; root of context hierarchy
2014-10-16 15:55:04,199 INFO Loading XML bean definitions from class path resource
2014-10-16 15:55:04,374 INFO Loading XML bean definitions from class path resource
2014-10-16 15:55:04,400 INFO Loading XML bean definitions from class path resource
2014-10-16 15:55:04,422 INFO Loading XML bean definitions from class path resource
2014-10-16 15:55:04,486 INFO Bean factory for application context : org.springframework.beans.factory.support.DefaultListableBeanFactory@19d6024
2014-10-16 15:55:04,645 INFO Loading properties file from class path resource
2014-10-16 15:55:04,646 INFO Loading properties file from class path resource
2014-10-16 15:55:04,846 INFO Pre-instantiating singletons in org.springframework.beans.factory.support.DefaultListableBeanFactory@19d6024: defining beans ; root of factory hierarchy
2014-10-16 15:55:05,655 INFO Building new Hibernate SessionFactory
2014-10-16 15:55:06,904 INFO Using DataSource of Hibernate SessionFactory for HibernateTransactionManager
2014-10-16 15:55:06,916 INFO Populating data...
2014-10-16 15:55:08,287 INFO Creating Service {}TDSCWS from class org.talend.datastewardship.server.ws.TDSCWS
2014-10-16 15:55:08,990 INFO Setting the server's publish address to be /TDSCWS
2014-10-16 15:55:11,650 INFO Root WebApplicationContext: initialization completed in 7610 ms
2014-10-16 15:55:11,673 INFO JAAS config file URL is: jndi:/localhost/org.talend.datastewardship/WEB-INF/classes/jaas.conf

2014-10-16 15:55:11,680 INFO Load the bus with application context
2014-10-16 15:55:11,689 INFO Refreshing org.apache.cxf.bus.spring.BusApplicationContext@1aefcba: display name ; startup date ; parent:
org.springframework.web.context.support.XmlWebApplicationContext@1c829ae
2014-10-16 15:55:11,746 INFO Bean factory for application context : org.springframework.beans.factory.support.DefaultListableBeanFactory@1c49492
2014-10-16 15:55:11,748 INFO Pre-instantiating singletons in org.springframework.beans.factory.support.DefaultListableBeanFactory@1c49492: defining beans []; parent:
org.springframework.beans.factory.support.DefaultListableBeanFactory@19d6024
2014-10-16 15:55:11,750 INFO Servlet transport factory already registered
2014-10-16 15:55:11,810 INFO deploy, ctxPath=/qizx, warUrl=.../deploy/qizx.war/
2014-10-16 15:55:11,933 INFO ..] WARNING: it is strongly recommended to use an absolute path (outside the webapp) for the server root: ..\..\data\qizx-server
2014-10-16 15:55:11,944 INFO ..] === QizxServer init: root = C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\qizx.war\..\..\data\qizx-server
2014-10-16 15:55:11,962 INFO ..] opening XML Libraries
2014-10-16 15:55:12,195 INFO ..] configuring
2014-10-16 15:55:12,195 INFO ..] no Access Control
2014-10-16 15:55:12,196 INFO ..] Session Cache size=20
2014-10-16 15:55:12,197 INFO ..] Query Cache size=100
2014-10-16 15:55:12,199 INFO ..] Sequence Cache size=20
2014-10-16 15:55:12,201 INFO ..] EXPath Repository at C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\deploy\qizx.war\..\..\data\qizx-server\xpkg_repository
2014-10-16 15:55:12,217 INFO ..] Qizx server started
2014-10-16 15:55:12,229 INFO ..] add custom request handler org.talend.mdm.qizx.xmlldb.BulkLoadRequest
2014-10-16 15:55:12,230 INFO ..] add custom request handler org.talend.mdm.qizx.xmlldb.ExistDocumentRequest
2014-10-16 15:55:12,594 INFO Init J2EE application: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/deploy/bonita.ear
2014-10-16 15:56:42,116 INFO Deploying commandAPIBean
2014-10-16 15:56:42,165 INFO Deploying webAPIBean
2014-10-16 15:56:42,170 INFO Deploying identityAPIBean
2014-10-16 15:56:42,176 INFO Deploying runtimeAPIBean
2014-10-16 15:56:42,181 INFO Deploying managementAPIBean
2014-10-16 15:56:42,186 INFO Deploying queryRuntimeAPIBean
2014-10-16 15:56:42,192 INFO Deploying queryDefinitionAPIBean
2014-10-16 15:56:42,197 INFO Deploying bamAPIBean
2014-10-16 15:56:42,202 INFO Deploying repairAPIBean
2014-10-16 15:56:47,352 INFO Bound EJB Home 'commandAPIBean' to jndi 'commandAPI'
2014-10-16 15:56:47,374 INFO Bound EJB Home 'webAPIBean' to jndi 'webAPI'
2014-10-16 15:56:47,407 INFO Bound EJB Home 'identityAPIBean' to jndi 'identityAPI'
2014-10-16 15:56:47,439 INFO Bound EJB Home 'runtimeAPIBean' to jndi 'runtimeAPI'
2014-10-16 15:56:47,466 INFO Bound EJB Home 'managementAPIBean' to jndi 'managementAPI'
2014-10-16 15:56:47,510 INFO Bound EJB Home 'queryRuntimeAPIBean' to jndi 'queryRuntimeAPI'
2014-10-16 15:56:47,528 INFO Bound EJB Home 'queryDefinitionAPIBean' to jndi 'queryDefinitionAPI'
2014-10-16 15:56:47,555 INFO Bound EJB Home 'bamAPIBean' to jndi 'bamAPI'
2014-10-16 15:56:47,568 INFO Bound EJB Home 'repairAPIBean' to jndi 'repairAPI'
2014-10-16 15:56:47,569 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp3286911944473700241bonita.ear-contents/bonita-ejbjar.jar
2014-10-16 15:56:47,641 INFO deploy, ctxPath=/bonita-server-rest, warUrl=.../tmp/deploy/tmp3286911944473700241bonita.ear-contents/bonita-server-rest-exp.war/
2014-10-16 15:56:47,806 INFO deploy, ctxPath=/bonita, warUrl=.../tmp/deploy/tmp3286911944473700241bonita.ear-contents/bonita-exp.war/
2014-10-16 15:56:54,423 INFO Started J2EE application: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/deploy/bonita.ear
2014-10-16 15:56:54,866 INFO Init J2EE application: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/deploy/tem.ear
2014-10-16 15:59:24,028 INFO Deploying Service
2014-10-16 15:59:24,091 INFO Deploying XmlServerSLWrapper
2014-10-16 15:59:24,097 INFO Deploying CustomFormCtrl
2014-10-16 15:59:24,102 INFO Deploying DataModelCtrl
2014-10-16 15:59:24,107 INFO Deploying RoutingRuleCtrl
2014-10-16 15:59:24,113 INFO Deploying TransformerV2Ctrl
2014-10-16 15:59:24,118 INFO Deploying TransformerCtrl
2014-10-16 15:59:24,126 INFO Deploying RoutingOrderV2Ctrl
2014-10-16 15:59:24,132 INFO Deploying DataClusterCtrl

2014-10-16 15:59:24,137 INFO Deploying StoredProcedureCtrl
2014-10-16 15:59:24,143 INFO Deploying RoutingEngineV2Ctrl
2014-10-16 15:59:24,148 INFO Deploying DroppedItemCtrl
2014-10-16 15:59:24,153 INFO Deploying BackgroundJobCtrl
2014-10-16 15:59:24,159 INFO Deploying ConfigurationInfoCtrl
2014-10-16 15:59:24,164 INFO Deploying RoleCtrl
2014-10-16 15:59:24,170 INFO Deploying MenuCtrl
2014-10-16 15:59:24,175 INFO Deploying ItemCtrl2
2014-10-16 15:59:24,180 INFO Deploying ViewCtrl
2014-10-16 15:59:24,186 INFO Deploying DataModelUpdateMDB
2014-10-16 15:59:24,759 INFO Deploying XtentisWS
2014-10-16 15:59:24,768 INFO Deploying SynchronizationPlanCtrl
2014-10-16 15:59:24,773 INFO Deploying SynchronizationItemCtrl
2014-10-16 15:59:24,778 INFO Deploying LicenseCtrl
2014-10-16 15:59:24,783 INFO Deploying UniverseCtrl
2014-10-16 15:59:24,790 INFO Deploying SynchronizationObjectCtrl
2014-10-16 15:59:24,796 INFO Deploying VersioningSystemCtrl
2014-10-16 15:59:24,802 INFO Deploying AutoCommitToSvnSendBean
2014-10-16 15:59:24,809 INFO Deploying WorkflowTriggerPluginBean
2014-10-16 15:59:24,817 INFO Deploying WorkflowContextTriggerPluginBean
2014-10-16 15:59:24,911 INFO Deploying JdbcConnectorMDB
2014-10-16 15:59:24,958 INFO Deploying LoggingConnectorMDB
2014-10-16 15:59:25,004 INFO Deploying SmtplibConnectorMDB
2014-10-16 15:59:25,043 INFO Deploying SvnConnectorMDB
2014-10-16 15:59:25,085 INFO Deploying AutoCommitToSvnMDB
2014-10-16 15:59:25,123 INFO Deploying DumpToConsole
2014-10-16 15:59:25,151 INFO Deploying Logging
2014-10-16 15:59:25,185 INFO Deploying Smtplib
2014-10-16 15:59:25,235 INFO Deploying DataModelSynchronizationMDB
2014-10-16 15:59:25,265 INFO Deploying CallJobServiceBean
2014-10-16 15:59:25,302 INFO Deploying CallTransformer
2014-10-16 15:59:25,343 INFO Deploying ItemDispatcher
2014-10-16 15:59:25,387 INFO Deploying Jdbc
2014-10-16 15:59:25,428 INFO Deploying LoggingSmtplib
2014-10-16 15:59:25,467 INFO Deploying Svn
2014-10-16 15:59:25,502 INFO Deploying Synchronization
2014-10-16 15:59:25,553 INFO Deploying Workflow
2014-10-16 15:59:25,559 INFO Deploying WorkflowContext
2014-10-16 15:59:25,690 INFO Deploying GroovyPluginBean
2014-10-16 15:59:25,698 INFO Deploying BatchProjectPlugin
2014-10-16 15:59:25,705 INFO Deploying CodecPlugin
2014-10-16 15:59:25,711 INFO Deploying ProjectTransformerPlugin
2014-10-16 15:59:25,718 INFO Deploying XPathTransformerPlugin
2014-10-16 15:59:25,724 INFO Deploying FixedLengthParserTransformerPlugin
2014-10-16 15:59:25,729 INFO Deploying ReplaceTransformerPlugin
2014-10-16 15:59:25,734 INFO Deploying DumpAndGoPlugin
2014-10-16 15:59:25,739 INFO Deploying RouteTransformerPlugin
2014-10-16 15:59:25,745 INFO Deploying XSLTTransformerPlugin
2014-10-16 15:59:25,751 INFO Deploying PartialUpdateTransformerPlugin
2014-10-16 15:59:25,756 INFO Deploying RegexpTransformerPlugin
2014-10-16 15:59:25,761 INFO Deploying GroupedLinesReaderTransformerPlugin
2014-10-16 15:59:25,766 INFO Deploying CrossReferencingTransformerPluginBean
2014-10-16 15:59:25,771 INFO Deploying LineReaderTransformerPlugin

2014-10-16 15:59:25,776 INFO Deploying CSVParserTransformerPlugin
2014-10-16 15:59:25,890 INFO Deploying TISCallTransformerPlugin
2014-10-16 15:59:30,052 INFO Bound ConnectionManager 'jboss.jca:service=ConnectionFactoryBinding,name=jca/xtentis/connector/jdbc' to JNDI name 'java:jca/xtentis/connector/jdbc'
2014-10-16 15:59:30,073 INFO Bound ConnectionManager 'jboss.jca:service=ConnectionFactoryBinding,name=jca/xtentis/connector/logging' to JNDI name 'java:jca/xtentis/connector/logging'
2014-10-16 15:59:30,673 INFO Bound ConnectionManager 'jboss.jca:service=ConnectionFactoryBinding,name=jca/xtentis/connector/smtp' to JNDI name 'java:jca/xtentis/connector/smtp'
2014-10-16 15:59:30,719 INFO Bound ConnectionManager 'jboss.jca:service=ConnectionFactoryBinding,name=jca/xtentis/connector/svn' to JNDI name 'java:jca/xtentis/connector/svn'
2014-10-16 15:59:30,767 INFO Bound EJB LocalHome 'Service' to jndi 'amalto/local/core/service'
2014-10-16 15:59:30,784 INFO Bound EJB LocalHome 'XmlServerSLWrapper' to jndi 'amalto/local/xmlldb/xmlserverslwrapper'
2014-10-16 15:59:30,802 INFO Bound EJB Home 'XmlServerSLWrapper' to jndi 'amalto/remote/xmlldb/xmlserverslwrapper'
2014-10-16 15:59:30,810 INFO Bound EJB LocalHome 'CustomFormCtrl' to jndi 'amalto/local/core/customformctrl'
2014-10-16 15:59:30,897 INFO MDM Configuration: found in 'C:\JBoss_Oracle_2014\jboss-4.2.2.GA\server\default\conf\mdm.conf'.
2014-10-16 15:59:30,910 INFO Bound EJB Home 'CustomFormCtrl' to jndi 'amalto/remote/core/customformctrl'
2014-10-16 15:59:30,920 INFO Bound EJB LocalHome 'DataModelCtrl' to jndi 'amalto/local/core/datamodelctrl'
2014-10-16 15:59:30,930 INFO Bound EJB Home 'DataModelCtrl' to jndi 'amalto/remote/core/datamodelctrl'
2014-10-16 15:59:30,939 INFO Bound EJB LocalHome 'RoutingRuleCtrl' to jndi 'amalto/local/core/routingrulectrl'
2014-10-16 15:59:30,944 INFO Bound EJB Home 'RoutingRuleCtrl' to jndi 'amalto/remote/core/routingrulectrl'
2014-10-16 15:59:30,954 INFO Bound EJB LocalHome 'TransformerV2Ctrl' to jndi 'amalto/local/core/transformerv2ctrl'
2014-10-16 15:59:30,962 INFO Bound EJB Home 'TransformerV2Ctrl' to jndi 'amalto/remote/core/transformerv2ctrl'
2014-10-16 15:59:30,971 INFO Bound EJB LocalHome 'TransformerCtrl' to jndi 'amalto/local/core/transformerctrl'
2014-10-16 15:59:30,979 INFO Bound EJB Home 'TransformerCtrl' to jndi 'amalto/remote/core/transformerctrl'
2014-10-16 15:59:30,991 INFO Bound EJB LocalHome 'RoutingOrderV2Ctrl' to jndi 'amalto/local/core/RoutingOrderCtrlV2'
2014-10-16 15:59:31,007 INFO Bound EJB Home 'RoutingOrderV2Ctrl' to jndi 'amalto/remote/core/RoutingOrderCtrlV2'
2014-10-16 15:59:31,015 INFO Bound EJB LocalHome 'DataClusterCtrl' to jndi 'amalto/local/core/dataclusterctrl'
2014-10-16 15:59:31,022 INFO Bound EJB Home 'DataClusterCtrl' to jndi 'amalto/remote/core/dataclusterctrl'
2014-10-16 15:59:31,031 INFO Bound EJB LocalHome 'StoredProcedureCtrl' to jndi 'amalto/local/core/storedprocedurectrl'
2014-10-16 15:59:31,038 INFO Bound EJB Home 'StoredProcedureCtrl' to jndi 'amalto/remote/core/storedprocedurectrl'
2014-10-16 15:59:31,046 INFO Bound EJB LocalHome 'RoutingEngineV2Ctrl' to jndi 'amalto/local/core/routingenginev2ctrl'
2014-10-16 15:59:31,052 INFO Bound EJB Home 'RoutingEngineV2Ctrl' to jndi 'amalto/remote/core/routingenginev2ctrl'
2014-10-16 15:59:31,060 INFO Bound EJB LocalHome 'DroppedItemCtrl' to jndi 'amalto/local/core/droppeditemctrl'
2014-10-16 15:59:31,066 INFO Bound EJB Home 'DroppedItemCtrl' to jndi 'amalto/remote/core/droppeditemctrl'
2014-10-16 15:59:31,075 INFO Bound EJB LocalHome 'BackgroundJobCtrl' to jndi 'amalto/local/core/backgroundjobctrl'
2014-10-16 15:59:31,080 INFO Bound EJB Home 'BackgroundJobCtrl' to jndi 'amalto/remote/core/backgroundjobctrl'
2014-10-16 15:59:31,090 INFO Bound EJB LocalHome 'ConfigurationInfoCtrl' to jndi 'amalto/local/core/configurationinfoctrl'
2014-10-16 15:59:31,097 INFO Bound EJB Home 'ConfigurationInfoCtrl' to jndi 'amalto/remote/core/configurationinfoctrl'
2014-10-16 15:59:31,157 INFO Bound EJB LocalHome 'RoleCtrl' to jndi 'amalto/local/core/rolectrl'
2014-10-16 15:59:31,165 INFO Bound EJB Home 'RoleCtrl' to jndi 'amalto/remote/core/rolectrl'
2014-10-16 15:59:31,175 INFO Bound EJB LocalHome 'MenuCtrl' to jndi 'amalto/local/core/menuctrl'
2014-10-16 15:59:31,181 INFO Bound EJB Home 'MenuCtrl' to jndi 'amalto/remote/core/menuctrl'
2014-10-16 15:59:31,202 INFO Bound EJB LocalHome 'ItemCtrl2' to jndi 'amalto/local/core/itemctrl2'
2014-10-16 15:59:31,210 INFO Initializing delegate LoginModule classloader..
2014-10-16 15:59:31,261 INFO Bound EJB Home 'ItemCtrl2' to jndi 'amalto/remote/core/itemctrl2'
2014-10-16 15:59:31,271 INFO Bound EJB LocalHome 'ViewCtrl' to jndi 'amalto/local/core/viewctrl'
2014-10-16 15:59:31,282 INFO Bound EJB Home 'ViewCtrl' to jndi 'amalto/remote/core/viewctrl'
2014-10-16 15:59:31,440 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.core.jar
2014-10-16 15:59:31,491 INFO Bound EJB LocalHome 'SynchronizationPlanCtrl' to jndi 'amalto/local/core/synchronizationPlanctrl'
2014-10-16 15:59:31,501 INFO Bound EJB Home 'SynchronizationPlanCtrl' to jndi 'amalto/remote/core/synchronizationPlanctrl'
2014-10-16 15:59:31,512 INFO Bound EJB LocalHome 'SynchronizationItemCtrl' to jndi 'amalto/local/core/synchronizationItemctrl'
2014-10-16 15:59:31,520 INFO Bound EJB Home 'SynchronizationItemCtrl' to jndi 'amalto/remote/core/synchronizationItemctrl'
2014-10-16 15:59:31,534 INFO Bound EJB LocalHome 'LicenseCtrl' to jndi 'amalto/local/core/licensectrl'
2014-10-16 15:59:31,542 INFO Bound EJB Home 'LicenseCtrl' to jndi 'amalto/remote/core/licensectrl'
2014-10-16 15:59:31,552 INFO Bound EJB LocalHome 'UniverseCtrl' to jndi 'amalto/local/core/universectrl'
2014-10-16 15:59:31,558 INFO Bound EJB Home 'UniverseCtrl' to jndi 'amalto/remote/core/universectrl'

2014-10-16 15:59:31,566 INFO Bound EJB LocalHome 'SynchronizationObjectCtrl' to jndi 'amalto/local/core/synchronizationObjectctrl'
2014-10-16 15:59:31,572 INFO Bound EJB Home 'SynchronizationObjectCtrl' to jndi 'amalto/remote/core/synchronizationObjectctrl'
2014-10-16 15:59:31,585 INFO Bound EJB LocalHome 'VersioningSystemCtrl' to jndi 'amalto/local/core/versioningsystemctrl'
2014-10-16 15:59:31,597 INFO Bound EJB Home 'VersioningSystemCtrl' to jndi 'amalto/remote/core/versioningsystemctrl'
2014-10-16 15:59:31,606 INFO Bound EJB LocalHome 'AutoCommitToSvnSendBean' to jndi 'amalto/local/core/autocommittosvnsend'
2014-10-16 15:59:31,612 INFO Bound EJB Home 'AutoCommitToSvnSendBean' to jndi 'amalto/remote/core/autocommittosvnsend'
2014-10-16 15:59:31,623 INFO Bound EJB LocalHome 'WorkflowTriggerPluginBean' to jndi 'amalto/local/transformer/plugin/workflowtrigger'
2014-10-16 15:59:31,633 INFO Bound EJB LocalHome 'WorkflowContextTriggerPluginBean' to jndi 'amalto/local/transformer/plugin/workflowcontexttrigger'
2014-10-16 15:59:31,634 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.enterprise.jar
2014-10-16 15:59:31,817 INFO register: jboss.ws:context=talend,endpoint=XtentisWS
2014-10-16 15:59:34,657 INFO WSDL published to: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/data/wSDL/tem.ear/zz.20.enterprise.jar/webservices.wsdl
2014-10-16 15:59:34,725 INFO Reading from datasource file at
'C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/conf/C:/JBoss_Oracle_2014/jboss-4.2.2.GAserverdefaultconfdatasources.xml'.
2014-10-16 15:59:34,797 ERROR Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: null
java.lang.ExceptionInInitializerError
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:190)
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:128)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)

```
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.tximer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.tximer.TimerImpl$TimerTaskImpl.run(TimerImpl.java:561)
at java.util.TimerThread.mainLoop(Timer.java:555)
at java.util.TimerThread.run(Timer.java:505)
Caused by: java.lang.IllegalStateException: Could not find datasources configuration file 'C:JBoss_Oracle_2014jboss-4.2.2.GAserverdefaultconfdatasources.xml'.
at com.amalto.core.storage.datasource.DataSourceFactory.readDataSourcesConfiguration(DataSourceFactory.java:223)
at com.amalto.core.storage.datasource.DataSourceFactory.getDataSource(DataSourceFactory.java:79)
at com.amalto.core.server.ServerImpl.getDataSource(ServerImpl.java:59)
at com.amalto.core.server.ServerImpl.getDataSource(ServerImpl.java:55)
at com.amalto.core.server.StorageAdminImpl.internalCreateSystemStorage(StorageAdminImpl.java:185)
at com.amalto.core.server.StorageAdminImpl.create(StorageAdminImpl.java:103)
at com.amalto.core.storage.SystemStorageWrapper.<init>(SystemStorageWrapper.java:82)
at com.amalto.core.storage.SQLWrapper.<clinit>(SQLWrapper.java:10)
... 50 more
2014-10-16 15:59:34,807 ERROR Auto Configuration in the background: unable to access the XML Server wrapper
com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.tximer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.tximer.TimerImpl$TimerTaskImpl.run(TimerImpl.java:561)
at java.util.TimerThread.mainLoop(Timer.java:555)
at java.util.TimerThread.run(Timer.java:505)
Caused by: javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
```

at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
... 22 more
Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: null
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.tximer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.tximer.TimerImpl\$TimerTaskImpl.run(TimerImpl.java:561)
at java.util.TimerThread.mainLoop(Timer.java:555)

```
at java.util.TimerThread.run(Timer.java:505)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
... 29 more
2014-10-16 15:59:34,810 ERROR RuntimeException in method: public abstract void javax.ejb.TimedObject.ejbTimeout(javax.ejb.Timer):
java.lang.RuntimeException: Auto Configuration in the background: unable to access the XML Server wrapper
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:294)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.txtimer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.txtimer.TimerImpl$TimerTaskImpl.run(TimerImpl.java:561)
at java.util.TimerThread.mainLoop(Timer.java:555)
at java.util.TimerThread.run(Timer.java:505)
Caused by: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
... 21 more
Caused by: javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
```

... 22 more

Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: null
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.tximer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.tximer.TimerImpl\$TimerTaskImpl.run(TimerImpl.java:561)
at java.util.TimerThread.mainLoop(Timer.java:555)
at java.util.TimerThread.run(Timer.java:505)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)

at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
... 29 more
2014-10-16 15:59:34,814 ERROR Error invoking ejbTimeout: javax.ejb.EJBException: RuntimeException
2014-10-16 15:59:34,911 ERROR Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
java.lang.NoClassDefFoundError: Could not initialize class com.amalto.core.storage.SQLWrapper
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:190)
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:128)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)

at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.txtimer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.txtimer.FixedDelayRetryPolicy\$RetryThread.run(FixedDelayRetryPolicy.java:112)
2014-10-16 15:59:34,913 ERROR Auto Configuration in the background: unable to access the XML Server wrapper
com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.txtimer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.txtimer.FixedDelayRetryPolicy\$RetryThread.run(FixedDelayRetryPolicy.java:112)
Caused by: javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
... 20 more
Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class
com.amalto.core.storage.SQLWrapper
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)

at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.tximer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.tximer.FixedDelayRetryPolicy\$RetryThread.run(FixedDelayRetryPolicy.java:112)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
... 27 more
2014-10-16 15:59:34,915 ERROR RuntimeException in method: public abstract void javax.ejb.TimedObject.ejbTimeout(javax.ejb.Timer):

java.lang.RuntimeException: Auto Configuration in the background: unable to access the XML Server wrapper
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:294)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.tximer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.tximer.FixedDelayRetryPolicy\$RetryThread.run(FixedDelayRetryPolicy.java:112)
Caused by: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
... 19 more

Caused by: javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
... 20 more

Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)

at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.txtimer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.txtimer.FixedDelayRetryPolicy\$RetryThread.run(FixedDelayRetryPolicy.java:112)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
... 27 more
2014-10-16 15:59:34,916 ERROR javax.ejb.EJBException: RuntimeException
2014-10-16 15:59:34,917 ERROR at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:417)
2014-10-16 15:59:34,917 ERROR at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:209)
2014-10-16 15:59:34,917 ERROR at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
2014-10-16 15:59:34,917 ERROR at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
2014-10-16 15:59:34,917 ERROR at org.jboss.ejb.Container.invoke(Container.java:960)
2014-10-16 15:59:34,918 ERROR at org.jboss.ejb.txtimer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
2014-10-16 15:59:34,918 ERROR at org.jboss.ejb.txtimer.FixedDelayRetryPolicy\$RetryThread.run(FixedDelayRetryPolicy.java:112)

2014-10-16 15:59:34,918 ERROR Caused by: java.lang.RuntimeException: Auto Configuration in the background: unable to access the XML Server wrapper
2014-10-16 15:59:34,918 ERROR at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:294)
2014-10-16 15:59:34,918 ERROR at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
2014-10-16 15:59:34,918 ERROR at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
2014-10-16 15:59:34,919 ERROR at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
2014-10-16 15:59:34,919 ERROR at java.lang.reflect.Method.invoke(Method.java:606)
2014-10-16 15:59:34,919 ERROR at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
2014-10-16 15:59:34,919 ERROR at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
2014-10-16 15:59:34,919 ERROR at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
2014-10-16 15:59:34,919 ERROR at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
2014-10-16 15:59:34,920 ERROR at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
2014-10-16 15:59:34,920 ERROR at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
2014-10-16 15:59:34,920 ERROR at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
2014-10-16 15:59:34,920 ERROR at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
2014-10-16 15:59:34,920 ERROR at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
2014-10-16 15:59:34,920 ERROR at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
2014-10-16 15:59:34,920 ERROR ... 5 more
2014-10-16 15:59:34,920 ERROR Caused by: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
2014-10-16 15:59:34,920 ERROR at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
2014-10-16 15:59:34,920 ERROR at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
2014-10-16 15:59:34,921 ERROR ... 19 more
2014-10-16 15:59:34,921 ERROR Caused by: javax.ejb.AccessLocalException: SecurityException
2014-10-16 15:59:34,921 ERROR at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
2014-10-16 15:59:34,921 ERROR at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
2014-10-16 15:59:34,921 ERROR at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
2014-10-16 15:59:34,921 ERROR at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
2014-10-16 15:59:34,921 ERROR at org.jboss.ejb.Container.invoke(Container.java:981)
2014-10-16 15:59:34,922 ERROR at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
2014-10-16 15:59:34,922 ERROR at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
2014-10-16 15:59:34,922 ERROR at com.sun.proxy.\$Proxy366.create(Unknown Source)
2014-10-16 15:59:34,922 ERROR at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
2014-10-16 15:59:34,922 ERROR ... 20 more
2014-10-16 15:59:34,922 ERROR Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver
com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)

at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.core.objects.configurationinfo.ejb.ConfigurationInfoCtrlBean.ejbTimeout(ConfigurationInfoCtrlBean.java:290)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.StatelessSessionContainer\$ContainerInterceptor.invoke(StatelessSessionContainer.java:237)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.StatelessSessionInstanceInterceptor.invoke(StatelessSessionInstanceInterceptor.java:169)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.SecurityInterceptor.invoke(SecurityInterceptor.java:168)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.SessionContainer.internalInvoke(SessionContainer.java:648)
at org.jboss.ejb.Container.invoke(Container.java:960)
at org.jboss.ejb.tximer.TimedObjectInvokerImpl.callTimeout(TimedObjectInvokerImpl.java:99)
at org.jboss.ejb.tximer.FixedDelayRetryPolicy\$RetryThread.run(FixedDelayRetryPolicy.java:112)
2014-10-16 15:59:34,922 ERROR at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
2014-10-16 15:59:34,923 ERROR at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
2014-10-16 15:59:34,923 ERROR at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
2014-10-16 15:59:34,923 ERROR at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
2014-10-16 15:59:34,923 ERROR at java.security.AccessController.doPrivileged(Native Method)
2014-10-16 15:59:34,923 ERROR at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
2014-10-16 15:59:34,923 ERROR at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
2014-10-16 15:59:34,923 ERROR at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
2014-10-16 15:59:34,923 ERROR at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
2014-10-16 15:59:34,923 ERROR at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
2014-10-16 15:59:34,924 ERROR at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
2014-10-16 15:59:34,924 ERROR at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
2014-10-16 15:59:34,924 ERROR at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
2014-10-16 15:59:34,924 ERROR ... 27 more
2014-10-16 15:59:35,280 INFO deploy, ctxPath=/talend, warUrl=.../tmp/deploy/tem.ear-zz.20.enterprise.jar5881431698763361576.war/
2014-10-16 15:59:35,472 ERROR Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
java.lang.NoClassDefFoundError: Could not initialize class com.amalto.core.storage.SQLWrapper
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:190)
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:128)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)

at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)

at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)
at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy395.onMessage(Unknown Source)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.isXMLServerRunning(AbstractXtentisResourceAdapter.java:253)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)

at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy232.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)

at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)

at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
2014-10-16 15:59:35,477 ERROR TransactionRolledbackLocalException in method: public abstract javax.resource.cci.Record
javax.resource.cci.MessageListener.onMessage(javax.resource.cci.Record) throws javax.resource.ResourceException, causedBy:
javax.resource.ResourceException: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:341)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)

at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy395.onMessage(Unknown Source)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.isXMLServerRunning(AbstractXtentisResourceAdapter.java:253)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internallInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)

at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy232.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)

at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
Caused by: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
... 205 more
Caused by: javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
... 206 more
Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)

at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)
at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy395.onMessage(Unknown Source)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.isXMLServerRunning(AbstractXtentisResourceAdapter.java:253)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)

at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy232.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)

at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)

at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)

at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
... 213 more
2014-10-16 15:59:35,486 INFO ERROR SYSTRACE: com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server
javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke
com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.isXMLServerRunning(AbstractXtentisResourceAdapter.java:256)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)

at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy232.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)

at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)

at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
2014-10-16 15:59:35,490 WARN Problem starting service jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/JdbcConnectorMDB@1981081
org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.jdbc.rar'
activationSpec=com.amalto.connector.jca.ActivationSpecImpl@1cf368d; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:
com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem
during invoke)
at org.jboss.deployment.DeploymentException.rethrowAsDeploymentException(DeploymentException.java:53)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:489)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)

at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy232.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)

at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)

at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)

Caused by: javax.resource.ResourceException: Endpoint Activation failed: com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server
javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke

at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:575)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
... 159 more

2014-10-16 15:59:35,493 INFO Deployed:

file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.mdm.connector.jdbc-mdb.ejb.jar

2014-10-16 15:59:35,507 ERROR Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
java.lang.NoClassDefFoundError: Could not initialize class com.amalto.core.storage.SQLWrapper

at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:190)
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:128)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)

at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)

at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy396.onMessage(Unknown Source)
at com.amalto.connector.logging.ra.LoggingResourceAdapter.isXMLServerRunning(LoggingResourceAdapter.java:173)
at com.amalto.connector.logging.ra.LoggingResourceAdapter.endpointActivation(LoggingResourceAdapter.java:76)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internallInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)

at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy234.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)

at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
2014-10-16 15:59:35,514 ERROR TransactionRolledbackLocalException in method: public abstract javax.resource.cci.Record
javax.resource.cci.MessageListener.onMessage(javax.resource.cci.Record) throws javax.resource.ResourceException, causedBy:
javax.resource.ResourceException: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:341)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)
at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy396.onMessage(Unknown Source)
at com.amalto.connector.logging.ra.LoggingResourceAdapter.isXMLServerRunning(LoggingResourceAdapter.java:173)

at com.amalto.connector.logging.ra.LoggingResourceAdapter.endpointActivation(LoggingResourceAdapter.java:76)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)

at com.sun.proxy.\$Proxy234.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)

at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)

at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
Caused by: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
... 205 more
Caused by: javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
... 206 more
Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)
at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy396.onMessage(Unknown Source)
at com.amalto.connector.logging.ra.LoggingResourceAdapter.isXMLServerRunning(LoggingResourceAdapter.java:173)
at com.amalto.connector.logging.ra.LoggingResourceAdapter.endpointActivation(LoggingResourceAdapter.java:76)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)

at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy234.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)

at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
... 213 more
2014-10-16 15:59:35,521 WARN Problem starting service jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/LoggingConnectorMDB@9587804
org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.logging.rar'
activationSpec=com.amalto.connector.jca.ActivationSpecImpl@1aaf1be; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:
com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem
during invoke)
at org.jboss.deployment.DeploymentException.rethrowAsDeploymentException(DeploymentException.java:53)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:489)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)

at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy234.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)

at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)

```
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
Caused by: javax.resource.ResourceException: Endpoint Activation failed: com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML
server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke
at com.amalto.connector.logging.ra.LoggingResourceAdapter.endpointActivation(LoggingResourceAdapter.java:92)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
... 159 more
2014-10-16 15:59:35,524 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.mdm.connector.logging-mdb.ejb.jar
2014-10-16 15:59:35,535 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.mdm.connector.smtp-mdb.ejb.jar
2014-10-16 15:59:35,548 ERROR Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
java.lang.NoClassDefFoundError: Could not initialize class com.amalto.core.storage.SQLWrapper
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:190)
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:128)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
```

at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)
at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy397.onMessage(Unknown Source)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.isXMLServerRunning(AbstractXtentisResourceAdapter.java:253)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)

at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy238.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)

at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)

at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
2014-10-16 15:59:35,554 ERROR TransactionRolledbackLocalException in method: public abstract javax.resource.cci.Record
javax.resource.cci.MessageListener.onMessage(javax.resource.cci.Record) throws javax.resource.ResourceException, causedBy:
javax.resource.ResourceException: com.amalto.core.util.XtentisException: Error : unable to access the XML Server wrapper

at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:341)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)
at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)
at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy397.onMessage(Unknown Source)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.isXMLServerRunning(AbstractXtentisResourceAdapter.java:253)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)

at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy238.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)

at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)

at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
Caused by: com.amalto.core.util.XtentsisException: Error : unable to access the XML Server wrapper
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1272)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
... 205 more
Caused by: javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)

at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
... 206 more
Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy366.create(Unknown Source)
at com.amalto.core.util.Util.getXmlServerCtrlLocal(Util.java:1269)
at com.amalto.connector.mdb.ConnectorMDB.getXmlServerSLWrapperLocal(ConnectorMDB.java:339)
at com.amalto.connector.mdb.ConnectorMDB.isXMLServerUp(ConnectorMDB.java:95)
at com.amalto.connector.mdb.ConnectorMDB.onMessage(ConnectorMDB.java:72)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.invocation.Invocation.performCall(Invocation.java:359)
at org.jboss.ejb.MessageDrivenContainer\$ContainerInterceptor.invoke(MessageDrivenContainer.java:495)
at org.jboss.resource.connectionmanager.CachedConnectionInterceptor.invoke(CachedConnectionInterceptor.java:158)
at org.jboss.ejb.plugins.MessageDrivenInstanceInterceptor.invoke(MessageDrivenInstanceInterceptor.java:116)
at org.jboss.ejb.plugins.CallValidationInterceptor.invoke(CallValidationInterceptor.java:63)
at org.jboss.ejb.plugins.AbstractTxInterceptor.invokeNext(AbstractTxInterceptor.java:121)
at org.jboss.ejb.plugins.TxInterceptorCMT.runWithTransactions(TxInterceptorCMT.java:350)
at org.jboss.ejb.plugins.TxInterceptorCMT.invoke(TxInterceptorCMT.java:181)
at org.jboss.ejb.plugins.RunAsSecurityInterceptor.invoke(RunAsSecurityInterceptor.java:109)

at org.jboss.ejb.plugins.LogInterceptor.invoke(LogInterceptor.java:205)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invoke(ProxyFactoryFinderInterceptor.java:138)
at org.jboss.ejb.MessageDrivenContainer.internalInvoke(MessageDrivenContainer.java:402)
at org.jboss.ejb.Container.invoke(Container.java:960)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.invocation.local.LocalInvoker\$MBeanServerAction.invoke(LocalInvoker.java:169)
at org.jboss.invocation.local.LocalInvoker.invoke(LocalInvoker.java:118)
at org.jboss.invocation.InvokerInterceptor.invokeLocal(InvokerInterceptor.java:209)
at org.jboss.invocation.InvokerInterceptor.invoke(InvokerInterceptor.java:195)
at org.jboss.proxy.TransactionInterceptor.invoke(TransactionInterceptor.java:61)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.delivery(MessageEndpointInterceptor.java:263)
at org.jboss.ejb.plugins.inflow.MessageEndpointInterceptor.invoke(MessageEndpointInterceptor.java:140)
at org.jboss.proxy.ClientMethodInterceptor.invoke(ClientMethodInterceptor.java:74)
at org.jboss.proxy.ClientContainer.invoke(ClientContainer.java:100)
at com.sun.proxy.\$Proxy397.onMessage(Unknown Source)
at com.amalto.connector.implementation.AbstractXtentsResourceAdapter.isXMLServerRunning(AbstractXtentsResourceAdapter.java:253)
at com.amalto.connector.implementation.AbstractXtentsResourceAdapter.endpointActivation(AbstractXtentsResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)

at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy238.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)

at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
... 213 more
2014-10-16 15:59:35,563 INFO ERROR SYSTRACE: com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server
javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke
com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem
during invoke
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.isXMLServerRunning(AbstractXtentisResourceAdapter.java:256)
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:557)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)

at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy238.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)

at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)

at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)

at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
2014-10-16 15:59:35,566 WARN Problem starting service jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/SvnConnectorMDB@26183473
org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.svn.rar'
activationSpec=com.amalto.connector.jca.ActivationSpecImpl@d4edfd; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:
com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem
during invoke)
at org.jboss.deployment.DeploymentException.rethrowAsDeploymentException(DeploymentException.java:53)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:489)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.startService(JBossMessageEndpointFactory.java:222)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceMBeanSupport.start(ServiceMBeanSupport.java:194)
at org.jboss.ejb.MessageDrivenContainer.startService(MessageDrivenContainer.java:272)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)

at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy238.start(Unknown Source)
at org.jboss.ejb.EjbModule.startService(EjbModule.java:429)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy32.start(Unknown Source)
at org.jboss.ejb.EJBDeployer.start(EJBDeployer.java:662)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy33.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)

at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)

```
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
Caused by: javax.resource.ResourceException: Endpoint Activation failed: com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML
server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke
at com.amalto.connector.implementation.AbstractXtentisResourceAdapter.endpointActivation(AbstractXtentisResourceAdapter.java:575)
at org.jboss.resource.deployment.RARDeployment.endpointActivation(RARDeployment.java:271)
at org.jboss.resource.deployment.RARDeployment.internalInvoke(RARDeployment.java:226)
at org.jboss.system.ServiceDynamicMBeanSupport.invoke(ServiceDynamicMBeanSupport.java:156)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.ejb.plugins.inflow.JBossMessageEndpointFactory.activate(JBossMessageEndpointFactory.java:484)
... 159 more
2014-10-16 15:59:35,570 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.mdm.connector.svn-mdb.ejb.jar
2014-10-16 15:59:35,601 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.mdm.queue.autocommittosvn.jar
2014-10-16 15:59:35,617 INFO Bound EJB LocalHome 'DumpToConsole' to jndi 'amalto/local/service/dumptoconsole'
2014-10-16 15:59:35,618 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.mdm.service.dumptoconsole.ejb.jar
2014-10-16 15:59:35,635 INFO Bound EJB LocalHome 'Logging' to jndi 'amalto/local/service/logging'
2014-10-16 15:59:35,636 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.mdm.service.logging.ejb.jar
2014-10-16 15:59:35,651 INFO Bound EJB LocalHome 'Sntp' to jndi 'amalto/local/service/sntp'
2014-10-16 15:59:35,652 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.mdm.service.sntp.ejb.jar
2014-10-16 15:59:35,671 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.mdm.topic.datamodelsynchronization.jar
2014-10-16 15:59:35,685 INFO Bound EJB LocalHome 'CallJobServiceBean' to jndi 'amalto/local/service/callJob'
2014-10-16 15:59:35,686 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.calljob.jar
2014-10-16 15:59:35,700 INFO Bound EJB LocalHome 'CallTransformer' to jndi 'amalto/local/service/callprocess'
2014-10-16 15:59:35,701 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.calltransformer.jar
2014-10-16 15:59:35,714 INFO Bound EJB LocalHome 'ItemDispatcher' to jndi 'amalto/local/service/itemdispatcher'
2014-10-16 15:59:35,715 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.itemdispatcher.jar
2014-10-16 15:59:35,728 INFO Bound EJB LocalHome 'Jdbc' to jndi 'amalto/local/service/jdbc'
2014-10-16 15:59:35,729 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.jdbc.jar
2014-10-16 15:59:35,744 INFO Bound EJB LocalHome 'LoggingSntp' to jndi 'amalto/local/service/loggingsntp'
2014-10-16 15:59:35,745 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.loggingsntp.jar
2014-10-16 15:59:35,760 INFO Bound EJB LocalHome 'Svn' to jndi 'amalto/local/service/svn'
2014-10-16 15:59:35,761 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.svn.jar
2014-10-16 15:59:35,774 INFO Bound EJB LocalHome 'Synchronization' to jndi 'amalto/local/service/synchronization'
2014-10-16 15:59:35,775 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.synchronization.jar

2014-10-16 15:59:35,793 INFO Bound EJB LocalHome 'Workflow' to jndi 'amalto/local/service/workflow'
2014-10-16 15:59:35,807 INFO Bound EJB LocalHome 'WorkflowContext' to jndi 'amalto/local/service/workflowcontext'
2014-10-16 15:59:35,808 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.service.workflow.jar
```

2014-10-16 15:59:35,823 INFO Bound EJB LocalHome 'GroovyPluginBean' to jndi 'amalto/local/transformer/plugin/groovy'
2014-10-16 15:59:35,828 INFO Bound EJB LocalHome 'BatchProjectPlugin' to jndi 'amalto/local/transformer/plugin/batchproject'
2014-10-16 15:59:35,833 INFO Bound EJB LocalHome 'CodecPlugin' to jndi 'amalto/local/transformer/plugin/codec'
2014-10-16 15:59:35,838 INFO Bound EJB LocalHome 'ProjectTransformerPlugin' to jndi 'amalto/local/transformer/plugin/project'
2014-10-16 15:59:35,844 INFO Bound EJB LocalHome 'XPathTransformerPlugin' to jndi 'amalto/local/transformer/plugin/xpath'
2014-10-16 15:59:35,849 INFO Bound EJB LocalHome 'FixedLengthParserTransformerPlugin' to jndi 'amalto/local/transformer/plugin/fixlengthparser'
2014-10-16 15:59:35,854 INFO Bound EJB LocalHome 'ReplaceTransformerPlugin' to jndi 'amalto/local/transformer/plugin/replace'
2014-10-16 15:59:35,860 INFO Bound EJB LocalHome 'DumpAndGoPlugin' to jndi 'amalto/local/transformer/plugin/dumpandgo'
2014-10-16 15:59:35,865 INFO Bound EJB LocalHome 'RouteTransformerPlugin' to jndi 'amalto/local/transformer/plugin/route'
2014-10-16 15:59:35,871 INFO Bound EJB LocalHome 'XSLTTransformerPlugin' to jndi 'amalto/local/transformer/plugin/xslt'
2014-10-16 15:59:35,876 INFO Bound EJB LocalHome 'PartialUpdateTransformerPlugin' to jndi 'amalto/local/transformer/plugin/partialupdate'
2014-10-16 15:59:35,881 INFO Bound EJB LocalHome 'RegexTransformerPlugin' to jndi 'amalto/local/transformer/plugin/regexp'
2014-10-16 15:59:35,887 INFO Bound EJB LocalHome 'GroupedLinesReaderTransformerPlugin' to jndi 'amalto/local/transformer/plugin/groupedlinesreader'
2014-10-16 15:59:35,892 INFO Bound EJB LocalHome 'CrossReferencingTransformerPluginBean' to jndi 'amalto/local/transformer/plugin/crossreferencing'
2014-10-16 15:59:35,897 INFO Bound EJB LocalHome 'LineReaderTransformerPlugin' to jndi 'amalto/local/transformer/plugin/linereader'
2014-10-16 15:59:35,903 INFO Bound EJB LocalHome 'CSVParserTransformerPlugin' to jndi 'amalto/local/transformer/plugin/csvparser'
2014-10-16 15:59:35,903 INFO Deployed: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.40.core.plugin.base.ejb.jar
2014-10-16 15:59:35,930 INFO Bound EJB LocalHome 'TISCallTransformerPlugin' to jndi 'amalto/local/transformer/plugin/callJob'
2014-10-16 15:59:35,931 INFO Deployed:
file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.40.talend.transformer.plugins.ejb.jar
2014-10-16 15:59:35,938 INFO deploy, ctxPath=/browserecords, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.browserecords-exp.war/
2014-10-16 15:59:36,242 INFO deploy, ctxPath=/crossreference, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.crossreference-exp.war/
2014-10-16 15:59:36,437 INFO deploy, ctxPath=/general, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.general-exp.war/
2014-10-16 15:59:36,623 INFO deploy, ctxPath=/hierarchy, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.hierarchy-exp.war/
2014-10-16 15:59:36,805 INFO deploy, ctxPath=/journal, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.journal-exp.war/
2014-10-16 15:59:37,002 INFO deploy, ctxPath=/licensemanager, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.licensemanager-exp.war/
2014-10-16 15:59:37,175 INFO deploy, ctxPath=/recyclebin, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.recyclebin-exp.war/
2014-10-16 15:59:37,337 INFO deploy, ctxPath=/search, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.search-exp.war/
2014-10-16 15:59:37,495 INFO deploy, ctxPath=/stagingarea, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.stagingarea-exp.war/
2014-10-16 15:59:37,611 INFO deploy, ctxPath=/datastewardship, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.stewardship-exp.war/
2014-10-16 15:59:37,734 INFO deploy, ctxPath=/usermanager, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.usermanager-exp.war/
2014-10-16 15:59:37,850 INFO deploy, ctxPath=/welcomeportal, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.welcomeportal-exp.war/
2014-10-16 15:59:37,991 INFO deploy, ctxPath=/workflowtasks, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/org.talend.mdm.webapp.workflow.tasks-exp.war/
2014-10-16 15:59:38,193 INFO deploy, ctxPath=/talendmdm, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.openmdm.webapp-exp.war/
2014-10-16 15:59:38,403 INFO deploy, ctxPath=/loggingadapter, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.adapter.logging-exp.war/
2014-10-16 15:59:38,590 INFO deploy, ctxPath=/smtp, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.adapter.smtp-exp.war/
2014-10-16 15:59:38,767 INFO deploy, ctxPath=/viewbrowser, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.browseview-exp.war/
2014-10-16 15:59:38,950 INFO deploy, ctxPath=/core, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.core-exp.war/
2014-10-16 15:59:39,177 INFO Load the bus without application context
2014-10-16 15:59:40,008 INFO Replaced the http destination factory with servlet transport factory
2014-10-16 15:59:40,376 INFO Setting the server's publish address to be /
2014-10-16 15:59:40,520 INFO deploy, ctxPath=/hierarchical, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.hierarchical-exp.war/
2014-10-16 15:59:40,682 INFO deploy, ctxPath=/reporting, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.reporting-exp.war/
2014-10-16 15:59:40,878 INFO deploy, ctxPath=/SynchronizationAction, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.synchronizationaction-exp.war/
2014-10-16 15:59:40,995 INFO deploy, ctxPath=/SynchronizationItem, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.synchronizationplan-exp.war/
2014-10-16 15:59:41,128 INFO deploy, ctxPath=/universemanager, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.20.webapp.universemanager-exp.war/
2014-10-16 15:59:41,263 INFO deploy, ctxPath=/datamanager, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.30.core-exp.war/
2014-10-16 15:59:41,521 ERROR Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
java.lang.NoClassDefFoundError: Could not initialize class com.amalto.core.storage.SQLWrapper
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:190)
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:128)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy445.create(Unknown Source)
at com.amalto.core.util.Util.getConfigurationInfoCtrlLocal(Util.java:1351)
at com.amalto.core.servlet.ContextListener.contextInitialized(ContextListener.java:48)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3856)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4361)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:790)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:770)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:553)
at sun.reflect.GeneratedMethodAccessor168.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.apache.catalina.core.StandardContext.init(StandardContext.java:5312)
at sun.reflect.GeneratedMethodAccessor164.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:301)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)

at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy45.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.GeneratedMethodAccessor145.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy46.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)

at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)

2014-10-16 15:59:41,526 ERROR Unable to perform Auto Upgrade

javax.ejb.AccessLocalException: SecurityException
at org.jboss.ejb.plugins.LogInterceptor.handleException(LogInterceptor.java:384)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:136)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy445.create(Unknown Source)
at com.amalto.core.util.Util.getConfigurationInfoCtrlLocal(Util.java:1351)
at com.amalto.core.servlet.ContextListener.contextInitialized(ContextListener.java:48)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3856)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4361)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:790)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:770)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:553)
at sun.reflect.GeneratedMethodAccessor168.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.apache.catalina.core.StandardContext.init(StandardContext.java:5312)
at sun.reflect.GeneratedMethodAccessor164.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:301)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)

at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy45.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.GeneratedMethodAccessor145.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy46.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)

at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
Caused by: javax.security.auth.login.LoginException: java.lang.IllegalArgumentException: Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:135)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)

at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)
at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)
at org.jboss.ejb.plugins.ProxyFactoryFinderInterceptor.invokeHome(ProxyFactoryFinderInterceptor.java:107)
at org.jboss.ejb.SessionContainer.internalInvokeHome(SessionContainer.java:637)
at org.jboss.ejb.Container.invoke(Container.java:981)
at org.jboss.ejb.plugins.local.BaseLocalProxyFactory.invokeHome(BaseLocalProxyFactory.java:359)
at org.jboss.ejb.plugins.local.LocalHomeProxy.invoke(LocalHomeProxy.java:133)
at com.sun.proxy.\$Proxy445.create(Unknown Source)
at com.amalto.core.util.Util.getConfigurationInfoCtrlLocal(Util.java:1351)
at com.amalto.core.servlet.ContextListener.contextInitialized(ContextListener.java:48)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3856)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4361)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:790)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:770)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:553)
at sun.reflect.GeneratedMethodAccessor168.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.apache.catalina.core.StandardContext.init(StandardContext.java:5312)
at sun.reflect.GeneratedMethodAccessor164.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:301)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)

at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy45.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.GeneratedMethodAccessor145.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport\$XMLBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy46.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1015)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor23.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy10.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:634)
at org.jboss.deployment.scanner.AbstractDeploymentScanner\$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner.startService(AbstractDeploymentScanner.java:336)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)

at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController\$ServiceProxy.invoke(ServiceController.java:978)
at com.sun.proxy.\$Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy4.start(Unknown Source)
at org.jboss.deployment.SARDeployer.start(SARDeployer.java:302)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:766)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at com.sun.proxy.\$Proxy5.deploy(Unknown Source)
at org.jboss.system.server.ServerImpl.doStart(ServerImpl.java:482)
at org.jboss.system.server.ServerImpl.start(ServerImpl.java:362)
at org.jboss.Main.boot(Main.java:200)
at org.jboss.Main\$1.run(Main.java:508)
at java.lang.Thread.run(Thread.java:724)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:886)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.ejb.plugins.SecurityInterceptor.checkSecurityAssociation(SecurityInterceptor.java:211)
at org.jboss.ejb.plugins.SecurityInterceptor.invokeHome(SecurityInterceptor.java:135)

at org.jboss.ejb.plugins.LogInterceptor.invokeHome(LogInterceptor.java:132)

... 141 more

2014-10-16 15:59:41,538 INFO Load the bus without application context

2014-10-16 15:59:41,618 INFO Replaced the http destination factory with servlet transport factory

2014-10-16 15:59:41,652 INFO Setting the server's publish address to be /

2014-10-16 15:59:41,675 INFO deploy, ctxPath=/imageserver, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.50.ext.imageserver-exp.war/

2014-10-16 15:59:41,859 INFO deploy, ctxPath=/pubcomponent, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.50.ext.pubcomponent-exp.war/

2014-10-16 15:59:41,993 INFO deploy, ctxPath=/SrvSchedule, warUrl=.../tmp/deploy/tmp4335068109869159113tem.ear-contents/zz.50.ext.srvschedule-exp.war/

2014-10-16 15:59:42,135 INFO ..] QuartzInitializer: Quartz Initializer Servlet loaded, initializing Scheduler...

2014-10-16 15:59:42,150 INFO Scheduler DefaultQuartzScheduler_\$_NON_CLUSTERED started.

2014-10-16 15:59:42,150 INFO ..] QuartzInitializer: Scheduler has been started...

2014-10-16 15:59:42,150 INFO ..] QuartzInitializer: Storing the Quartz Scheduler Factory in the servlet context at key: org.quartz.impl.StdSchedulerFactory.KEY

2014-10-16 15:59:42,174 INFO deploy, ctxPath=/h2console, warUrl=.../deploy/h2console.war/

2014-10-16 15:59:42,326 INFO Started J2EE application: file:/C:/JBoss_Oracle_2014/jboss-4.2.2.GA/server/default/deploy/tem.ear

2014-10-16 15:59:42,326 ERROR Incomplete Deployment listing:

--- MBeans waiting for other MBeans ---

ObjectName: jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/JdbcConnectorMDB@1981081

State: FAILED

Reason: org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.jdbc.rar'

activationSpec=com.amalto.connector.jca.ActivationSpecImpl@1cf368d; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:

com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke)

ObjectName: jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/LoggingConnectorMDB@9587804

State: FAILED

Reason: org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.logging.rar'

activationSpec=com.amalto.connector.jca.ActivationSpecImpl@1aaf1be; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:

com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke)

ObjectName: jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/SvnConnectorMDB@26183473

State: FAILED

Reason: org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.svn.rar'

activationSpec=com.amalto.connector.jca.ActivationSpecImpl@d4edfd; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:

com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke)

--- MBEANS THAT ARE THE ROOT CAUSE OF THE PROBLEM ---

ObjectName: jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/LoggingConnectorMDB@9587804

State: FAILED

Reason: org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.logging.rar'

activationSpec=com.amalto.connector.jca.ActivationSpecImpl@1aaf1be; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:

com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke)

ObjectName: jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/SvnConnectorMDB@26183473

State: FAILED

Reason: org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.svn.rar'

activationSpec=com.amalto.connector.jca.ActivationSpecImpl@d4edfd; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:

com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke)

ObjectName: jboss.j2ee:service=EJB,plugin=invoker,binding=message-inflow-driven-bean,jndiName=local/JdbcConnectorMDB@1981081

State: FAILED

Reason: org.jboss.deployment.DeploymentException: Endpoint activation failed ra=jboss.jca:service=RARDeployment,name='tem.ear#zz.20.mdm.connector.jdbc.rar'

activationSpec=com.amalto.connector.jca.ActivationSpecImpl@1cf368d; - nested throwable: (javax.resource.ResourceException: Endpoint Activation failed:

com.amalto.connector.jca.XtentisConnectorException: Unable to push a message to get the status of the XML server javax.ejb.TransactionRolledbackLocalException: Resource problem during invoke)

2014-10-16 15:59:42,381 INFO Starting Coyote HTTP/1.1 on http-0.0.0.0-8280
2014-10-16 15:59:42,425 INFO Starting Coyote AJP/1.3 on ajp-0.0.0.0-8209
2014-10-16 15:59:42,463 INFO JBoss (MX MicroKernel) Started in 19m:30s:867ms
2014-10-16 16:03:54,074 ERROR Unable to start the XMLDB driver com.amalto.core.storage.SQLWrapper: Could not initialize class com.amalto.core.storage.SQLWrapper
java.lang.NoClassDefFoundError: Could not initialize class com.amalto.core.storage.SQLWrapper
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:190)
at com.amalto.jaas.xtentis.jboss.XtentisLoginModule.initialize(XtentisLoginModule.java:128)
at com.amalto.core.util.LoginModuleDelegator.initialize(LoginModuleDelegator.java:56)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at javax.security.auth.login.LoginContext.invoke(LoginContext.java:771)
at javax.security.auth.login.LoginContext.access\$000(LoginContext.java:203)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:698)
at javax.security.auth.login.LoginContext\$4.run(LoginContext.java:696)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.login.LoginContext.invokePriv(LoginContext.java:695)
at javax.security.auth.login.LoginContext.login(LoginContext.java:594)
at org.jboss.security.plugins.JaasSecurityManager.defaultLogin(JaasSecurityManager.java:603)
at org.jboss.security.plugins.JaasSecurityManager.authenticate(JaasSecurityManager.java:537)
at org.jboss.security.plugins.JaasSecurityManager.isValid(JaasSecurityManager.java:344)
at org.jboss.web.tomcat.security.JBossSecurityMgrRealm.authenticate(JBossSecurityMgrRealm.java:491)
at org.apache.catalina.authenticator.BasicAuthenticator.authenticate(BasicAuthenticator.java:180)
at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:490)
at org.jboss.web.tomcat.security.JaccContextValve.invoke(JaccContextValve.java:84)
at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:127)
at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:102)
at org.jboss.web.tomcat.service.jca.CachedConnectionValve.invoke(CachedConnectionValve.java:157)
at org.apache.catalina.authenticator.SingleSignOn.invoke(SingleSignOn.java:393)
at org.apache.catalina.authenticator.MDMSingleSignOn.invoke(MDMSingleSignOn.java:73)
at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:109)
at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:262)
at org.apache.coyote.http11.Http11AprProcessor.process(Http11AprProcessor.java:856)
at org.apache.coyote.http11.Http11AprProtocol\$Http11ConnectionHandler.process(Http11AprProtocol.java:566)
at org.apache.tomcat.util.net.AprEndpoint\$Worker.run(AprEndpoint.java:1508)
at java.lang.Thread.run(Thread.java:724)