

Hi Shong

no it wasnt in the output directory, here is the log when i open talend, then get the error mesage, then open the project

sorry, didnt see how to add this as an attachment

eclipse.buildId=unknown

java.version=1.6.0\_21

java.vendor=Sun Microsystems Inc.

BootLoader constants: OS=win32, ARCH=x86, WS=win32, NL=en\_IE

Command-line arguments: -os win32 -ws win32 -arch x86

!ENTRY org.talend.platform.logging 1 0 2012-10-11 13:20:34.478

!MESSAGE 2012-10-11 13:20:34,478 INFO org.talend.repository.ui.login.LoginComposite - validate updatesite...

!ENTRY org.talend.platform.logging 2 0 2012-10-11 13:20:34.509

!MESSAGE 2012-10-11 13:20:34,509 WARN org.talend.commons.exception.CommonExceptionHandler - softwareupdate.error.cannotconnect

!STACK 0

org.talend.commons.exception.PersistenceException: softwareupdate.error.cannotconnect

at org.talend.repository.remoteprovider.ServletUtil.handleError(ServletUtil.java:301)

at org.talend.repository.remoteprovider.AdministratorClient.getText(AdministratorClient.java:441)

at org.talend.repository.remoteprovider.AdministratorClient.getJSONObject(AdministratorClient.java:433)

at org.talend.repository.remoteprovider.AdministratorClient.getArchivaObject(AdministratorClient.java:614)

at org.talend.repository.remoteprovider.services.RemoteService.getArchivaObject(RemoteService.java:29)

at org.talend.core.tis.service.CoreTisService.getArchivaObject(CoreTisService.java:154)

at org.talend.core.tis.service.CoreTisService.getArchivaObject(CoreTisService.java:1)

at org.talend.repository.ui.login.LoginComposite.getArchivaServicesProperties(LoginComposite.java:1840)

at org.talend.repository.ui.login.LoginComposite.validateUpdate(LoginComposite.java:1768)

at org.talend.repository.ui.login.LoginComposite.<init>(LoginComposite.java:366)

at org.talend.repository.ui.login.LoginDialog.createDialogArea(LoginDialog.java:173)

at org.talend.repository.ui.login.LoginDialog.createContents(LoginDialog.java:138)

at org.eclipse.jface.window.Window.create(Window.java:431)

at org.eclipse.jface.dialogs.Dialog.create(Dialog.java:1089)

at org.eclipse.jface.window.Window.open(Window.java:790)

at org.talend.repository.RepositoryService.openLoginDialog(RepositoryService.java:262)

at org.talend.rcp.intro.Application.logUserOnProject(Application.java:273)

at org.talend.rcp.intro.Application.start(Application.java:82)

at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)

at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)

at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)

at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:369)

at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

at java.lang.reflect.Method.invoke(Unknown Source)

at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:619)

at org.eclipse.equinox.launcher.Main.basicRun(Main.java:574)

at org.eclipse.equinox.launcher.Main.run(Main.java:1407)

!ENTRY org.eclipse.jdt.core 4 4 2012-10-11 13:20:47.710

!MESSAGE Error creating Groovy language support

!STACK 0

java.lang.ClassNotFoundException: org.codehaus.jdt.groovy.integration.internal.GroovyLanguageSupport

at org.eclipse.osgi.internal.loader.BundleLoader.findClassInternal(BundleLoader.java:506)

at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:422)

at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:410)

at org.eclipse.osgi.internal.baseadaptor.DefaultClassLoader.loadClass(DefaultClassLoader.java:107)

```
at java.lang.ClassLoader.loadClass(Unknown Source)
at org.eclipse.osgi.internal.loader.BundleLoader.loadClass(BundleLoader.java:338)
at org.eclipse.osgi.framework.internal.core.BundleHost.loadClass(BundleHost.java:232)
at org.eclipse.osgi.framework.internal.core.AbstractBundle.loadClass(AbstractBundle.java:1197)
at org.codehaus.jdt.groovy.integration.LanguageSupportFactory.tryInstantiate(LanguageSupportFactory.java:122)
at org.codehaus.jdt.groovy.integration.LanguageSupportFactory.getLanguageSupport(LanguageSupportFactory.java:95)
at org.codehaus.jdt.groovy.integration.LanguageSupportFactory.getEventHandler(LanguageSupportFactory.java:142)
at org.eclipse.jdt.internal.core.JavaProject.close(JavaProject.java:470)
at org.eclipse.jdt.internal.core.ClasspathChange.generateDelta(ClasspathChange.java:258)
at org.eclipse.jdt.internal.core.DeltaProcessor.resourceChanged(DeltaProcessor.java:1916)
at org.eclipse.jdt.internal.core.DeltaProcessingState.resourceChanged(DeltaProcessingState.java:470)
at org.eclipse.core.internal.events.NotificationManager$2.run(NotificationManager.java:291)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.core.internal.events.NotificationManager.notify(NotificationManager.java:285)
at org.eclipse.core.internal.events.NotificationManager.broadcastChanges(NotificationManager.java:186)
at org.eclipse.core.internal.resources.SavedState.processResourceChangeEvents(SavedState.java:77)
at org.eclipse.jdt.internal.core.JavaModelManager$17$1.run(JavaModelManager.java:4727)
at org.eclipse.core.internal.resources.Workspace.run(Workspace.java:1975)
at org.eclipse.core.internal.resources.Workspace.run(Workspace.java:1957)
at org.eclipse.jdt.internal.core.JavaModelManager$17.run(JavaModelManager.java:4719)
at org.eclipse.core.internal.jobs.Worker.run(Worker.java:54)
!ENTRY org.talend.platform.logging 1 0 2012-10-11 13:21:00.580
!MESSAGE 2012-10-11 13:21:00,580 INFO org.talend.core.repository.model.ProxyRepositoryFactory -

!ENTRY org.talend.platform.logging 1 0 2012-10-11 13:21:02.782
!MESSAGE 2012-10-11 13:21:02,782 INFO org.talend.core.repository.GeneratedJetEmittersLoginTask - Generating JetEmitters

!ENTRY org.talend.platform.logging 1 0 2012-10-11 13:21:02.924
!MESSAGE 2012-10-11 13:21:02,924 INFO org.talend.repository.view.svn.InitializeLockStatusLoginTask - Initialize lock status

!ENTRY org.eclipse.ui.workbench 4 2 2012-10-11 13:21:51.698
!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.ui.workbench".
!STACK 0
java.lang.NullPointerException
at org.talend.designer.core.ui.editor.nodes.Node.getFlowToIterateReturns(Node.java:786)
at org.talend.designer.core.ui.editor.nodes.Node.getReturns(Node.java:686)
at org.talend.designer.core.ui.editor.outline.NodeTreeEditPart.getModelChildren(NodeTreeEditPart.java:78)
at org.eclipse.gef.editparts.AbstractEditPart.refreshChildren(AbstractEditPart.java:751)
at org.eclipse.gef.editparts.AbstractEditPart.refresh(AbstractEditPart.java:718)
at org.eclipse.gef.editparts.AbstractEditPart.addNotify(AbstractEditPart.java:252)
at org.eclipse.gef.editparts.AbstractEditPart.addChild(AbstractEditPart.java:211)
at org.eclipse.gef.editparts.AbstractEditPart.refreshChildren(AbstractEditPart.java:771)
at org.eclipse.gef.editparts.AbstractEditPart.refresh(AbstractEditPart.java:718)
at org.eclipse.gef.editparts.AbstractEditPart.addNotify(AbstractEditPart.java:252)
at org.eclipse.gef.editparts.AbstractEditPart.addChild(AbstractEditPart.java:211)
at org.eclipse.gef.editparts.RootTreeEditPart.setContents(RootTreeEditPart.java:140)
at org.eclipse.gef.ui.parts.AbstractEditPartViewer.setContents(AbstractEditPartViewer.java:617)
at org.eclipse.gef.ui.parts.AbstractEditPartViewer.setContents(AbstractEditPartViewer.java:626)
at org.talend.designer.core.ui.editor.AbstractTalendEditor$OutlinePage.setContents(AbstractTalendEditor.java:2078)
at org.talend.designer.core.ui.editor.AbstractTalendEditor$OutlinePage.initializeOutlineViewer(AbstractTalendEditor.java:2052)
at org.talend.designer.core.ui.editor.AbstractTalendEditor$OutlinePage.createControl(AbstractTalendEditor.java:2016)
at org.eclipse.ui.views.contentoutline.ContentOutline.doCreatePage(ContentOutline.java:137)
at org.eclipse.ui.part.PageBookView.createPage(PageBookView.java:408)
```

at org.eclipse.ui.part.PageBookView.partActivated(PageBookView.java:751)  
at org.eclipse.ui.views.contentoutline.ContentOutline.partBroughtToTop(ContentOutline.java:212)  
at org.eclipse.ui.part.PageBookView\$4.partBroughtToTop(PageBookView.java:1014)  
at org.eclipse.ui.internal.PartListenerList2\$2.run(PartListenerList2.java:85)  
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)  
at org.eclipse.core.runtime.Platform.run(Platform.java:888)  
at org.eclipse.ui.internal.PartListenerList2.fireEvent(PartListenerList2.java:55)  
at org.eclipse.ui.internal.PartListenerList2.firePartBroughtToTop(PartListenerList2.java:83)  
at org.eclipse.ui.internal.PartService.firePartBroughtToTop(PartService.java:212)  
at org.eclipse.ui.internal.WorkbenchPagePartList.firePartBroughtToTop(WorkbenchPagePartList.java:76)  
at org.eclipse.ui.internal.WorkbenchPagePartList.fireActiveEditorChanged(WorkbenchPagePartList.java:52)  
at org.eclipse.ui.internal.PartList.setActiveEditor(PartList.java:162)  
at org.eclipse.ui.internal.WorkbenchPage.makeActiveEditor(WorkbenchPage.java:1281)  
at org.eclipse.ui.internal.WorkbenchPage.updateActivePart(WorkbenchPage.java:1226)  
at org.eclipse.ui.internal.WorkbenchPage.partAdded(WorkbenchPage.java:1704)  
at org.eclipse.ui.internal.EditorAreaHelper.addEditor(EditorAreaHelper.java:217)  
at org.eclipse.ui.internal.EditorManager.createEditorTab(EditorManager.java:778)  
at org.eclipse.ui.internal.EditorManager.openEditorFromDescriptor(EditorManager.java:677)  
at org.eclipse.ui.internal.EditorManager.openEditor(EditorManager.java:638)  
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditorBatched(WorkbenchPage.java:2860)  
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditor(WorkbenchPage.java:2768)  
at org.eclipse.ui.internal.WorkbenchPage.access\$11(WorkbenchPage.java:2760)  
at org.eclipse.ui.internal.WorkbenchPage\$10.run(WorkbenchPage.java:2711)  
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:70)  
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2707)  
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2691)  
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2682)  
at org.talend.designer.core.ui.action.EditProcess.doRun(EditProcess.java:112)  
at org.talend.repository.ui.actions.AContextualAction\$2.run(AContextualAction.java:589)  
at org.talend.repository.RepositoryWorkUnit.executeRun(RepositoryWorkUnit.java:84)  
at org.talend.core.repository.model.AbstractRepositoryFactory.executeRepositoryWorkUnit(AbstractRepositoryFactory.java:217)  
at org.talend.repository.localprovider.model.LocalRepositoryFactory.executeRepositoryWorkUnit(LocalRepositoryFactory.java:2751)  
at org.talend.repository.svnprovider.SvnRepositoryFactory.executeRepositoryWorkUnit(SvnRepositoryFactory.java:401)  
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.executeRepositoryWorkUnit(RemoteRepositoryFactory.java:568)  
at org.talend.core.repository.model.ProxyRepositoryFactory.executeRepositoryWorkUnit(ProxyRepositoryFactory.java:1882)  
at org.talend.repository.ui.actions.AContextualAction.run(AContextualAction.java:601)  
at org.talend.repository.viewer.action.RepoDoubleClickAction.run(RepoDoubleClickAction.java:102)  
at org.eclipse.ui.actions.RetargetAction.run(RetargetAction.java:221)  
at org.eclipse.ui.navigator.CommonNavigatorManager\$3.open(CommonNavigatorManager.java:185)  
at org.eclipse.ui.OpenAndLinkWithEditorHelper\$InternalListener.open(OpenAndLinkWithEditorHelper.java:48)  
at org.eclipse.jface.viewers.StructuredViewer\$2.run(StructuredViewer.java:845)  
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)  
at org.eclipse.ui.internal.JFaceUtil\$1.run(JFaceUtil.java:49)  
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:175)  
at org.eclipse.jface.viewers.StructuredViewer.fireOpen(StructuredViewer.java:843)  
at org.eclipse.jface.viewers.StructuredViewer.handleOpen(StructuredViewer.java:1131)  
at org.eclipse.ui.navigator.CommonViewer.handleOpen(CommonViewer.java:462)  
at org.eclipse.jface.viewers.StructuredViewer\$6.handleOpen(StructuredViewer.java:1235)  
at org.eclipse.jface.util.OpenStrategy.fireOpenEvent(OpenStrategy.java:264)  
at org.eclipse.jface.util.OpenStrategy.access\$2(OpenStrategy.java:258)  
at org.eclipse.jface.util.OpenStrategy\$1.handleEvent(OpenStrategy.java:298)  
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)  
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1053)

```
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4066)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3657)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2640)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2604)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2438)
at org.eclipse.ui.internal.Workbench$7.run(Workbench.java:671)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:664)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Application.java:126)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:369)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:619)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:574)
at org.eclipse.equinox.launcher.Main.run(Main.java:1407)
!ENTRY org.eclipse.ui.workbench 4 2 2012-10-11 13:21:52.107
!MESSAGE Problems occurred when invoking code from plug-in: "org.eclipse.ui.workbench".
!STACK 0
java.lang.NullPointerException
at org.talend.designer.core.ui.editor.nodes.Node.getFlowToIterateReturns(Node.java:786)
at org.talend.designer.core.ui.editor.nodes.Node.getReturns(Node.java:686)
at org.talend.designer.core.ui.editor.outline.NodeTreeEditPart.getModelChildren(NodeTreeEditPart.java:78)
at org.eclipse.gef.editparts.AbstractEditPart.refreshChildren(AbstractEditPart.java:751)
at org.eclipse.gef.editparts.AbstractEditPart.refresh(AbstractEditPart.java:718)
at org.eclipse.gef.editparts.AbstractEditPart.addNotify(AbstractEditPart.java:252)
at org.eclipse.gef.editparts.AbstractEditPart.addChild(AbstractEditPart.java:211)
at org.eclipse.gef.editparts.AbstractEditPart.refreshChildren(AbstractEditPart.java:771)
at org.eclipse.gef.editparts.AbstractEditPart.refresh(AbstractEditPart.java:718)
at org.eclipse.gef.editparts.AbstractEditPart.addNotify(AbstractEditPart.java:252)
at org.eclipse.gef.editparts.AbstractEditPart.addChild(AbstractEditPart.java:211)
at org.eclipse.gef.editparts.RootTreeEditPart.setContents(RootTreeEditPart.java:140)
at org.eclipse.gef.ui.parts.AbstractEditPartViewer.setContents(AbstractEditPartViewer.java:617)
at org.eclipse.gef.ui.parts.AbstractEditPartViewer.setContents(AbstractEditPartViewer.java:626)
at org.talend.designer.core.ui.editor.AbstractTalendEditor$OutlinePage.setContents(AbstractTalendEditor.java:2078)
at org.talend.designer.core.ui.editor.AbstractTalendEditor$OutlinePage.initializeOutlineViewer(AbstractTalendEditor.java:2052)
at org.talend.designer.core.ui.editor.AbstractTalendEditor$OutlinePage.createControl(AbstractTalendEditor.java:2016)
at org.eclipse.ui.views.contentoutline.ContentOutline.doCreatePage(ContentOutline.java:137)
at org.eclipse.ui.part.PageBookView.createPage(PageBookView.java:408)
at org.eclipse.ui.part.PageBookView.partActivated(PageBookView.java:751)
at org.eclipse.ui.part.PageBookView$4.partActivated(PageBookView.java:1010)
at org.eclipse.ui.internal.PartListenerList2$1.run(PartListenerList2.java:70)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at org.eclipse.core.runtime.Platform.run(Platform.java:888)
at org.eclipse.ui.internal.PartListenerList2.fireEvent(PartListenerList2.java:55)
at org.eclipse.ui.internal.PartListenerList2.firePartActivated(PartListenerList2.java:68)
at org.eclipse.ui.internal.PartService.firePartActivated(PartService.java:192)
```

at org.eclipse.ui.internal.PartService.setActivePart(PartService.java:306)  
at org.eclipse.ui.internal.WorkbenchPagePartList.fireActivePartChanged(WorkbenchPagePartList.java:57)  
at org.eclipse.ui.internal.PartList.setActivePart(PartList.java:136)  
at org.eclipse.ui.internal.WorkbenchPage.setActivePart(WorkbenchPage.java:3537)  
at org.eclipse.ui.internal.WorkbenchPage.internalActivate(WorkbenchPage.java:617)  
at org.eclipse.ui.internal.WorkbenchPage.activate(WorkbenchPage.java:589)  
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditorBatched(WorkbenchPage.java:2875)  
at org.eclipse.ui.internal.WorkbenchPage.busyOpenEditor(WorkbenchPage.java:2768)  
at org.eclipse.ui.internal.WorkbenchPage.access\$11(WorkbenchPage.java:2760)  
at org.eclipse.ui.internal.WorkbenchPage\$10.run(WorkbenchPage.java:2711)  
at org.eclipse.swt.custom.BusyIndicator.showWhile(BusyIndicator.java:70)  
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2707)  
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2691)  
at org.eclipse.ui.internal.WorkbenchPage.openEditor(WorkbenchPage.java:2682)  
at org.talend.designer.core.ui.action.EditProcess.doRun(EditProcess.java:112)  
at org.talend.repository.ui.actions.AContextualAction\$2.run(AContextualAction.java:589)  
at org.talend.repository.RepositoryWorkUnit.executeRun(RepositoryWorkUnit.java:84)  
at org.talend.core.repository.model.AbstractRepositoryFactory.executeRepositoryWorkUnit(AbstractRepositoryFactory.java:217)  
at org.talend.repository.localprovider.model.LocalRepositoryFactory.executeRepositoryWorkUnit(LocalRepositoryFactory.java:2751)  
at org.talend.repository.svnprovider.SvnRepositoryFactory.executeRepositoryWorkUnit(SvnRepositoryFactory.java:401)  
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.executeRepositoryWorkUnit(RemoteRepositoryFactory.java:568)  
at org.talend.core.repository.model.ProxyRepositoryFactory.executeRepositoryWorkUnit(ProxyRepositoryFactory.java:1882)  
at org.talend.repository.ui.actions.AContextualAction.run(AContextualAction.java:601)  
at org.talend.repository.viewer.action.RepoDoubleClickAction.run(RepoDoubleClickAction.java:102)  
at org.eclipse.ui.actions.RetargetAction.run(RetargetAction.java:221)  
at org.eclipse.ui.navigator.CommonNavigatorManager\$3.open(CommonNavigatorManager.java:185)  
at org.eclipse.ui.OpenAndLinkWithEditorHelper\$InternalListener.open(OpenAndLinkWithEditorHelper.java:48)  
at org.eclipse.jface.viewers.StructuredViewer\$2.run(StructuredViewer.java:845)  
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)  
at org.eclipse.ui.internal.JFaceUtil\$1.run(JFaceUtil.java:49)  
at org.eclipse.jface.util.SafeRunnable.run(SafeRunnable.java:175)  
at org.eclipse.jface.viewers.StructuredViewer.fireOpen(StructuredViewer.java:843)  
at org.eclipse.jface.viewers.StructuredViewer.handleOpen(StructuredViewer.java:1131)  
at org.eclipse.ui.navigator.CommonViewer.handleOpen(CommonViewer.java:462)  
at org.eclipse.jface.viewers.StructuredViewer\$6.handleOpen(StructuredViewer.java:1235)  
at org.eclipse.jface.util.OpenStrategy.fireOpenEvent(OpenStrategy.java:264)  
at org.eclipse.jface.util.OpenStrategy.access\$2(OpenStrategy.java:258)  
at org.eclipse.jface.util.OpenStrategy\$1.handleEvent(OpenStrategy.java:298)  
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)  
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1053)  
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:4066)  
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3657)  
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2640)  
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2604)  
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2438)  
at org.eclipse.ui.internal.Workbench\$7.run(Workbench.java:671)  
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)  
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:664)  
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)  
at org.talend.rcp.intro.Application.start(Application.java:126)  
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)  
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)  
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)

```
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:369)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:619)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:574)
at org.eclipse.equinox.launcher.Main.run(Main.java:1407)
```