

one more log of catalina.2014-06-18:

Jun 18, 2014 9:15:18 AM org.apache.catalina.core.AprLifecycleListener init

INFO: The APR based Apache Tomcat Native library which allows optimal performance in production environments was not found on the java.library.path: C:\Program Files\Java\jdk1.7.0\_03\bin;C:\Windows\Sun\Java\bin;C:\Windows\system32;C:\Windows;C:\CSVN\bin;C:\CSVN\Python25;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe;C:\Program Files (x86)\Microsoft SQL Server\100\Tools\Binn\SShell\Common7\IDE;C:\Program Files (x86)\Microsoft SQL Server\100\Tools\Binn\;C:\Program Files\Microsoft SQL Server\100\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL Server\100\DTS\Binn\;C:\Program Files\TortoiseSVN\bin;.

Jun 18, 2014 9:15:18 AM org.apache.coyote.http11.Http11Protocol init

SEVERE: Error initializing endpoint

java.net.BindException: Address already in use: JVM\_Bind <null>:8580

at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:549)

at org.apache.coyote.http11.Http11Protocol.init(Http11Protocol.java:176)

at org.apache.catalina.connector.Connector.initialize(Connector.java:1049)

at org.apache.catalina.core.StandardService.initialize(StandardService.java:703)

at org.apache.catalina.core.StandardServer.initialize(StandardServer.java:838)

at org.apache.catalina.startup.Catalina.load(Catalina.java:538)

at org.apache.catalina.startup.Catalina.load(Catalina.java:562)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:601)

at org.apache.catalina.startup.Bootstrap.load(Bootstrap.java:261)

at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:413)

Caused by: java.net.BindException: Address already in use: JVM\_Bind

at java.net.DualStackPlainSocketImpl.bind0(Native Method)

at java.net.DualStackPlainSocketImpl.socketBind(DualStackPlainSocketImpl.java:96)

at java.net.AbstractPlainSocketImpl.bind(AbstractPlainSocketImpl.java:376)

at java.net.PlainSocketImpl.bind(PlainSocketImpl.java:175)

at java.net.ServerSocket.bind(ServerSocket.java:376)

at java.net.ServerSocket.<init>(ServerSocket.java:237)

at java.net.ServerSocket.<init>(ServerSocket.java:181)

at org.apache.tomcat.util.net.DefaultServerSocketFactory.createSocket(DefaultServerSocketFactory.java:50)

at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:538)

... 12 more

Jun 18, 2014 9:15:18 AM org.apache.catalina.core.StandardService initialize

SEVERE: Failed to initialize connector ]

LifecycleException: Protocol handler initialization failed: java.net.BindException: Address already in use: JVM\_Bind <null>:8580

at org.apache.catalina.connector.Connector.initialize(Connector.java:1051)

at org.apache.catalina.core.StandardService.initialize(StandardService.java:703)

at org.apache.catalina.core.StandardServer.initialize(StandardServer.java:838)

at org.apache.catalina.startup.Catalina.load(Catalina.java:538)

at org.apache.catalina.startup.Catalina.load(Catalina.java:562)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:601)

at org.apache.catalina.startup.Bootstrap.load(Bootstrap.java:261)

at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:413)

Jun 18, 2014 9:15:18 AM org.apache.catalina.startup.Catalina load

INFO: Initialization processed in 1597 ms

Jun 18, 2014 9:15:18 AM org.apache.catalina.core.StandardService start

INFO: Starting service Catalina

Jun 18, 2014 9:15:19 AM org.apache.catalina.core.StandardEngine start

INFO: Starting Servlet Engine: Apache Tomcat/6.0.35

Jun 18, 2014 9:15:19 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor host-manager.xml

Jun 18, 2014 9:15:19 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor manager.xml

Jun 18, 2014 9:15:19 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBIBirtReportEngine.xml

Jun 18, 2014 9:15:19 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIBirtReportEngine inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:26 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:26 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBICommonJEngine.xml

Jun 18, 2014 9:15:26 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBICommonJEngine inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:26 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:27 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBIConsoleEngine.xml

Jun 18, 2014 9:15:27 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIConsoleEngine inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:28 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:29 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBIJasperReportEngine.xml

Jun 18, 2014 9:15:29 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIJasperReportEngine inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:29 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:29 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBIJPivotEngine.xml

Jun 18, 2014 9:15:29 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIJPivotEngine inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:30 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:30 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBIQbeEngine.xml

Jun 18, 2014 9:15:30 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIQbeEngine inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:31 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:31 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBITalendEngine.xml

Jun 18, 2014 9:15:31 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBITalendEngine inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:31 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:32 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor tdqportal.xml

Jun 18, 2014 9:15:32 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\tdqportal inside the host appBase has been specified, and will be ignored

Jun 18, 2014 9:15:32 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled

Jun 18, 2014 9:15:54 AM org.apache.catalina.startup.HostConfig deployDirectory

INFO: Deploying web application directory docs  
Jun 18, 2014 9:15:54 AM org.apache.catalina.startup.HostConfig deployDirectory  
INFO: Deploying web application directory examples  
Jun 18, 2014 9:15:55 AM org.apache.catalina.startup.HostConfig deployDirectory  
INFO: Deploying web application directory ROOT  
Jun 18, 2014 9:15:55 AM org.apache.coyote.http11.Http11Protocol start  
SEVERE: Error starting endpoint  
java.net.BindException: Address already in use: JVM\_Bind <null>:8580  
at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:549)  
at org.apache.tomcat.util.net.JIoEndpoint.start(JIoEndpoint.java:565)  
at org.apache.coyote.http11.Http11Protocol.start(Http11Protocol.java:203)  
at org.apache.catalina.connector.Connector.start(Connector.java:1122)  
at org.apache.catalina.core.StandardService.start(StandardService.java:540)  
at org.apache.catalina.core.StandardServer.start(StandardServer.java:754)  
at org.apache.catalina.startup.Catalina.start(Catalina.java:595)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:601)  
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:289)  
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:414)  
Caused by: java.net.BindException: Address already in use: JVM\_Bind  
at java.net.DualStackPlainSocketImpl.bind0(Native Method)  
at java.net.DualStackPlainSocketImpl.socketBind(DualStackPlainSocketImpl.java:96)  
at java.net.AbstractPlainSocketImpl.bind(AbstractPlainSocketImpl.java:376)  
at java.net.PlainSocketImpl.bind(PlainSocketImpl.java:175)  
at java.net.ServerSocket.bind(ServerSocket.java:376)  
at java.net.ServerSocket.<init>(ServerSocket.java:237)  
at java.net.ServerSocket.<init>(ServerSocket.java:181)  
at org.apache.tomcat.util.net.DefaultServerSocketFactory.createSocket(DefaultServerSocketFactory.java:50)  
at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:538)  
... 12 more  
Jun 18, 2014 9:15:55 AM org.apache.catalina.core.StandardService start  
SEVERE: Failed to start connector ]  
LifecycleException: service.getName(): "Catalina"; Protocol handler start failed: java.net.BindException: Address already in use: JVM\_Bind <null>:8580  
at org.apache.catalina.connector.Connector.start(Connector.java:1129)  
at org.apache.catalina.core.StandardService.start(StandardService.java:540)  
at org.apache.catalina.core.StandardServer.start(StandardServer.java:754)  
at org.apache.catalina.startup.Catalina.start(Catalina.java:595)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:601)  
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:289)  
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:414)  
Jun 18, 2014 9:15:55 AM org.apache.jk.common.ChannelSocket init  
INFO: Port busy 8509 java.net.BindException: Address already in use: JVM\_Bind  
Jun 18, 2014 9:15:55 AM org.apache.jk.common.ChannelSocket init  
SEVERE: Can't find free port 8509 8509  
Jun 18, 2014 9:15:55 AM org.apache.jk.server.JkMain start  
INFO: Jk running ID=0 time=0/18 config=null  
Jun 18, 2014 9:15:55 AM org.apache.catalina.startup.Catalina start  
INFO: Server startup in 36490 ms

Jun 18, 2014 9:15:55 AM org.apache.catalina.core.StandardServer await  
SEVERE: StandardServer.await: create:  
java.net.BindException: Address already in use: JVM\_Bind  
at java.net.DualStackPlainSocketImpl.bind0(Native Method)  
at java.net.DualStackPlainSocketImpl.socketBind(DualStackPlainSocketImpl.java:96)  
at java.net.AbstractPlainSocketImpl.bind(AbstractPlainSocketImpl.java:376)  
at java.net.PlainSocketImpl.bind(PlainSocketImpl.java:175)  
at java.net.ServerSocket.bind(ServerSocket.java:376)  
at java.net.ServerSocket.<init>(ServerSocket.java:237)  
at org.apache.catalina.core.StandardServer.await(StandardServer.java:406)  
at org.apache.catalina.startup.Catalina.await(Catalina.java:676)  
at org.apache.catalina.startup.Catalina.start(Catalina.java:628)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:601)  
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:289)  
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:414)  
Jun 18, 2014 9:15:55 AM org.apache.coyote.http11.Http11Protocol pause  
INFO: Pausing Coyote HTTP/1.1 on http-8580  
Jun 18, 2014 9:15:56 AM org.apache.catalina.core.StandardService stop  
INFO: Stopping service Catalina  
Jun 18, 2014 9:15:57 AM org.apache.catalina.loader.WebappClassLoader clearReferencesThreads  
SEVERE: The web application appears to have started a thread named but has failed to stop it. This is very likely to create a memory leak.  
Jun 18, 2014 9:15:57 AM org.apache.catalina.loader.WebappClassLoader clearThreadLocalMap  
SEVERE: The web application created a ThreadLocal with key of type (value ) and a value of type (value ) but failed to remove it when the web application was stopped. This is very likely to create a memory leak.  
Jun 18, 2014 9:16:03 AM org.apache.coyote.http11.Http11Protocol destroy  
INFO: Stopping Coyote HTTP/1.1 on http-8580  
Jun 18, 2014 9:16:29 AM org.apache.catalina.core.AprLifecycleListener init  
INFO: The APR based Apache Tomcat Native library which allows optimal performance in production environments was not found on the java.library.path: C:\Program Files\Java\jdk1.7.0\_03\bin;C:\Windows\Sun\Java\bin;C:\Windows\system32;C:\Windows;C:\CSVN\bin;C:\CSVN\Python25;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe;C:\Program Files\Microsoft SQL Server\100\Tools\Binn\SShell\Common7\IDE;C:\Program Files (x86)\Microsoft SQL Server\100\Tools\Binn\;C:\Program Files\Microsoft SQL Server\100\Tools\Binn\;C:\Program Files (x86)\Microsoft SQL Server\100\DTS\Binn\;C:\Program Files\TortoiseSVN\bin;. . .  
Jun 18, 2014 9:16:30 AM org.apache.coyote.http11.Http11Protocol init  
SEVERE: Error initializing endpoint  
java.net.BindException: Address already in use: JVM\_Bind <null>:8580  
at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:549)  
at org.apache.coyote.http11.Http11Protocol.init(Http11Protocol.java:176)  
at org.apache.catalina.connector.Connector.initialize(Connector.java:1049)  
at org.apache.catalina.core.StandardService.initialize(StandardService.java:703)  
at org.apache.catalina.core.StandardServer.initialize(StandardServer.java:838)  
at org.apache.catalina.startup.Catalina.load(Catalina.java:538)  
at org.apache.catalina.startup.Catalina.load(Catalina.java:562)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:601)  
at org.apache.catalina.startup.Bootstrap.load(Bootstrap.java:261)  
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:413)  
Caused by: java.net.BindException: Address already in use: JVM\_Bind  
at java.net.DualStackPlainSocketImpl.bind0(Native Method)  
at java.net.DualStackPlainSocketImpl.socketBind(DualStackPlainSocketImpl.java:96)

```
at java.net.AbstractPlainSocketImpl.bind(AbstractPlainSocketImpl.java:376)
at java.net.PlainSocketImpl.bind(PlainSocketImpl.java:175)
at java.net.ServerSocket.bind(ServerSocket.java:376)
at java.net.ServerSocket.<init>(ServerSocket.java:237)
at java.net.ServerSocket.<init>(ServerSocket.java:181)
at org.apache.tomcat.util.net.DefaultServerSocketFactory.createSocket(DefaultServerSocketFactory.java:50)
at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:538)
... 12 more
Jun 18, 2014 9:16:30 AM org.apache.catalina.core.StandardService initialize
SEVERE: Failed to initialize connector ]
LifecycleException: Protocol handler initialization failed: java.net.BindException: Address already in use: JVM_Bind <null>:8580
at org.apache.catalina.connector.Connector.initialize(Connector.java:1051)
at org.apache.catalina.core.StandardService.initialize(StandardService.java:703)
at org.apache.catalina.core.StandardServer.initialize(StandardServer.java:838)
at org.apache.catalina.startup.Catalina.load(Catalina.java:538)
at org.apache.catalina.startup.Catalina.load(Catalina.java:562)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:601)
at org.apache.catalina.startup.Bootstrap.load(Bootstrap.java:261)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:413)
Jun 18, 2014 9:16:30 AM org.apache.catalina.startup.Catalina load
INFO: Initialization processed in 1443 ms
Jun 18, 2014 9:16:30 AM org.apache.catalina.core.StandardService start
INFO: Starting service Catalina
Jun 18, 2014 9:16:30 AM org.apache.catalina.core.StandardEngine start
INFO: Starting Servlet Engine: Apache Tomcat/6.0.35
Jun 18, 2014 9:16:30 AM org.apache.catalina.startup.HostConfig deployDescriptor
INFO: Deploying configuration descriptor host-manager.xml
Jun 18, 2014 9:16:30 AM org.apache.catalina.startup.HostConfig deployDescriptor
INFO: Deploying configuration descriptor manager.xml
Jun 18, 2014 9:16:30 AM org.apache.catalina.startup.HostConfig deployDescriptor
INFO: Deploying configuration descriptor SpagoBIBirtReportEngine.xml
Jun 18, 2014 9:16:30 AM org.apache.catalina.startup.HostConfig deployDescriptor
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIBirtReportEngine inside the host appBase has been specified, and will be ignored
Jun 18, 2014 9:16:37 AM org.apache.catalina.session.PersistentManagerBase start
SEVERE: No Store configured, persistence disabled
Jun 18, 2014 9:16:37 AM org.apache.catalina.startup.HostConfig deployDescriptor
INFO: Deploying configuration descriptor SpagoBICommonJEngine.xml
Jun 18, 2014 9:16:37 AM org.apache.catalina.startup.HostConfig deployDescriptor
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBICommonJEngine inside the host appBase has been specified, and will be ignored
Jun 18, 2014 9:16:38 AM org.apache.catalina.session.PersistentManagerBase start
SEVERE: No Store configured, persistence disabled
Jun 18, 2014 9:16:38 AM org.apache.catalina.startup.HostConfig deployDescriptor
INFO: Deploying configuration descriptor SpagoBIConsoleEngine.xml
Jun 18, 2014 9:16:38 AM org.apache.catalina.startup.HostConfig deployDescriptor
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIConsoleEngine inside the host appBase has been specified, and will be ignored
Jun 18, 2014 9:16:38 AM org.apache.catalina.session.PersistentManagerBase start
SEVERE: No Store configured, persistence disabled
Jun 18, 2014 9:16:39 AM org.apache.catalina.startup.HostConfig deployDescriptor
INFO: Deploying configuration descriptor SpagoBIJasperReportEngine.xml
Jun 18, 2014 9:16:39 AM org.apache.catalina.startup.HostConfig deployDescriptor
```

WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIJasperReportEngine inside the host appBase has been specified, and will be ignored  
Jun 18, 2014 9:16:39 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled  
Jun 18, 2014 9:16:40 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBIJPivotEngine.xml  
Jun 18, 2014 9:16:40 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIJPivotEngine inside the host appBase has been specified, and will be ignored  
Jun 18, 2014 9:16:41 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled  
Jun 18, 2014 9:16:41 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBIQbeEngine.xml  
Jun 18, 2014 9:16:41 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBIQbeEngine inside the host appBase has been specified, and will be ignored  
Jun 18, 2014 9:16:41 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled  
Jun 18, 2014 9:16:42 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor SpagoBITalendEngine.xml  
Jun 18, 2014 9:16:42 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\SpagoBITalendEngine inside the host appBase has been specified, and will be ignored  
Jun 18, 2014 9:16:42 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled  
Jun 18, 2014 9:16:42 AM org.apache.catalina.startup.HostConfig deployDescriptor  
INFO: Deploying configuration descriptor tdqportal.xml  
Jun 18, 2014 9:16:42 AM org.apache.catalina.startup.HostConfig deployDescriptor  
WARNING: A docBase C:\Talend\5.4.2\tdqp\apache-tomcat\webapps\tdqportal inside the host appBase has been specified, and will be ignored  
Jun 18, 2014 9:16:42 AM org.apache.catalina.session.PersistentManagerBase start  
SEVERE: No Store configured, persistence disabled  
Jun 18, 2014 9:17:08 AM org.apache.catalina.startup.HostConfig deployDirectory  
INFO: Deploying web application directory docs  
Jun 18, 2014 9:17:08 AM org.apache.catalina.startup.HostConfig deployDirectory  
INFO: Deploying web application directory examples  
Jun 18, 2014 9:17:08 AM org.apache.catalina.startup.HostConfig deployDirectory  
INFO: Deploying web application directory ROOT  
Jun 18, 2014 9:17:08 AM org.apache.coyote.http11.Http11Protocol start  
SEVERE: Error starting endpoint  
java.net.BindException: Address already in use: JVM\_Bind <null>:8580  
at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:549)  
at org.apache.tomcat.util.net.JIoEndpoint.start(JIoEndpoint.java:565)  
at org.apache.coyote.http11.Http11Protocol.start(Http11Protocol.java:203)  
at org.apache.catalina.connector.Connector.start(Connector.java:1122)  
at org.apache.catalina.core.StandardService.start(StandardService.java:540)  
at org.apache.catalina.core.StandardServer.start(StandardServer.java:754)  
at org.apache.catalina.startup.Catalina.start(Catalina.java:595)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:601)  
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:289)  
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:414)  
Caused by: java.net.BindException: Address already in use: JVM\_Bind  
at java.net.DualStackPlainSocketImpl.bind0(Native Method)  
at java.net.DualStackPlainSocketImpl.socketBind(DualStackPlainSocketImpl.java:96)  
at java.net.AbstractPlainSocketImpl.bind(AbstractPlainSocketImpl.java:376)

at java.net.PlainSocketImpl.bind(PlainSocketImpl.java:175)  
at java.net.ServerSocket.bind(ServerSocket.java:376)  
at java.net.ServerSocket.<init>(ServerSocket.java:237)  
at java.net.ServerSocket.<init>(ServerSocket.java:181)  
at org.apache.tomcat.util.net.DefaultServerSocketFactory.createSocket(DefaultServerSocketFactory.java:50)  
at org.apache.tomcat.util.net.JIoEndpoint.init(JIoEndpoint.java:538)  
... 12 more  
Jun 18, 2014 9:17:08 AM org.apache.catalina.core.StandardService start  
SEVERE: Failed to start connector ]  
LifecycleException: service.getName(): "Catalina"; Protocol handler start failed: java.net.BindException: Address already in use: JVM\_Bind <null>:8580  
at org.apache.catalina.connector.Connector.start(Connector.java:1129)  
at org.apache.catalina.core.StandardService.start(StandardService.java:540)  
at org.apache.catalina.core.StandardServer.start(StandardServer.java:754)  
at org.apache.catalina.startup.Catalina.start(Catalina.java:595)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:601)  
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:289)  
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:414)  
Jun 18, 2014 9:17:08 AM org.apache.jk.common.ChannelSocket init  
INFO: Port busy 8509 java.net.BindException: Address already in use: JVM\_Bind  
Jun 18, 2014 9:17:08 AM org.apache.jk.common.ChannelSocket init  
SEVERE: Can't find free port 8509 8509  
Jun 18, 2014 9:17:08 AM org.apache.jk.server.JkMain start  
INFO: Jk running ID=0 time=0/203 config=null  
Jun 18, 2014 9:17:08 AM org.apache.catalina.startup.Catalina start  
INFO: Server startup in 38785 ms  
Jun 18, 2014 9:17:08 AM org.apache.catalina.core.StandardServer await  
SEVERE: StandardServer.await: create:  
java.net.BindException: Address already in use: JVM\_Bind  
at java.net.DualStackPlainSocketImpl.bind0(Native Method)  
at java.net.DualStackPlainSocketImpl.socketBind(DualStackPlainSocketImpl.java:96)  
at java.net.AbstractPlainSocketImpl.bind(AbstractPlainSocketImpl.java:376)  
at java.net.PlainSocketImpl.bind(PlainSocketImpl.java:175)  
at java.net.ServerSocket.bind(ServerSocket.java:376)  
at java.net.ServerSocket.<init>(ServerSocket.java:237)  
at org.apache.catalina.core.StandardServer.await(StandardServer.java:406)  
at org.apache.catalina.startup.Catalina.await(Catalina.java:676)  
at org.apache.catalina.startup.Catalina.start(Catalina.java:628)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:601)  
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:289)  
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:414)  
Jun 18, 2014 9:17:08 AM org.apache.coyote.http11.Http11Protocol pause  
INFO: Pausing Coyote HTTP/1.1 on http-8580  
Jun 18, 2014 9:17:09 AM org.apache.catalina.core.StandardService stop  
INFO: Stopping service Catalina  
Jun 18, 2014 9:17:11 AM org.apache.catalina.loader.WebappClassLoader clearReferencesThreads  
SEVERE: The web application appears to have started a thread named but has failed to stop it. This is very likely to create a memory leak.  
Jun 18, 2014 9:17:11 AM org.apache.catalina.loader.WebappClassLoader clearReferencesThreads

SEVERE: The web application appears to have started a thread named but has failed to stop it. This is very likely to create a memory leak.

Jun 18, 2014 9:17:11 AM org.apache.catalina.loader.WebappClassLoader clearThreadLocalMap

SEVERE: The web application created a ThreadLocal with key of type (value ) and a value of type (value ) but failed to remove it when the web application was stopped. This is very likely to create a memory leak.

Jun 18, 2014 9:17:18 AM org.apache.coyote.http11.Http11Protocol destroy

INFO: Stopping Coyote HTTP/1.1 on http-8580