

i am also getting same error while launching studio. Please find log.

!SESSION 2016-08-06 15:35:06.293 -----

eclipse.buildId=unknown

java.version=1.6.0\_21

java.vendor=Sun Microsystems Inc.

BootLoader constants: OS=win32, ARCH=x86\_64, WS=win32, NL=en\_US

!ENTRY org.eclipse.osgi 4 0 2016-08-06 15:35:07.701

!MESSAGE error loading hook: org.talend.osgi.configurator.JarLoaderConfigurator

!STACK 0

java.lang.UnsupportedClassVersionError: org/talend/osgi/configurator/JarLoaderConfigurator : Unsupported major.minor version 52.0

at java.lang.ClassLoader.defineClass1(Native Method)

at java.lang.ClassLoader.defineClassCond(Unknown Source)

at java.lang.ClassLoader.defineClass(Unknown Source)

at java.security.SecureClassLoader.defineClass(Unknown Source)

at java.net.URLClassLoader.defineClass(Unknown Source)

at java.net.URLClassLoader.access\$000(Unknown Source)

at java.net.URLClassLoader\$1.run(Unknown Source)

at java.security.AccessController.doPrivileged(Native Method)

at java.net.URLClassLoader.findClass(Unknown Source)

at java.lang.ClassLoader.loadClass(Unknown Source)

at java.lang.ClassLoader.loadClass(Unknown Source)

at java.lang.Class.forName0(Native Method)

at java.lang.Class.forName(Unknown Source)

at org.eclipse.osgi.internal.hookregistry.HookRegistry.loadConfigurators(HookRegistry.java:185)

at org.eclipse.osgi.internal.hookregistry.HookRegistry.initialize(HookRegistry.java:106)

at org.eclipse.osgi.internal.framework.EquinoxContainer.<init>(EquinoxContainer.java:73)

at org.eclipse.osgi.launch.Equinox.<init>(Equinox.java:31)

at org.eclipse.core.runtime.adaptor.EclipseStarter.startup(EclipseStarter.java:295)

at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:231)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

at java.lang.reflect.Method.invoke(Unknown Source)

at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)

at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)

at org.eclipse.equinox.launcher.Main.run(Main.java:1465)

at org.eclipse.equinox.launcher.Main.main(Main.java:1438)

!ENTRY org.eclipse.equinox.ds 4 0 2016-08-06 15:35:08.636

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.eclipse.equinox.ds [4]

Unresolved requirement: Import-Package: org.eclipse.equinox.internal.util.event; version="1.0.0"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jdt.launching.macosx 4 0 2016-08-06 15:35:49.603

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.macosx [327]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jdt.launching.ui.macosx 4 0 2016-08-06 15:35:49.612

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.ui.macosx [329]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.common.ui.runtime 4 0 2016-08-06 15:35:49.666

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="( & (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="( & (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="( & (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="( & (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.commons.runtime 4 0 2016-08-06 15:35:49.675

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.commons.ui 4 0 2016-08-06 15:35:49.691

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.componentdesigner 4 0 2016-08-06 15:35:49.704

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.componentdesigner [488]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.components.jira 4 0 2016-08-06 15:35:49.722

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.components.jira [492]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"  
org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"  
org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.components.salesforce 4 0 2016-08-06 15:35:49.736

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.components.salesforce [493]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"  
org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

```
-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"
org.talend.daikon [505]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.components.splunk 4 0 2016-08-06 15:35:49.752
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.components.splunk [494]
```

```
Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"
```

```
-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";
uses="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"
org.talend.components.api [489]
```

```
Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"
```

```
-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"
org.talend.daikon [505]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.core.repository 4 0 2016-08-06 15:35:49.766
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.core.repository [497]
```

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
```

```
Unresolved requirement: Require-Bundle: org.talend.model
```

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
```

```
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
```

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

```
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.runtime 4 0 2016-08-06 15:35:49.778

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.ui 4 0 2016-08-06 15:35:49.792

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.ui [501]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core 4 0 2016-08-06 15:35:49.808

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

```
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.common.ui.runtime [482]
  Unresolved requirement: Import-Package: org.eclipse.swt.graphics
    -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
      org.eclipse.swt.gtk.linux.s390x [412]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
  Unresolved requirement: Import-Package: org.eclipse.swt.custom
    -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
      org.eclipse.swt.gtk.solaris.x86 [421]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
  Unresolved requirement: Import-Package: org.eclipse.swt.events
    -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
      org.eclipse.swt.gtk.linux.ppc64 [408]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
  Unresolved requirement: Import-Package: org.eclipse.swt
    -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
  Unresolved requirement: Import-Package: org.eclipse.swt.widgets
    -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
      org.eclipse.swt.gtk.hpux.ia64 [403]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
  Unresolved requirement: Import-Package: org.eclipse.swt.layout
    -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
      org.eclipse.swt.gtk.linux.s390 [413]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.cwm.mip.edit 4 0 2016-08-06 15:35:49.822

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.cwm.mip.edit [503]
  Unresolved requirement: Require-Bundle: org.talend.cwm.mip; visibility:="reexport"
    -> Bundle-SymbolicName: org.talend.cwm.mip; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.cwm.mip [504]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.cwm.mip 4 0 2016-08-06 15:35:49.835

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.cwm.mip [504]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.abstractmap 4 0 2016-08-06 15:35:49.852

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.abstractmap [508]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.alfrescooutput 4 0 2016-08-06 15:35:49.869

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.alfrescooutput [510]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.business.diagram 4 0 2016-08-06 15:35:49.882

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.business.diagram [512]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.codegen 4 0 2016-08-06 15:35:49.892

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.codegen [514]
  Unresolved requirement: Require-Bundle: org.talend.core.repository
    -> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.repository [497]
      Unresolved requirement: Require-Bundle: org.talend.core.runtime
        -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
          Unresolved requirement: Require-Bundle: org.talend.model
            -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
                  Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.components.exchange 4 0 2016-08-06 15:35:49.902

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.exchange [516]
  Unresolved requirement: Import-Package: org.talend.registration.wizards.register
    -> Export-Package: org.talend.registration.wizards.register; bundle-version="6.2.1.20160704_1411"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"
    org.talend.registration [683]
      Unresolved requirement: Require-Bundle: org.talend.core.runtime
        -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
          Unresolved requirement: Require-Bundle: org.talend.model
            -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
                  Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.components.localprovider 4 0 2016-08-06 15:35:49.915

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.localprovider [517]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.core.generic 4 0 2016-08-06 15:35:49.927

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.core.generic [518]

Unresolved requirement: Import-Package: org.talend.components.api.component

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.core 4 0 2016-08-06 15:35:49.937

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.core [520]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"

org.talend.hadoop.distribution [594]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.dbmap 4 0 2016-08-06 15:35:49.946

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.dbmap [522]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.components.rs.consumer 4 0 2016-08-06 15:35:50.017

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.rs.consumer [525]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.components.ws.consumer 4 0 2016-08-06 15:35:50.026

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.ws.consumer [526]

Unresolved requirement: Import-Package: org.talend.designer.core.model.components

-> Export-Package: org.talend.designer.core.model.components; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.designer.core"; version="0.0.0"  
org.talend.designer.core [520]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"  
org.talend.hadoop.distribution [594]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.routines 4 0 2016-08-06 15:35:50.034

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.routines [527]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.filemultischemas 4 0 2016-08-06 15:35:50.043

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.filemultischemas [528]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.fileoutputxml 4 0 2016-08-06 15:35:50.051

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.fileoutputxml [530]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.gefabstractmap 4 0 2016-08-06 15:35:50.059

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.gefabstractmap [532]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.hl7 4 0 2016-08-06 15:35:50.075

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.hl7 [534]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.mapper 4 0 2016-08-06 15:35:50.084

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.mapper [536]

```
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.maven.job 4 0 2016-08-06 15:35:50.092

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.job [538]

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.maven.ui 4 0 2016-08-06 15:35:50.102

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.ui [541]

```
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.maven 4 0 2016-08-06 15:35:50.110
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven [542]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.rowgenerator 4 0 2016-08-06 15:35:50.119
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.rowgenerator [544]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core [502]
      Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
        -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.common.ui.runtime [482]
          Unresolved requirement: Import-Package: org.eclipse.swt.graphics
            -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
                org.eclipse.swt.gtk.linux.s390x [412]
              Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
            Unresolved requirement: Import-Package: org.eclipse.swt.custom
              -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
                  org.eclipse.swt.gtk.solaris.x86 [421]
                Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
            Unresolved requirement: Import-Package: org.eclipse.swt.events
              -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
                  org.eclipse.swt.gtk.linux.ppc64 [408]
                Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
            Unresolved requirement: Import-Package: org.eclipse.swt
```

```
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.runprocess 4 0 2016-08-06 15:35:50.127

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runprocess [546]

Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization

```
-> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.2.1.20160704_1411"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"
org.talend.designer.runtime.visualization [548]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.runtime.visualization.tools 4 0 2016-08-06 15:35:50.135

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization.tools [547]

Unresolved requirement: Require-Bundle: org.talend.designer.runtime.visualization

```
-> Bundle-SymbolicName: org.talend.designer.runtime.visualization; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.designer.runtime.visualization [548]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.runtime.visualization 4 0 2016-08-06 15:35:50.143

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization [548]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.scd 4 0 2016-08-06 15:35:50.151

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.scd [550]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.spss 4 0 2016-08-06 15:35:50.195

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.spss [551]

Unresolved requirement: Require-Bundle: org.talend.commons.ui

-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.commons.ui [486]

Unresolved requirement: Require-Bundle: org.talend.utils

-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"

org.talend.utils [716]

Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.webservice 4 0 2016-08-06 15:35:50.202

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.webservice [553]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk)(osgi.os=linux)(osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

```
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
org.eclipse.swt.gtk.solaris.x86 [421]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
Unresolved requirement: Import-Package: org.eclipse.swt.events
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.xmlmap 4 0 2016-08-06 15:35:50.210

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.xmlmap [555]

Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.model [671]
```

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.expressionbuilder 4 0 2016-08-06 15:35:50.218

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.expressionbuilder [557]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.apache100 4 0 2016-08-06 15:35:50.226

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.apache100 [558]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh4mr1 4 0 2016-08-06 15:35:50.234

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh4mr1 [559]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh4mr2 4 0 2016-08-06 15:35:50.242

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh4mr2 [560]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh500mr2 4 0 2016-08-06 15:35:50.251

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh500mr2 [561]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.cdh510mr1 4 0 2016-08-06 15:35:50.259

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh510mr1 [562]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.cdh510mr2 4 0 2016-08-06 15:35:50.267

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh510mr2 [563]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh540 4 0 2016-08-06 15:35:50.275

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh540 [564]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh550 4 0 2016-08-06 15:35:50.286

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh550 [565]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh570 4 0 2016-08-06 15:35:50.295

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cd570 [566]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.custom 4 0 2016-08-06 15:35:50.303

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.custom [567]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr103 4 0 2016-08-06 15:35:50.311

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr103 [568]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
```

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.emr240hive0131 4 0 2016-08-06 15:35:50.326
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240hive0131 [569]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.emr240 4 0 2016-08-06 15:35:50.335
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240 [570]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr400 4 0 2016-08-06 15:35:50.343

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr400 [571]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr450 4 0 2016-08-06 15:35:50.351

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr450 [572]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdinsight310 4 0 2016-08-06 15:35:50.358

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight310 [573]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdinsight320 4 0 2016-08-06 15:35:50.366

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight320 [574]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.hdinsight340 4 0 2016-08-06 15:35:50.374
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight340 [575]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.hdp120 4 0 2016-08-06 15:35:50.385
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp120 [576]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.hdp130 4 0 2016-08-06 15:35:50.393
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp130 [577]
```

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
  -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
  org.talend.model [671]
    Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.hdp200 4 0 2016-08-06 15:35:50.401
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp200 [578]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
  -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
  org.talend.core.runtime [499]
    Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
      -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.hdp210 4 0 2016-08-06 15:35:50.410
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp210 [579]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
  -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
  org.talend.core.runtime [499]
    Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
```

```
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp220 4 0 2016-08-06 15:35:50.418

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp220 [580]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp230 4 0 2016-08-06 15:35:50.439

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp230 [581]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.hdp240 4 0 2016-08-06 15:35:50.447

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp240 [582]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.mapr200 4 0 2016-08-06 15:35:50.455

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr200 [583]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.mapr212 4 0 2016-08-06 15:35:50.463

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr212 [584]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.mapr213 4 0 2016-08-06 15:35:50.473

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr213 [585]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.mapr301 4 0 2016-08-06 15:35:50.481
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr301 [586]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.mapr310 4 0 2016-08-06 15:35:50.489
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr310 [587]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.mapr401 4 0 2016-08-06 15:35:50.497
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr401 [588]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.model [671]
        Unresolved requirement: Require-Bundle: org.talend.commons.runtime
          -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.mapr410 4 0 2016-08-06 15:35:50.506

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr410 [589]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.mapr500 4 0 2016-08-06 15:35:50.514

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr500 [590]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
```

Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr510 4 0 2016-08-06 15:35:50.522

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr510 [591]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.piv101 4 0 2016-08-06 15:35:50.530

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.piv101 [592]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.piv200 4 0 2016-08-06 15:35:50.540
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.piv200 [593]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution 4 0 2016-08-06 15:35:50.550
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution [594]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.help 4 0 2016-08-06 15:35:50.559

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.help [596]
  Unresolved requirement: Require-Bundle: org.talend.commons.ui
    -> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.commons.ui [486]
        Unresolved requirement: Require-Bundle: org.talend.utils
          -> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704_1411"
            org.talend.utils [716]
              Unresolved requirement: Require-Bundle: org.talend.daikon; visibility="reexport"
                -> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"
                  org.talend.daikon [505]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.libraries.hadoop.mapr.5.0.0 4 0 2016-08-06 15:35:50.568

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.libraries.hadoop.mapr.5.0.0 [619]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.librariesmanager.ui 4 0 2016-08-06 15:35:50.576

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.librariesmanager.ui [659]

Unresolved requirement: Require-Bundle: org.talend.commons.ui

-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.commons.ui [486]

Unresolved requirement: Require-Bundle: org.talend.utils

-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"

org.talend.utils [716]

Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.librariesmanager 4 0 2016-08-06 15:35:50.584

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.librariesmanager [660]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.metadata.managment.ui 4 0 2016-08-06 15:35:50.592

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.metadata.managment.ui [663]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.metadata.managment 4 0 2016-08-06 15:35:50.600

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.metadata.managment [664]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.migrationTool 4 0 2016-08-06 15:35:50.608

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.migrationTool [665]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.model.edit 4 0 2016-08-06 15:35:50.623

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.model.edit [667]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip.edit

-> Bundle-SymbolicName: org.talend.cwm.mip.edit; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.cwm.mip.edit [503]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip; visibility="reexport"

-> Bundle-SymbolicName: org.talend.cwm.mip; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.cwm.mip [504]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.model.migration 4 0 2016-08-06 15:35:50.634

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.model.migration [669]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.model 4 0 2016-08-06 15:35:50.641

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.platform.logging 4 0 2016-08-06 15:35:50.655

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.platform.logging [672]

Unresolved requirement: Require-Bundle: org.talend.utils

-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"

org.talend.utils [716]

Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.rcp.branding.tos 4 0 2016-08-06 15:35:50.665

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.rcp.branding.tos [679]

Unresolved requirement: Require-Bundle: org.talend.rcp

-> Bundle-SymbolicName: org.talend.rcp; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.rcp [681]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.rcp 4 0 2016-08-06 15:35:50.674

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.rcp [681]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.registration 4 0 2016-08-06 15:35:50.682

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.registration [683]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.generic 4 0 2016-08-06 15:35:50.691

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.generic [686]

Unresolved requirement: Import-Package: org.talend.components.api.component

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.items.importexport.ui 4 0 2016-08-06 15:35:50.700

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.items.importexport.ui [689]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.repository.items.importexport 4 0 2016-08-06 15:35:50.711
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.items.importexport [690]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.repository.json 4 0 2016-08-06 15:35:50.719
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.json [692]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.repository.localprovider 4 0 2016-08-06 15:35:50.727
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.localprovider [694]
  Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
    -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.common.ui.runtime [482]
      Unresolved requirement: Import-Package: org.eclipse.swt.graphics
        -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
            org.eclipse.swt.gtk.linux.s390x [412]
          Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
        Unresolved requirement: Import-Package: org.eclipse.swt.custom
          -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
```

```
org.eclipse.swt.gtk.solaris.x86 [421]
  Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
Unresolved requirement: Import-Package: org.eclipse.swt.events
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
  Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.mdm 4 0 2016-08-06 15:35:50.734

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.mdm [696]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.repository.metadata 4 0 2016-08-06 15:35:50.742

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.metadata [698]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.view.di 4 0 2016-08-06 15:35:50.749

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.view.di [701]  
Unresolved requirement: Require-Bundle: org.talend.commons.ui  
-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.view 4 0 2016-08-06 15:35:50.757

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.view [703]  
Unresolved requirement: Require-Bundle: org.talend.model; visibility="reexport"  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository 4 0 2016-08-06 15:35:50.764

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository [704]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.resources 4 0 2016-08-06 15:35:50.772

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.resources [706]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.sbi.engines.client 4 0 2016-08-06 15:35:50.780

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.sbi.engines.client [708]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.spagic.engines.client 4 0 2016-08-06 15:35:50.787

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.spagic.engines.client [710]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.sqlbuilder 4 0 2016-08-06 15:35:50.796

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.sqlbuilder [712]

Unresolved requirement: Require-Bundle: org.talend.core.repository

-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.repository [497]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.themes.core 4 0 2016-08-06 15:35:50.810

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.themes.core [713]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.updates.runtime 4 0 2016-08-06 15:35:50.818

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.updates.runtime [715]

Unresolved requirement: Require-Bundle: org.talend.librariesmanager.ui

-> Bundle-SymbolicName: org.talend.librariesmanager.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.librariesmanager.ui [659]

Unresolved requirement: Require-Bundle: org.talend.commons.ui

-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.commons.ui [486]

Unresolved requirement: Require-Bundle: org.talend.utils

-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"

org.talend.utils [716]

Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1561)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.equinox.app 0 0 2016-08-06 15:36:00.840

!MESSAGE Product org.talend.rcp.branding.tos.product could not be found.

!ENTRY org.talend.maven.resolver 4 0 2016-08-06 15:36:00.911

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Error starting module.

at org.eclipse.osgi.container.Module.doStart(Module.java:580)

at org.eclipse.osgi.container.Module.start(Module.java:439)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

Caused by: java.lang.UnsupportedClassVersionError: org/talend/maven/resolver/Activator : Unsupported major.minor version 52.0

at java.lang.ClassLoader.defineClass1(Native Method)

at java.lang.ClassLoader.defineClassCond(Unknown Source)

at java.lang.ClassLoader.defineClass(Unknown Source)

at org.eclipse.osgi.internal.loader.ModuleClassLoader.defineClass(ModuleClassLoader.java:285)

at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.defineClass(ClasspathManager.java:632)

at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findClassImpl(ClasspathManager.java:588)

```
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClassImpl(ClasspathManager.java:540)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClass(ClasspathManager.java:527)
at org.eclipse.osgi.internal.loader.ModuleClassLoader.findLocalClass(ModuleClassLoader.java:324)
at org.eclipse.osgi.internal.loader.BundleLoader.findLocalClass(BundleLoader.java:320)
at org.eclipse.osgi.internal.loader.BundleLoader.findClassInternal(BundleLoader.java:395)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:345)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:337)
at org.eclipse.osgi.internal.framework.BundleContextImpl.loadBundleActivator(BundleContextImpl.java:754)
at org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:706)
at org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:936)
at org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:319)
at org.eclipse.osgi.container.Module.doStart(Module.java:571)
```

... 8 more

Root exception:

```
java.lang.UnsupportedClassVersionError: org/talend/maven/resolver/Activator : Unsupported major.minor version 52.0
at java.lang.ClassLoader.defineClass1(Native Method)
at java.lang.ClassLoader.defineClassCond(Unknown Source)
at java.lang.ClassLoader.defineClass(Unknown Source)
at org.eclipse.osgi.internal.loader.ModuleClassLoader.defineClass(ModuleClassLoader.java:285)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.defineClass(ClasspathManager.java:632)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findClassImpl(ClasspathManager.java:588)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClassImpl(ClasspathManager.java:540)
at org.eclipse.osgi.internal.loader.classpath.ClasspathManager.findLocalClass(ClasspathManager.java:527)
at org.eclipse.osgi.internal.loader.ModuleClassLoader.findLocalClass(ModuleClassLoader.java:324)
at org.eclipse.osgi.internal.loader.BundleLoader.findLocalClass(BundleLoader.java:320)
at org.eclipse.osgi.internal.loader.BundleLoader.findClassInternal(BundleLoader.java:395)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:345)
at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:337)
at org.eclipse.osgi.internal.framework.BundleContextImpl.loadBundleActivator(BundleContextImpl.java:754)
at org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:706)
at org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:936)
at org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:319)
at org.eclipse.osgi.container.Module.doStart(Module.java:571)
at org.eclipse.osgi.container.Module.start(Module.java:439)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.components.api.service 4 0 2016-08-06 15:36:01.726

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.components.api.service [8]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1582)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:1562)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:1533)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1476)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.eclipse.osgi 4 0 2016-08-06 15:36:01.743

!MESSAGE Bundle org.talend.maven.resolver\_6.2.1.20160704\_1411 [6] is not active.

!ENTRY org.eclipse.osgi 4 0 2016-08-06 15:36:01.751

!MESSAGE Bundle initial@reference:file 🤖lugins/org.talend.components.api.service\_0.13.1.jar was not resolved.

!ENTRY org.eclipse.jdt.launching.macosx 4 0 2016-08-06 15:36:01.758

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.macosx [327]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.eclipse.jdt.launching.ui.macosx 4 0 2016-08-06 15:36:01.772

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.eclipse.jdt.launching.ui.macosx [329]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.common.ui.runtime 4 0 2016-08-06 15:36:01.791

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="( & (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="( & (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.commons.runtime 4 0 2016-08-06 15:36:01.812

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.commons.ui 4 0 2016-08-06 15:36:01.831

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.componentdesigner 4 0 2016-08-06 15:36:01.846

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.componentdesigner [488]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.components.jira 4 0 2016-08-06 15:36:01.867

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.components.jira [492]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.components.salesforce 4 0 2016-08-06 15:36:01.881

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.components.salesforce [493]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.components.splunk 4 0 2016-08-06 15:36:01.905

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.components.splunk [494]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0)"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.core.repository 4 0 2016-08-06 15:36:01.918

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.repository [497]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.core.runtime 4 0 2016-08-06 15:36:01.934

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.ui 4 0 2016-08-06 15:36:01.950

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core.ui [501]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core 4 0 2016-08-06 15:36:01.969

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.cwm.mip.edit 4 0 2016-08-06 15:36:01.982

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.cwm.mip.edit [503]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.cwm.mip; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.cwm.mip [504]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.cwm.mip 4 0 2016-08-06 15:36:01.999

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.cwm.mip [504]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.abstractmap 4 0 2016-08-06 15:36:02.028

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.abstractmap [508]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.alfrescooutput 4 0 2016-08-06 15:36:02.043

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.alfrescooutput [510]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

```
    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
    org.eclipse.swt.gtk.hpux.ia64 [403]
    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
    org.eclipse.swt.gtk.linux.s390 [413]
    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.business.diagram 4 0 2016-08-06 15:36:02.051
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.business.diagram [512]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.core [502]
    Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
      -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.common.ui.runtime [482]
      Unresolved requirement: Import-Package: org.eclipse.swt.graphics
        -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
        org.eclipse.swt.gtk.linux.s390x [412]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
      Unresolved requirement: Import-Package: org.eclipse.swt.custom
        -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
        org.eclipse.swt.gtk.solaris.x86 [421]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
      Unresolved requirement: Import-Package: org.eclipse.swt.events
        -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
        org.eclipse.swt.gtk.linux.ppc64 [408]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
      Unresolved requirement: Import-Package: org.eclipse.swt
        -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
      Unresolved requirement: Import-Package: org.eclipse.swt.widgets
        -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
        org.eclipse.swt.gtk.hpux.ia64 [403]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
      Unresolved requirement: Import-Package: org.eclipse.swt.layout
        -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
        org.eclipse.swt.gtk.linux.s390 [413]
```

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.codegen 4 0 2016-08-06 15:36:02.059

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.codegen [514]

Unresolved requirement: Require-Bundle: org.talend.core.repository

-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.repository [497]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.components.exchange 4 0 2016-08-06 15:36:02.067

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.exchange [516]

Unresolved requirement: Import-Package: org.talend.registration.wizards.register

-> Export-Package: org.talend.registration.wizards.register; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"  
org.talend.registration [683]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.components.localprovider 4 0 2016-08-06 15:36:02.100

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.components.localprovider [517]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.core.generic 4 0 2016-08-06 15:36:02.108

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.core.generic [518]

Unresolved requirement: Import-Package: org.talend.components.api.component

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

```
uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"
org.talend.components.api [489]
  Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"
    -> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"
    org.talend.daikon [505]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.core 4 0 2016-08-06 15:36:02.193

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.core [520]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"
org.talend.hadoop.distribution [594]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.dbmap 4 0 2016-08-06 15:36:02.201

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.dbmap [522]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.components.rs.consumer 4 0 2016-08-06 15:36:02.209

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.rs.consumer [525]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.components.ws.consumer 4 0 2016-08-06 15:36:02.217

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.components.ws.consumer [526]

Unresolved requirement: Import-Package: org.talend.designer.core.model.components

-> Export-Package: org.talend.designer.core.model.components; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.designer.core"; version="0.0.0"

org.talend.designer.core [520]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

```
-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.2.1.20160704_1411"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"
org.talend.hadoop.distribution [594]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.esb.routines 4 0 2016-08-06 15:36:02.225

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.esb.routines [527]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.filemultischemas 4 0 2016-08-06 15:36:02.243  
!MESSAGE FrameworkEvent ERROR  
!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.filemultischemas [528]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.fileoutputxml 4 0 2016-08-06 15:36:02.251

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.fileoutputxml [530]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.gefabstractmap 4 0 2016-08-06 15:36:02.259

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.gefabstractmap [532]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.hl7 4 0 2016-08-06 15:36:02.266

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.hl7 [534]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.mapper 4 0 2016-08-06 15:36:02.274

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.mapper [536]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.maven.job 4 0 2016-08-06 15:36:02.282

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.job [538]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven.ui 4 0 2016-08-06 15:36:02.291

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven.ui [541]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven 4 0 2016-08-06 15:36:02.298

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.maven [542]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.rowgenerator 4 0 2016-08-06 15:36:02.311

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.rowgenerator [544]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

```
org.talend.core [502]
  Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
  -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
  org.talend.common.ui.runtime [482]
    Unresolved requirement: Import-Package: org.eclipse.swt.graphics
    -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
    org.eclipse.swt.gtk.linux.s390x [412]
      Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
    Unresolved requirement: Import-Package: org.eclipse.swt.custom
    -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
    org.eclipse.swt.gtk.solaris.x86 [421]
      Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
    Unresolved requirement: Import-Package: org.eclipse.swt.events
    -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
    org.eclipse.swt.gtk.linux.ppc64 [408]
      Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
    Unresolved requirement: Import-Package: org.eclipse.swt
    -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
    Unresolved requirement: Import-Package: org.eclipse.swt.widgets
    -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
    org.eclipse.swt.gtk.hpux.ia64 [403]
      Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
    Unresolved requirement: Import-Package: org.eclipse.swt.layout
    -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
    org.eclipse.swt.gtk.linux.s390 [413]
      Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
    Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.esb.components.rs.consumer 2 0 2016-08-06 15:36:02.338

!MESSAGE Could not resolve module: org.talend.designer.esb.components.rs.consumer [525]

```
Unresolved requirement: Require-Bundle: org.talend.core
  -> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton="true"
  org.talend.core [502]
    Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
    -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.common.ui.runtime [482]
      Unresolved requirement: Import-Package: org.eclipse.swt.graphics
      -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
      org.eclipse.swt.gtk.linux.s390x [412]
        Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
      Unresolved requirement: Import-Package: org.eclipse.swt.custom
      -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
      org.eclipse.swt.gtk.solaris.x86 [421]
        Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
```

Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.ppc64 2 0 2016-08-06 15:36:02.346  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.ppc64 [211]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

!ENTRY org.talend.designer.runprocess 4 0 2016-08-06 15:36:02.357  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runprocess [546]  
Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization  
-> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"  
org.talend.designer.runtime.visualization [548]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.swt.gtk.linux.x86\_64 2 0 2016-08-06 15:36:02.366  
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.x86\_64 [417]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86\_64))"

!ENTRY org.talend.designer.runtime.visualization.tools 4 0 2016-08-06 15:36:02.373  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization.tools [547]  
Unresolved requirement: Require-Bundle: org.talend.designer.runtime.visualization  
-> Bundle-SymbolicName: org.talend.designer.runtime.visualization; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.runtime.visualization [548]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution 2 0 2016-08-06 15:36:02.381  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution [594]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.runtime.visualization 4 0 2016-08-06 15:36:02.389  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.runtime.visualization [548]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.equinox.launcher.gtk.linux.s390 2 0 2016-08-06 15:36:02.397  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.s390 [214]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

!ENTRY org.talend.designer.scd 4 0 2016-08-06 15:36:02.404  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.scd [550]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom

```
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
org.eclipse.swt.gtk.solaris.x86 [421]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
Unresolved requirement: Import-Package: org.eclipse.swt.events
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.core.filesystem.win32.x86 2 0 2016-08-06 15:36:02.412
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.win32.x86 [108]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=win32) (osgi.arch=x86))"
```

```
!ENTRY org.talend.designer.spss 4 0 2016-08-06 15:36:02.419
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.spss [551]
  Unresolved requirement: Require-Bundle: org.talend.commons.ui
    -> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.commons.ui [486]
      Unresolved requirement: Require-Bundle: org.talend.utils
        -> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704_1411"
        org.talend.utils [716]
          Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"
            -> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"
            org.talend.daikon [505]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.swt.gtk.hpux.ia64 2 0 2016-08-06 15:36:02.427
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

!ENTRY org.talend.designer.webservice 4 0 2016-08-06 15:36:02.435
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.webservice [553]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core [502]
        Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
          -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.common.ui.runtime [482]
              Unresolved requirement: Import-Package: org.eclipse.swt.graphics
                -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
                  org.eclipse.swt.gtk.linux.s390x [412]
                    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
  Unresolved requirement: Import-Package: org.eclipse.swt.custom
    -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
      org.eclipse.swt.gtk.solaris.x86 [421]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
  Unresolved requirement: Import-Package: org.eclipse.swt.events
    -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
      org.eclipse.swt.gtk.linux.ppc64 [408]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
  Unresolved requirement: Import-Package: org.eclipse.swt
    -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
  Unresolved requirement: Import-Package: org.eclipse.swt.widgets
    -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
      org.eclipse.swt.gtk.hpux.ia64 [403]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
  Unresolved requirement: Import-Package: org.eclipse.swt.layout
    -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
      org.eclipse.swt.gtk.linux.s390 [413]
        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.mapper 2 0 2016-08-06 15:36:02.443
!MESSAGE Could not resolve module: org.talend.designer.mapper [536]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
```

```
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.designer.xmlmap 4 0 2016-08-06 15:36:02.451
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.designer.xmlmap [555]
  Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.model [671]
        Unresolved requirement: Require-Bundle: org.talend.commons.runtime
          -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.equinox.security.macosx 2 0 2016-08-06 15:36:02.459
```

```
!MESSAGE Could not resolve module: org.eclipse.equinox.security.macosx [255]
```

```
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=macosx) ((osgi.arch=x86)(osgi.arch=x86_64)(osgi.arch=ppc)) )"
```

```
!ENTRY org.talend.expressionbuilder 4 0 2016-08-06 15:36:02.466
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.expressionbuilder [557]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.cd4mr1 2 0 2016-08-06 15:36:02.474
```

```
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cd4mr1 [559]
```

```
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
```

Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.apache100 4 0 2016-08-06 15:36:02.482

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.apache100 [558]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cd4mr1 4 0 2016-08-06 15:36:02.490

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cd4mr1 [559]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cd4mr2 4 0 2016-08-06 15:36:02.498

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cd4mr2 [560]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.model [671]
        Unresolved requirement: Require-Bundle: org.talend.commons.runtime
          -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.documentation.nl 2 0 2016-08-06 15:36:02.508
!MESSAGE Could not resolve module: org.talend.designer.documentation.nl [523]
  Unresolved requirement: Fragment-Host: org.talend.designer.documentation
    -> Bundle-SymbolicName: org.talend.designer.documentation; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.designer.documentation [524]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.cdh500mr2 4 0 2016-08-06 15:36:02.517
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh500mr2 [561]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.swt.gtk.linux.ppc64 2 0 2016-08-06 15:36:02.525
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.ppc64 [408]
```

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

!ENTRY org.talend.hadoop.distribution.cdh510mr1 4 0 2016-08-06 15:36:02.533

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh510mr1 [562]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven 2 0 2016-08-06 15:36:02.541

!MESSAGE Could not resolve module: org.talend.designer.maven [542]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cdh510mr2 4 0 2016-08-06 15:36:02.549

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh510mr2 [563]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.jdt.launching.ui.macosx 2 0 2016-08-06 15:36:02.557  
!MESSAGE Could not resolve module: org.eclipse.jdt.launching.ui.macosx [329]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

!ENTRY org.talend.hadoop.distribution.cd540 4 0 2016-08-06 15:36:02.564  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cd540 [564]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.routines 2 0 2016-08-06 15:36:02.572  
!MESSAGE Could not resolve module: org.talend.designer.esb.routines [527]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk)(osgi.os=linux)(osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk)(osgi.os=solaris)(osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk)(osgi.os=linux)(osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

```
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.hadoop.distribution.cdh550 4 0 2016-08-06 15:36:02.580

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh550 [565]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.hadoop.distribution.emr400 2 0 2016-08-06 15:36:02.587

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr400 [571]

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.hadoop.distribution.cdh570 4 0 2016-08-06 15:36:02.596

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.cdh570 [566]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
```

```
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.model [671]
        Unresolved requirement: Require-Bundle: org.talend.commons.runtime
          -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.swt.gtk.linux.s390x 2 0 2016-08-06 15:36:02.604
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.s390x [412]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
```

```
!ENTRY org.talend.hadoop.distribution.custom 4 0 2016-08-06 15:36:02.614
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.custom [567]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.libraries.sqlbuilder 2 0 2016-08-06 15:36:02.622
!MESSAGE Could not resolve module: org.talend.libraries.sqlbuilder [653]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.emr103 4 0 2016-08-06 15:36:02.630
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr103 [568]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
```

Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.hdp200 2 0 2016-08-06 15:36:02.638

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp200 [578]

Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.emr240hive0131 4 0 2016-08-06 15:36:02.645

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240hive0131 [569]

Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.swt.cocoa.macosx.x86\_64 2 0 2016-08-06 15:36:02.653

!MESSAGE Could not resolve module: org.eclipse.swt.cocoa.macosx.x86\_64 [396]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=cocoa) (osgi.os=macosx) (osgi.arch=x86\_64) )"

```
!ENTRY org.talend.hadoop.distribution.emr240 4 0 2016-08-06 15:36:02.662
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr240 [570]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.common.ui.runtime 2 0 2016-08-06 15:36:02.670
!MESSAGE Could not resolve module: org.talend.common.ui.runtime [482]
  Unresolved requirement: Import-Package: org.eclipse.swt.graphics
    -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
        org.eclipse.swt.gtk.linux.s390x [412]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
  Unresolved requirement: Import-Package: org.eclipse.swt.custom
    -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
        org.eclipse.swt.gtk.solaris.x86 [421]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
  Unresolved requirement: Import-Package: org.eclipse.swt.events
    -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
        org.eclipse.swt.gtk.linux.ppc64 [408]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
  Unresolved requirement: Import-Package: org.eclipse.swt
    -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
  Unresolved requirement: Import-Package: org.eclipse.swt.widgets
    -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
        org.eclipse.swt.gtk.hpux.ia64 [403]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
  Unresolved requirement: Import-Package: org.eclipse.swt.layout
    -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
        org.eclipse.swt.gtk.linux.s390 [413]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.emr400 4 0 2016-08-06 15:36:02.680
```

```
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr400 [571]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.swt.cocoa.macosx 2 0 2016-08-06 15:36:02.688
!MESSAGE Could not resolve module: org.eclipse.swt.cocoa.macosx [397]
  Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=cocoa) (osgi.os=macosx) (!(osgi.arch=x86)(osgi.arch=ppc)) )"
```

```
!ENTRY org.talend.hadoop.distribution.emr450 4 0 2016-08-06 15:36:02.696
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.emr450 [572]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.cwm.mip 2 0 2016-08-06 15:36:02.703
!MESSAGE Could not resolve module: org.talend.cwm.mip [504]
  Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.hdinsight310 4 0 2016-08-06 15:36:02.711
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight310 [573]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.platform.logging 2 0 2016-08-06 15:36:02.728
!MESSAGE Could not resolve module: org.talend.platform.logging [672]
  Unresolved requirement: Require-Bundle: org.talend.utils
    -> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704_1411"
    org.talend.utils [716]
      Unresolved requirement: Require-Bundle: org.talend.daikon; visibility="reexport"
        -> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"
        org.talend.daikon [505]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.hdinsight320 4 0 2016-08-06 15:36:02.747
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight320 [574]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.components.exchange.nl 2 0 2016-08-06 15:36:02.754
!MESSAGE Could not resolve module: org.talend.designer.components.exchange.nl [515]
```

```
Unresolved requirement: Fragment-Host: org.talend.designer.components.exchange
-> Bundle-SymbolicName: org.talend.designer.components.exchange; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.designer.components.exchange [516]
Unresolved requirement: Import-Package: org.talend.registration.wizards.register
-> Export-Package: org.talend.registration.wizards.register; bundle-version="6.2.1.20160704_1411"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"
org.talend.registration [683]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.hdinsight340 4 0 2016-08-06 15:36:02.762
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdinsight340 [575]
```

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.dbmap 2 0 2016-08-06 15:36:02.770
```

```
!MESSAGE Could not resolve module: org.talend.designer.dbmap [522]
```

```
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.hdp120 4 0 2016-08-06 15:36:02.778
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp120 [576]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.presentation.onboarding.resource 2 0 2016-08-06 15:36:02.785
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource [677]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.hdp130 4 0 2016-08-06 15:36:02.794
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp130 [577]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.librariesmanager.nl 2 0 2016-08-06 15:36:02.801
!MESSAGE Could not resolve module: org.talend.librariesmanager.nl [657]
  Unresolved requirement: Fragment-Host: org.talend.librariesmanager
    -> Bundle-SymbolicName: org.talend.librariesmanager; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.librariesmanager [660]
      Unresolved requirement: Require-Bundle: org.talend.model
```

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.hadoop.distribution.hdp200 4 0 2016-08-06 15:36:02.809

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp200 [578]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
```

Unresolved requirement: Require-Bundle: org.talend.model

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
```

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.swt.win32.win32.x86 2 0 2016-08-06 15:36:02.817

!MESSAGE Could not resolve module: org.eclipse.swt.win32.win32.x86 [423]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=win32)(osgi.os=win32)(osgi.arch=x86))"

!ENTRY org.talend.hadoop.distribution.hdp210 4 0 2016-08-06 15:36:02.825

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp210 [579]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
```

Unresolved requirement: Require-Bundle: org.talend.model

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
```

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.equinox.launcher.gtk.linux.ppc64le 2 0 2016-08-06 15:36:02.832

!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.ppc64le [210]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64le))"

!ENTRY org.talend.hadoop.distribution.hdp220 4 0 2016-08-06 15:36:02.840

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp220 [580]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.esb.components.ws.consumer 2 0 2016-08-06 15:36:02.904

!MESSAGE Could not resolve module: org.talend.designer.esb.components.ws.consumer [526]

Unresolved requirement: Import-Package: org.talend.designer.core.model.components

-> Export-Package: org.talend.designer.core.model.components; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.designer.core"; version="0.0.0"

org.talend.designer.core [520]

Unresolved requirement: Import-Package: org.talend.hadoop.distribution

-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"

org.talend.hadoop.distribution [594]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp230 4 0 2016-08-06 15:36:02.982

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp230 [581]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.core.generic 2 0 2016-08-06 15:36:03.001
!MESSAGE Could not resolve module: org.talend.designer.core.generic [518]
  Unresolved requirement: Import-Package: org.talend.components.api.component
    -> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";
    uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"
    org.talend.components.api [489]
      Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"
        -> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"
        org.talend.daikon [505]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.hdp240 4 0 2016-08-06 15:36:03.009
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.hdp240 [582]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.presentation.onboarding.resource.nl 2 0 2016-08-06 15:36:03.017
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource.nl [674]
  Unresolved requirement: Fragment-Host: org.talend.presentation.onboarding.resource
    -> Bundle-SymbolicName: org.talend.presentation.onboarding.resource; bundle-version="6.2.1.20160704_1411"; singleton:="true"
```

```
org.talend.presentation.onboarding.resource [677]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.mapr200 4 0 2016-08-06 15:36:03.025
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr200 [583]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.equinox.launcher.gtk.linux.x86 2 0 2016-08-06 15:36:03.033
```

```
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.x86 [215]
```

```
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86))"
```

```
!ENTRY org.talend.hadoop.distribution.mapr212 4 0 2016-08-06 15:36:03.050
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr212 [584]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.metadata.managment.ui 2 0 2016-08-06 15:36:03.058  
!MESSAGE Could not resolve module: org.talend.metadata.managment.ui [663]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr213 4 0 2016-08-06 15:36:03.066  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr213 [585]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.metadata.managment.nl 2 0 2016-08-06 15:36:03.074  
!MESSAGE Could not resolve module: org.talend.metadata.managment.nl [661]  
Unresolved requirement: Fragment-Host: org.talend.metadata.managment  
-> Bundle-SymbolicName: org.talend.metadata.managment; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.metadata.managment [664]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr301 4 0 2016-08-06 15:36:03.082  
!MESSAGE FrameworkEvent ERROR  
!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr301 [586]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.ui 2 0 2016-08-06 15:36:03.090  
!MESSAGE Could not resolve module: org.talend.core.ui [501]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr310 4 0 2016-08-06 15:36:03.097  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr310 [587]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.scd 2 0 2016-08-06 15:36:03.105

!MESSAGE Could not resolve module: org.talend.designer.scd [550]

Unresolved requirement: Require-Bundle: org.talend.core

```
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core [502]
```

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

```
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
```

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

```
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390x [412]
```

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

```
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
org.eclipse.swt.gtk.solaris.x86 [421]
```

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

```
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
```

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

```
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
```

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

```
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
```

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

```
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
```

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr401 4 0 2016-08-06 15:36:03.112

```
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr401 [588]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.equinox.launcher.gtk.hpux.ia64 2 0 2016-08-06 15:36:03.120
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.hpux.ia64 [209]
  Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

!ENTRY org.talend.hadoop.distribution.mapr410 4 0 2016-08-06 15:36:03.127
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr410 [589]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.mapr200 2 0 2016-08-06 15:36:03.135
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr200 [583]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
```

```
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.mapr500 4 0 2016-08-06 15:36:03.143
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr500 [590]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
          -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.updates.runtime 2 0 2016-08-06 15:36:03.151
```

```
!MESSAGE Could not resolve module: org.talend.updates.runtime [715]
```

```
  Unresolved requirement: Require-Bundle: org.talend.librariesmanager.ui
    -> Bundle-SymbolicName: org.talend.librariesmanager.ui; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.librariesmanager.ui [659]
        Unresolved requirement: Require-Bundle: org.talend.commons.ui
          -> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.commons.ui [486]
              Unresolved requirement: Require-Bundle: org.talend.utils
                -> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704_1411"
                  org.talend.utils [716]
                    Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"
                      -> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"
                        org.talend.daikon [505]
                          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.mapr510 4 0 2016-08-06 15:36:03.159
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.mapr510 [591]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
      org.talend.core.runtime [499]
        Unresolved requirement: Require-Bundle: org.talend.model
```

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.core.repository.nl 2 0 2016-08-06 15:36:03.165
```

```
!MESSAGE Could not resolve module: org.talend.core.repository.nl [496]
```

```
Unresolved requirement: Fragment-Host: org.talend.core.repository
```

```
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.repository [497]
```

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
```

```
Unresolved requirement: Require-Bundle: org.talend.model
```

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
```

```
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
```

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

```
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.piv101 4 0 2016-08-06 15:36:03.173
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.piv101 [592]
```

```
Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.core.runtime [499]
```

```
Unresolved requirement: Require-Bundle: org.talend.model
```

```
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.model [671]
```

```
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
```

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

```
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.designer.components.localprovider 2 0 2016-08-06 15:36:03.180
```

```
!MESSAGE Could not resolve module: org.talend.designer.components.localprovider [517]
```

```
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.common.ui.runtime [482]
  Unresolved requirement: Import-Package: org.eclipse.swt.graphics
  -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
  org.eclipse.swt.gtk.linux.s390x [412]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
Unresolved requirement: Import-Package: org.eclipse.swt.custom
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
org.eclipse.swt.gtk.solaris.x86 [421]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
Unresolved requirement: Import-Package: org.eclipse.swt.events
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution.piv200 4 0 2016-08-06 15:36:03.188
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution.piv200 [593]
```

```
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
  -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
  org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
  -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
  org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
  -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
  org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.common.ui.runtime.nl 2 0 2016-08-06 15:36:03.194
```

```
!MESSAGE Could not resolve module: org.talend.common.ui.runtime.nl [481]
Unresolved requirement: Fragment-Host: org.talend.common.ui.runtime
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.common.ui.runtime [482]
Unresolved requirement: Import-Package: org.eclipse.swt.graphics
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390x [412]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
Unresolved requirement: Import-Package: org.eclipse.swt.custom
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
org.eclipse.swt.gtk.solaris.x86 [421]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
Unresolved requirement: Import-Package: org.eclipse.swt.events
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.hadoop.distribution 4 0 2016-08-06 15:36:03.199
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.hadoop.distribution [594]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core.runtime [499]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.hadoop.distribution.hdp130 2 0 2016-08-06 15:36:03.205
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp130 [577]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.help 4 0 2016-08-06 15:36:03.210
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.help [596]
  Unresolved requirement: Require-Bundle: org.talend.commons.ui
    -> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.commons.ui [486]
      Unresolved requirement: Require-Bundle: org.talend.utils
        -> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704_1411"
        org.talend.utils [716]
          Unresolved requirement: Require-Bundle: org.talend.daikon; visibility="reexport"
            -> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"
            org.talend.daikon [505]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.components.api 2 0 2016-08-06 15:36:03.216
!MESSAGE Could not resolve module: org.talend.components.api [489]
  Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"
    -> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"
    org.talend.daikon [505]
      Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.libraries.hadoop.mapr.5.0.0 4 0 2016-08-06 15:36:03.221
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.libraries.hadoop.mapr.5.0.0 [619]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
```

Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.hdp220 2 0 2016-08-06 15:36:03.227  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp220 [580]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.librariesmanager.ui 4 0 2016-08-06 15:36:03.232  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.librariesmanager.ui [659]  
Unresolved requirement: Require-Bundle: org.talend.commons.ui  
-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.eclipse.swt.gtk.linux.x86 2 0 2016-08-06 15:36:03.237  
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.x86 [415]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86))"

!ENTRY org.talend.librariesmanager 4 0 2016-08-06 15:36:03.244  
!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.librariesmanager [660]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.designer.core.nl 2 0 2016-08-06 15:36:03.250

!MESSAGE Could not resolve module: org.talend.designer.core.nl [519]

```
Unresolved requirement: Fragment-Host: org.talend.designer.core
  -> Bundle-SymbolicName: org.talend.designer.core; bundle-version="6.2.1.20160704_1411"; singleton="true"
  org.talend.designer.core [520]
    Unresolved requirement: Import-Package: org.talend.hadoop.distribution
      -> Export-Package: org.talend.hadoop.distribution; bundle-version="6.2.1.20160704_1411"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"
      org.talend.hadoop.distribution [594]
        Unresolved requirement: Require-Bundle: org.talend.core.runtime
          -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
          org.talend.core.runtime [499]
            Unresolved requirement: Require-Bundle: org.talend.model
              -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
              org.talend.model [671]
                Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                  -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                  org.talend.commons.runtime [484]
                    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.metadata.managment.ui 4 0 2016-08-06 15:36:03.256

!MESSAGE FrameworkEvent ERROR

!STACK 0

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.metadata.managment.ui [663]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

!ENTRY org.talend.daikon 2 0 2016-08-06 15:36:03.261  
!MESSAGE Could not resolve module: org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.metadata.managment 4 0 2016-08-06 15:36:03.267

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.metadata.managment [664]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.model.edit 2 0 2016-08-06 15:36:03.274

!MESSAGE Could not resolve module: org.talend.model.edit [667]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip.edit

-> Bundle-SymbolicName: org.talend.cwm.mip.edit; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.cwm.mip.edit [503]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.cwm.mip; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.cwm.mip [504]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.migrationTool 4 0 2016-08-06 15:36:03.290

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.migrationTool [665]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.abstractmap.nl 2 0 2016-08-06 15:36:04.816

!MESSAGE Could not resolve module: org.talend.designer.abstractmap.nl [507]

Unresolved requirement: Fragment-Host: org.talend.designer.abstractmap

-> Bundle-SymbolicName: org.talend.designer.abstractmap; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.abstractmap [508]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model.edit 4 0 2016-08-06 15:36:04.825

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.model.edit [667]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip.edit

-> Bundle-SymbolicName: org.talend.cwm.mip.edit; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.cwm.mip.edit [503]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.cwm.mip; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.cwm.mip [504]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.core.nl 2 0 2016-08-06 15:36:04.833

!MESSAGE Could not resolve module: org.talend.core.nl [495]

Unresolved requirement: Fragment-Host: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

```
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.model.migration 4 0 2016-08-06 15:36:04.841
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.model.migration [669]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.themes.core 2 0 2016-08-06 15:36:04.852
!MESSAGE Could not resolve module: org.talend.themes.core [713]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.model 4 0 2016-08-06 15:36:04.860
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.model [671]
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.repository.localprovider.nl 2 0 2016-08-06 15:36:04.871
!MESSAGE Could not resolve module: org.talend.repository.localprovider.nl [693]
  Unresolved requirement: Fragment-Host: org.talend.repository.localprovider
```

```
-> Bundle-SymbolicName: org.talend.repository.localprovider; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.repository.localprovider [694]
  Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
    -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.common.ui.runtime [482]
        Unresolved requirement: Import-Package: org.eclipse.swt.graphics
          -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
            org.eclipse.swt.gtk.linux.s390x [412]
              Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
        Unresolved requirement: Import-Package: org.eclipse.swt.custom
          -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
            org.eclipse.swt.gtk.solaris.x86 [421]
              Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
        Unresolved requirement: Import-Package: org.eclipse.swt.events
          -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
            org.eclipse.swt.gtk.linux.ppc64 [408]
              Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
        Unresolved requirement: Import-Package: org.eclipse.swt
          -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
        Unresolved requirement: Import-Package: org.eclipse.swt.widgets
          -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
            org.eclipse.swt.gtk.hpux.ia64 [403]
              Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
        Unresolved requirement: Import-Package: org.eclipse.swt.layout
          -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
            org.eclipse.swt.gtk.linux.s390 [413]
              Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
        Unresolved requirement: Require-Bundle: org.talend.commons.runtime
          -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.platform.logging 4 0 2016-08-06 15:36:04.876

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.platform.logging [672]

Unresolved requirement: Require-Bundle: org.talend.utils

-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"

org.talend.utils [716]

Unresolved requirement: Require-Bundle: org.talend.daikon; visibility="reexport"

-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.cwm.mip.edit 2 0 2016-08-06 15:36:04.882

!MESSAGE Could not resolve module: org.talend.cwm.mip.edit [503]

Unresolved requirement: Require-Bundle: org.talend.cwm.mip; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.cwm.mip; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.cwm.mip [504]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.rcp.branding.tos 4 0 2016-08-06 15:36:04.889

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.rcp.branding.tos [679]

Unresolved requirement: Require-Bundle: org.talend.rcp

-> Bundle-SymbolicName: org.talend.rcp; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.rcp [681]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.apache100 2 0 2016-08-06 15:36:04.895

```
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.apache100 [558]
Unresolved requirement: Require-Bundle: org.talend.core.runtime
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core.runtime [499]
Unresolved requirement: Require-Bundle: org.talend.model
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.model [671]
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.rcp 4 0 2016-08-06 15:36:04.901
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.rcp [681]
```

```
Unresolved requirement: Require-Bundle: org.talend.core
```

```
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core [502]
```

```
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
```

```
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.common.ui.runtime [482]
```

```
Unresolved requirement: Import-Package: org.eclipse.swt.graphics
```

```
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390x [412]
```

```
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
```

```
Unresolved requirement: Import-Package: org.eclipse.swt.custom
```

```
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
org.eclipse.swt.gtk.solaris.x86 [421]
```

```
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
```

```
Unresolved requirement: Import-Package: org.eclipse.swt.events
```

```
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
```

```
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
```

```
Unresolved requirement: Import-Package: org.eclipse.swt
```

```
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
```

```
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
```

```
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
```

```
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
```

```
Unresolved requirement: Import-Package: org.eclipse.swt.layout
```

```
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
```

```
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
```

```
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
```

```
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
```

```
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.components.splunk 2 0 2016-08-06 15:36:04.906

!MESSAGE Could not resolve module: org.talend.components.splunk [494]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"  
org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"  
org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.registration 4 0 2016-08-06 15:36:04.911

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.registration [683]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.rcp.nl 2 0 2016-08-06 15:36:04.916

!MESSAGE Could not resolve module: org.talend.rcp.nl [680]

Unresolved requirement: Fragment-Host: org.talend.rcp

-> Bundle-SymbolicName: org.talend.rcp; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.rcp [681]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

```
org.eclipse.swt.gtk.solaris.x86 [421]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
Unresolved requirement: Import-Package: org.eclipse.swt.events
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.repository.generic 4 0 2016-08-06 15:36:04.921

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.generic [686]

Unresolved requirement: Import-Package: org.talend.components.api.component

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.help 2 0 2016-08-06 15:36:04.926

!MESSAGE Could not resolve module: org.talend.help [596]

Unresolved requirement: Require-Bundle: org.talend.commons.ui

-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.commons.ui [486]

Unresolved requirement: Require-Bundle: org.talend.utils

-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"

org.talend.utils [716]

Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport.ui 4 0 2016-08-06 15:36:04.931  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.items.importexport.ui [689]  
 Unresolved requirement: Require-Bundle: org.talend.model  
 -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
 org.talend.model [671]  
 Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
 -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
 org.talend.commons.runtime [484]  
 Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.mdm 2 0 2016-08-06 15:36:04.937  
!MESSAGE Could not resolve module: org.talend.repository.mdm [696]  
 Unresolved requirement: Require-Bundle: org.talend.model  
 -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
 org.talend.model [671]  
 Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
 -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
 org.talend.commons.runtime [484]  
 Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport 4 0 2016-08-06 15:36:04.942  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.items.importexport [690]  
 Unresolved requirement: Require-Bundle: org.talend.model  
 -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
 org.talend.model [671]  
 Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
 -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
 org.talend.commons.runtime [484]  
 Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.emr103 2 0 2016-08-06 15:36:04.947  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr103 [568]  
 Unresolved requirement: Require-Bundle: org.talend.core.runtime  
 -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

```
org.talend.core.runtime [499]
  Unresolved requirement: Require-Bundle: org.talend.model
  -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
  org.talend.model [671]
    Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.repository.json 4 0 2016-08-06 15:36:04.952

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.json [692]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.nl 2 0 2016-08-06 15:36:04.958

!MESSAGE Could not resolve module: org.talend.repository.nl [699]

Unresolved requirement: Fragment-Host: org.talend.repository

-> Bundle-SymbolicName: org.talend.repository; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.repository [704]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.localprovider 4 0 2016-08-06 15:36:04.965

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.localprovider [694]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.piv200 2 0 2016-08-06 15:36:04.972  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.piv200 [593]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.mdm 4 0 2016-08-06 15:36:04.977  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.mdm [696]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.ftp.nl 2 0 2016-08-06 15:36:04.983

!MESSAGE Could not resolve module: org.talend.repository.ftp.nl [684]

Unresolved requirement: Fragment-Host: org.talend.repository.ftp

-> Bundle-SymbolicName: org.talend.repository.ftp; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.repository.ftp [685]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.metadata 4 0 2016-08-06 15:36:04.989

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.metadata [698]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.maven.ui 2 0 2016-08-06 15:36:04.994

!MESSAGE Could not resolve module: org.talend.designer.maven.ui [541]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.view.di 4 0 2016-08-06 15:36:05.000

!MESSAGE FrameworkEvent ERROR

```
!STACK 0
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.view.di [701]
  Unresolved requirement: Require-Bundle: org.talend.commons.ui
    -> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.commons.ui [486]
      Unresolved requirement: Require-Bundle: org.talend.utils
        -> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704_1411"
        org.talend.utils [716]
          Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"
            -> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"
            org.talend.daikon [505]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.core.filesystem.linux.ppc 2 0 2016-08-06 15:36:05.006
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.ppc [103]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=ppc))"
```

```
!ENTRY org.talend.repository.view 4 0 2016-08-06 15:36:05.011
!MESSAGE FrameworkEvent ERROR
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.repository.view [703]
  Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.talend.componentdesigner 2 0 2016-08-06 15:36:05.017
!MESSAGE Could not resolve module: org.talend.componentdesigner [488]
  Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
        -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
        org.talend.commons.runtime [484]
          Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.repository 4 0 2016-08-06 15:36:05.023

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.repository [704]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.designer.alfrescooutput 2 0 2016-08-06 15:36:05.029

!MESSAGE Could not resolve module: org.talend.designer.alfrescooutput [510]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.resources 4 0 2016-08-06 15:36:05.036

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.resources [706]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.metadata.managment.ui.nl 2 0 2016-08-06 15:36:05.043

!MESSAGE Could not resolve module: org.talend.metadata.managment.ui.nl [662]

Unresolved requirement: Fragment-Host: org.talend.metadata.managment.ui

-> Bundle-SymbolicName: org.talend.metadata.managment.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.metadata.managment.ui [663]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.sbi.engines.client 4 0 2016-08-06 15:36:05.049

!MESSAGE FrameworkEvent ERROR

!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.sbi.engines.client [708]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)

at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)

at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.items.importexport.nl 2 0 2016-08-06 15:36:05.055

!MESSAGE Could not resolve module: org.talend.repository.items.importexport.nl [687]

Unresolved requirement: Fragment-Host: org.talend.repository.items.importexport

-> Bundle-SymbolicName: org.talend.repository.items.importexport; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.repository.items.importexport [690]

Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.spagic.engines.client 4 0 2016-08-06 15:36:05.061  
!MESSAGE FrameworkEvent ERROR  
!STACK 0

org.osgi.framework.BundleException: Could not resolve module: org.talend.spagic.engines.client [710]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.cdh570 2 0 2016-08-06 15:36:05.066

```
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cdh570 [566]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
!ENTRY org.talend.sqlbuilder 4 0 2016-08-06 15:36:05.072
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.sqlbuilder [712]
```

```
  Unresolved requirement: Require-Bundle: org.talend.core.repository
```

```
    -> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.repository [497]
```

```
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
```

```
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.core.runtime [499]
```

```
  Unresolved requirement: Require-Bundle: org.talend.model
```

```
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton="true"
    org.talend.model [671]
```

```
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
```

```
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
```

```
    Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)
```

```
at org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:340)
```

```
!ENTRY org.eclipse.swt.gtk.aix.ppc 2 0 2016-08-06 15:36:05.077
```

```
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.aix.ppc [401]
```

```
  Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc))"
```

```
!ENTRY org.talend.themes.core 4 0 2016-08-06 15:36:05.083
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Could not resolve module: org.talend.themes.core [713]
```

```
  Unresolved requirement: Require-Bundle: org.talend.commons.runtime
```

```
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
```

```
  Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"
```

```
at org.eclipse.osgi.container.Module.start(Module.java:434)
```

```
at org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)
```

at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.repository.json.nl 2 0 2016-08-06 15:36:05.088  
!MESSAGE Could not resolve module: org.talend.repository.json.nl [691]  
Unresolved requirement: Fragment-Host: org.talend.repository.json  
-> Bundle-SymbolicName: org.talend.repository.json; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.repository.json [692]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.updates.runtime 4 0 2016-08-06 15:36:05.094  
!MESSAGE FrameworkEvent ERROR  
!STACK 0  
org.osgi.framework.BundleException: Could not resolve module: org.talend.updates.runtime [715]  
Unresolved requirement: Require-Bundle: org.talend.librariesmanager.ui  
-> Bundle-SymbolicName: org.talend.librariesmanager.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.librariesmanager.ui [659]  
Unresolved requirement: Require-Bundle: org.talend.commons.ui  
-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

at org.eclipse.osgi.container.Module.start(Module.java:434)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1498)  
at org.eclipse.osgi.container.ModuleContainer\$ContainerStartLevel.dispatchEvent(ModuleContainer.java:1)  
at org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:230)  
at org.eclipse.osgi.framework.eventmgr.EventManager\$EventThread.run(EventManager.java:340)

!ENTRY org.talend.hadoop.distribution.emr240hive0131 2 0 2016-08-06 15:36:05.100  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr240hive0131 [569]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
!ENTRY org.talend.hadoop.distribution.emr240 2 0 2016-08-06 15:36:05.106
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr240 [570]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.core.runtime [499]
      Unresolved requirement: Require-Bundle: org.talend.model
        -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
        org.talend.model [671]
          Unresolved requirement: Require-Bundle: org.talend.commons.runtime
            -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
            org.talend.commons.runtime [484]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.job.nl 2 0 2016-08-06 15:36:05.111
!MESSAGE Could not resolve module: org.talend.designer.maven.job.nl [537]
  Unresolved requirement: Fragment-Host: org.talend.designer.maven.job
    -> Bundle-SymbolicName: org.talend.designer.maven.job; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.designer.maven.job [538]
      Unresolved requirement: Require-Bundle: org.talend.core.runtime
        -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
        org.talend.core.runtime [499]
          Unresolved requirement: Require-Bundle: org.talend.model
            -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
            org.talend.model [671]
              Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                org.talend.commons.runtime [484]
                  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.spss 2 0 2016-08-06 15:36:05.117
!MESSAGE Could not resolve module: org.talend.designer.spss [551]
  Unresolved requirement: Require-Bundle: org.talend.commons.ui
    -> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.commons.ui [486]
      Unresolved requirement: Require-Bundle: org.talend.utils
        -> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704_1411"
        org.talend.utils [716]
          Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"
            -> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"
            org.talend.daikon [505]
              Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.help.nl 2 0 2016-08-06 15:36:05.123
!MESSAGE Could not resolve module: org.talend.help.nl [595]
  Unresolved requirement: Fragment-Host: org.talend.help
    -> Bundle-SymbolicName: org.talend.help; bundle-version="6.2.1.20160705_2100"; singleton:="true"
    org.talend.help [596]
      Unresolved requirement: Require-Bundle: org.talend.commons.ui
        -> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704_1411"; singleton:="true"
        org.talend.commons.ui [486]
```

Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.migrationTool 2 0 2016-08-06 15:36:05.128  
!MESSAGE Could not resolve module: org.talend.migrationTool [665]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.mapper.nl 2 0 2016-08-06 15:36:05.134  
!MESSAGE Could not resolve module: org.talend.designer.mapper.nl [535]  
Unresolved requirement: Fragment-Host: org.talend.designer.mapper  
-> Bundle-SymbolicName: org.talend.designer.mapper; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.mapper [536]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.hl7.nl 2 0 2016-08-06 15:36:05.139  
!MESSAGE Could not resolve module: org.talend.designer.hl7.nl [533]  
Unresolved requirement: Fragment-Host: org.talend.designer.hl7  
-> Bundle-SymbolicName: org.talend.designer.hl7; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.hl7 [534]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.json 2 0 2016-08-06 15:36:05.145  
!MESSAGE Could not resolve module: org.talend.repository.json [692]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.rcp.branding.tos 2 0 2016-08-06 15:36:05.152

!MESSAGE Could not resolve module: org.talend.rcp.branding.tos [679]

Unresolved requirement: Require-Bundle: org.talend.rcp

-> Bundle-SymbolicName: org.talend.rcp; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.rcp [681]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model.migration.nl 2 0 2016-08-06 15:36:05.160

!MESSAGE Could not resolve module: org.talend.model.migration.nl [668]

Unresolved requirement: Fragment-Host: org.talend.model.migration

-> Bundle-SymbolicName: org.talend.model.migration; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model.migration [669]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr310 2 0 2016-08-06 15:36:05.168

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr310 [587]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp230 2 0 2016-08-06 15:36:05.176

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp230 [581]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.ui.nl 2 0 2016-08-06 15:36:05.183

!MESSAGE Could not resolve module: org.talend.designer.maven.ui.nl [540]

Unresolved requirement: Fragment-Host: org.talend.designer.maven.ui

-> Bundle-SymbolicName: org.talend.designer.maven.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.maven.ui [541]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.sbi.engines.client 2 0 2016-08-06 15:36:05.190

!MESSAGE Could not resolve module: org.talend.sbi.engines.client [708]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.sbi.engines.client.nl 2 0 2016-08-06 15:36:05.196

!MESSAGE Could not resolve module: org.talend.sbi.engines.client.nl [707]

Unresolved requirement: Fragment-Host: org.talend.sbi.engines.client

-> Bundle-SymbolicName: org.talend.sbi.engines.client; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.sbi.engines.client [708]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.solaris.sparc 2 0 2016-08-06 15:36:05.202  
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.solaris.sparc [419]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=sparc))"

!ENTRY org.eclipse.jdt.annotation 2 0 2016-08-06 15:36:05.207  
!MESSAGE Could not resolve module: org.eclipse.jdt.annotation [310]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.8))"

!ENTRY org.talend.designer.business.diagram.nl 2 0 2016-08-06 15:36:05.214  
!MESSAGE Could not resolve module: org.talend.designer.business.diagram.nl [511]  
Unresolved requirement: Fragment-Host: org.talend.designer.business.diagram  
-> Bundle-SymbolicName: org.talend.designer.business.diagram; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.business.diagram [512]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr401 2 0 2016-08-06 15:36:05.220  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr401 [588]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.hl7 2 0 2016-08-06 15:36:05.225  
!MESSAGE Could not resolve module: org.talend.designer.hl7 [534]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.documentation 2 0 2016-08-06 15:36:05.231  
!MESSAGE Could not resolve module: org.talend.designer.documentation [524]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.codegen 2 0 2016-08-06 15:36:05.236  
!MESSAGE Could not resolve module: org.talend.designer.codegen [514]  
Unresolved requirement: Require-Bundle: org.talend.core.repository  
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.repository [497]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.job 2 0 2016-08-06 15:36:05.242  
!MESSAGE Could not resolve module: org.talend.designer.maven.job [538]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.abstractmap 2 0 2016-08-06 15:36:05.247  
!MESSAGE Could not resolve module: org.talend.designer.abstractmap [508]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.librariesmanager.ui 2 0 2016-08-06 15:36:05.253  
!MESSAGE Could not resolve module: org.talend.librariesmanager.ui [659]  
Unresolved requirement: Require-Bundle: org.talend.commons.ui  
-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model.edit.nl 2 0 2016-08-06 15:36:05.258  
!MESSAGE Could not resolve module: org.talend.model.edit.nl [666]  
Unresolved requirement: Fragment-Host: org.talend.model.edit  
-> Bundle-SymbolicName: org.talend.model.edit; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model.edit [667]  
Unresolved requirement: Require-Bundle: org.talend.cwm.mip.edit  
-> Bundle-SymbolicName: org.talend.cwm.mip.edit; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.cwm.mip.edit [503]  
Unresolved requirement: Require-Bundle: org.talend.cwm.mip; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.cwm.mip; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.cwm.mip [504]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.components.common 2 0 2016-08-06 15:36:05.263  
!MESSAGE Could not resolve module: org.talend.components.common [491]  
Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0)"  
-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"  
org.talend.components.api [489]  
Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"  
-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.win32.win32.x86 2 0 2016-08-06 15:36:05.269  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.win32.win32.x86 [219]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=win32) (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.eclipse.core.filesystem.macosx 2 0 2016-08-06 15:36:05.274

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.macosx [106]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=macosx) ((osgi.arch=x86) (osgi.arch=ppc) (osgi.arch=x86\_64)))"

!ENTRY org.talend.designer.filemultischemas 2 0 2016-08-06 15:36:05.280

!MESSAGE Could not resolve module: org.talend.designer.filemultischemas [528]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.xmlmap 2 0 2016-08-06 15:36:05.285

!MESSAGE Could not resolve module: org.talend.designer.xmlmap [555]

Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.solaris.sparc 2 0 2016-08-06 15:36:05.291

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.solaris.sparc [107]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=solaris) (osgi.arch=sparc))"

!ENTRY org.talend.designer.fileoutputxml 2 0 2016-08-06 15:36:05.297

!MESSAGE Could not resolve module: org.talend.designer.fileoutputxml [530]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.components.api.service 2 0 2016-08-06 15:36:05.303

!MESSAGE Could not resolve module: org.talend.components.api.service [8]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0)"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";

uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"

org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.linux.x86 2 0 2016-08-06 15:36:05.308

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.x86 [104]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=x86))"

!ENTRY org.talend.hadoop.distribution.hdp120 2 0 2016-08-06 15:36:05.314

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp120 [576]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.commons.ui 2 0 2016-08-06 15:36:05.319

!MESSAGE Could not resolve module: org.talend.commons.ui [486]

Unresolved requirement: Require-Bundle: org.talend.utils

-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"

org.talend.utils [716]

Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"

org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core 2 0 2016-08-06 15:36:05.325

!MESSAGE Could not resolve module: org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.linux.ppc64le 2 0 2016-08-06 15:36:05.331

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.ppc64le [101]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=ppc64le))"

!ENTRY org.talend.repository.metadata.nl 2 0 2016-08-06 15:36:05.336

!MESSAGE Could not resolve module: org.talend.repository.metadata.nl [697]

Unresolved requirement: Fragment-Host: org.talend.repository.metadata

-> Bundle-SymbolicName: org.talend.repository.metadata; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.repository.metadata [698]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdinsight340 2 0 2016-08-06 15:36:05.342

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdinsight340 [575]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.linux.x86\_64 2 0 2016-08-06 15:36:05.347

!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.x86\_64 [105]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=x86\_64))"

!ENTRY org.talend.librariesmanager.ui.nl 2 0 2016-08-06 15:36:05.353

!MESSAGE Could not resolve module: org.talend.librariesmanager.ui.nl [658]

Unresolved requirement: Fragment-Host: org.talend.librariesmanager.ui

-> Bundle-SymbolicName: org.talend.librariesmanager.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.librariesmanager.ui [659]

Unresolved requirement: Require-Bundle: org.talend.commons.ui

-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.librariesmanager 2 0 2016-08-06 15:36:05.359  
!MESSAGE Could not resolve module: org.talend.librariesmanager [660]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.commons.ui.nl 2 0 2016-08-06 15:36:05.365  
!MESSAGE Could not resolve module: org.talend.commons.ui.nl [485]  
Unresolved requirement: Fragment-Host: org.talend.commons.ui  
-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.libraries.hadoop.mapr.5.0.0 2 0 2016-08-06 15:36:05.371  
!MESSAGE Could not resolve module: org.talend.libraries.hadoop.mapr.5.0.0 [619]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.ppc 2 0 2016-08-06 15:36:05.376  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.ppc [212]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc))"

!ENTRY org.talend.hadoop.distribution.hdp240 2 0 2016-08-06 15:36:05.382

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp240 [582]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.linux.s390 2 0 2016-08-06 15:36:05.387

!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

!ENTRY org.talend.designer.runprocess.nl 2 0 2016-08-06 15:36:05.393

!MESSAGE Could not resolve module: org.talend.designer.runprocess.nl [545]

Unresolved requirement: Fragment-Host: org.talend.designer.runprocess

-> Bundle-SymbolicName: org.talend.designer.runprocess; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.designer.runprocess [546]

Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization

-> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"

org.talend.designer.runtime.visualization [548]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.alfrescooutput.nl 2 0 2016-08-06 15:36:05.399

!MESSAGE Could not resolve module: org.talend.designer.alfrescooutput.nl [509]

Unresolved requirement: Fragment-Host: org.talend.designer.alfrescooutput

-> Bundle-SymbolicName: org.talend.designer.alfrescooutput; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.designer.alfrescooutput [510]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.spagic.engines.client 2 0 2016-08-06 15:36:05.405

!MESSAGE Could not resolve module: org.talend.spagic.engines.client [710]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"

org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

```
!ENTRY org.talend.designer.runtime.visualization.tools 2 0 2016-08-06 15:36:05.411
!MESSAGE Could not resolve module: org.talend.designer.runtime.visualization.tools [547]
  Unresolved requirement: Require-Bundle: org.talend.designer.runtime.visualization
    -> Bundle-SymbolicName: org.talend.designer.runtime.visualization; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.designer.runtime.visualization [548]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.spagic.engines.client.nl 2 0 2016-08-06 15:36:05.416
!MESSAGE Could not resolve module: org.talend.spagic.engines.client.nl [709]
  Unresolved requirement: Fragment-Host: org.talend.spagic.engines.client
    -> Bundle-SymbolicName: org.talend.spagic.engines.client; bundle-version="6.2.1.20160704_1411"; singleton="true"; singleton="true"
      org.talend.spagic.engines.client [710]
        Unresolved requirement: Require-Bundle: org.talend.core
          -> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.core [502]
              Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
                -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
                  org.talend.common.ui.runtime [482]
                    Unresolved requirement: Import-Package: org.eclipse.swt.graphics
                      -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
                        org.eclipse.swt.gtk.linux.s390x [412]
                          Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
                            Unresolved requirement: Import-Package: org.eclipse.swt.custom
                              -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
                                org.eclipse.swt.gtk.solaris.x86 [421]
                                  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
                                    Unresolved requirement: Import-Package: org.eclipse.swt.events
                                      -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
                                        org.eclipse.swt.gtk.linux.ppc64 [408]
                                          Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
                                            Unresolved requirement: Import-Package: org.eclipse.swt
                                              -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
                                                Unresolved requirement: Import-Package: org.eclipse.swt.widgets
                                                  -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
                                                    org.eclipse.swt.gtk.hpux.ia64 [403]
                                                      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
                                                        Unresolved requirement: Import-Package: org.eclipse.swt.layout
                                                          -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
                                                            org.eclipse.swt.gtk.linux.s390 [413]
                                                              Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
                                                                Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                                                                  -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                                                                    org.talend.commons.runtime [484]
                                                                      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdp210 2 0 2016-08-06 15:36:05.422
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdp210 [579]
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
    -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core.runtime [499]
```

Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.presentation.onboarding.resource.tos.nl 2 0 2016-08-06 15:36:05.427  
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource.tos.nl [675]  
Unresolved requirement: Fragment-Host: org.talend.presentation.onboarding.resource.tos  
-> Bundle-SymbolicName: org.talend.presentation.onboarding.resource.tos; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.presentation.onboarding.resource.tos [676]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model.migration 2 0 2016-08-06 15:36:05.432  
!MESSAGE Could not resolve module: org.talend.model.migration [669]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.registration.nl 2 0 2016-08-06 15:36:05.438  
!MESSAGE Could not resolve module: org.talend.registration.nl [682]  
Unresolved requirement: Fragment-Host: org.talend.registration  
-> Bundle-SymbolicName: org.talend.registration; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.registration [683]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.rowgenerator 2 0 2016-08-06 15:36:05.444  
!MESSAGE Could not resolve module: org.talend.designer.rowgenerator [544]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.resources.win32.x86 2 0 2016-08-06 15:36:05.449  
!MESSAGE Could not resolve module: org.eclipse.core.resources.win32.x86 [117]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.talend.hadoop.distribution.mapr212 2 0 2016-08-06 15:36:05.455  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr212 [584]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.scd.nl 2 0 2016-08-06 15:36:05.461  
!MESSAGE Could not resolve module: org.talend.designer.scd.nl [549]  
Unresolved requirement: Fragment-Host: org.talend.designer.scd

```
-> Bundle-SymbolicName: org.talend.designer.scd; bundle-version="6.2.1.20160704_1411"; singleton="true"
org.talend.designer.scd [550]
  Unresolved requirement: Require-Bundle: org.talend.core
    -> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton="true"
      org.talend.core [502]
        Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
          -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton="true"
            org.talend.common.ui.runtime [482]
              Unresolved requirement: Import-Package: org.eclipse.swt.graphics
                -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
                  org.eclipse.swt.gtk.linux.s390x [412]
                    Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
                  Unresolved requirement: Import-Package: org.eclipse.swt.custom
                    -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
                      org.eclipse.swt.gtk.solaris.x86 [421]
                        Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
                    Unresolved requirement: Import-Package: org.eclipse.swt.events
                      -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
                        org.eclipse.swt.gtk.linux.ppc64 [408]
                          Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
                    Unresolved requirement: Import-Package: org.eclipse.swt
                      -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
                        Unresolved requirement: Import-Package: org.eclipse.swt.widgets
                          -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
                            org.eclipse.swt.gtk.hpux.ia64 [403]
                              Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
                          Unresolved requirement: Import-Package: org.eclipse.swt.layout
                            -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
                              org.eclipse.swt.gtk.linux.s390 [413]
                                Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
                            Unresolved requirement: Require-Bundle: org.talend.commons.runtime
                              -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
                                org.talend.commons.runtime [484]
                                  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.components.jira 2 0 2016-08-06 15:36:05.467

!MESSAGE Could not resolve module: org.talend.components.jira [492]

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0]"

-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"  
org.talend.components.api [489]

Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"

-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"  
org.talend.daikon [505]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.commons.runtime 2 0 2016-08-06 15:36:05.472

!MESSAGE Could not resolve module: org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.emr450 2 0 2016-08-06 15:36:05.477  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.emr450 [572]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.gefabstractmap.nl 2 0 2016-08-06 15:36:05.483  
!MESSAGE Could not resolve module: org.talend.designer.gefabstractmap.nl [531]  
Unresolved requirement: Fragment-Host: org.talend.designer.gefabstractmap  
-> Bundle-SymbolicName: org.talend.designer.gefabstractmap; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.gefabstractmap [532]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.linux.ppc64 2 0 2016-08-06 15:36:05.488  
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.linux.ppc64 [102]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.os=linux) (osgi.arch=ppc64))"

!ENTRY org.talend.model.nl 2 0 2016-08-06 15:36:05.494  
!MESSAGE Could not resolve module: org.talend.model.nl [670]  
Unresolved requirement: Fragment-Host: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr510 2 0 2016-08-06 15:36:05.500  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr510 [591]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.runtime.nl 2 0 2016-08-06 15:36:05.505

!MESSAGE Could not resolve module: org.talend.core.runtime.nl [498]

Unresolved requirement: Fragment-Host: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.aix.ppc 2 0 2016-08-06 15:36:05.511

!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.aix.ppc [208]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc))"

!ENTRY org.talend.designer.codegen.nl 2 0 2016-08-06 15:36:05.517

!MESSAGE Could not resolve module: org.talend.designer.codegen.nl [513]

Unresolved requirement: Fragment-Host: org.talend.designer.codegen

-> Bundle-SymbolicName: org.talend.designer.codegen; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.codegen [514]

Unresolved requirement: Require-Bundle: org.talend.core.repository

-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.repository [497]

Unresolved requirement: Require-Bundle: org.talend.core.runtime

-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.net.win32.x86 2 0 2016-08-06 15:36:05.522

!MESSAGE Could not resolve module: org.eclipse.core.net.win32.x86 [114]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.talend.core.ui.nl 2 0 2016-08-06 15:36:05.528

!MESSAGE Could not resolve module: org.talend.core.ui.nl [500]

Unresolved requirement: Fragment-Host: org.talend.core.ui

-> Bundle-SymbolicName: org.talend.core.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core.ui [501]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.hdinsight320 2 0 2016-08-06 15:36:05.534  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdinsight320 [574]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.runtime.visualization 2 0 2016-08-06 15:36:05.539  
!MESSAGE Could not resolve module: org.talend.designer.runtime.visualization [548]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.webservice 2 0 2016-08-06 15:36:05.545  
!MESSAGE Could not resolve module: org.talend.designer.webservice [553]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

```
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.webservice.nl 2 0 2016-08-06 15:36:05.551
!MESSAGE Could not resolve module: org.talend.designer.webservice.nl [552]
Unresolved requirement: Fragment-Host: org.talend.designer.webservice
-> Bundle-SymbolicName: org.talend.designer.webservice; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.designer.webservice [553]
  Unresolved requirement: Require-Bundle: org.talend.core
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.core [502]
  Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
org.talend.common.ui.runtime [482]
  Unresolved requirement: Import-Package: org.eclipse.swt.graphics
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390x [412]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
Unresolved requirement: Import-Package: org.eclipse.swt.custom
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
org.eclipse.swt.gtk.solaris.x86 [421]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
Unresolved requirement: Import-Package: org.eclipse.swt.events
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
org.eclipse.swt.gtk.linux.ppc64 [408]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
Unresolved requirement: Import-Package: org.eclipse.swt
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
Unresolved requirement: Import-Package: org.eclipse.swt.widgets
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
org.eclipse.swt.gtk.hpux.ia64 [403]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
Unresolved requirement: Import-Package: org.eclipse.swt.layout
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
org.eclipse.swt.gtk.linux.s390 [413]
  Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
Unresolved requirement: Require-Bundle: org.talend.commons.runtime
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
org.talend.commons.runtime [484]
  Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.components.salesforce 2 0 2016-08-06 15:36:05.557
!MESSAGE Could not resolve module: org.talend.components.salesforce [493]
```

Unresolved requirement: Import-Package: org.talend.components.api.component; version="[0.13.0,1.0.0)"  
-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses:="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"  
org.talend.components.api [489]  
Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"  
-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses:="org.talend.daikon.i18n"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.core.repository 2 0 2016-08-06 15:36:05.563  
!MESSAGE Could not resolve module: org.talend.core.repository [497]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.mdm.nl 2 0 2016-08-06 15:36:05.569  
!MESSAGE Could not resolve module: org.talend.repository.mdm.nl [695]  
Unresolved requirement: Fragment-Host: org.talend.repository.mdm  
-> Bundle-SymbolicName: org.talend.repository.mdm; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.repository.mdm [696]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cd4mr2 2 0 2016-08-06 15:36:05.574  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cd4mr2 [560]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.runprocess 2 0 2016-08-06 15:36:05.579

!MESSAGE Could not resolve module: org.talend.designer.runprocess [546]  
Unresolved requirement: Import-Package: org.talend.designer.runtime.visualization  
-> Export-Package: org.talend.designer.runtime.visualization; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.designer.runtime.visualization"; version="0.0.0"  
org.talend.designer.runtime.visualization [548]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.cocoa.macosx.x86\_64 2 0 2016-08-06 15:36:05.585  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.cocoa.macosx.x86\_64 [205]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(&(osgi.ws=cocoa)(osgi.os=macosx)(osgi.arch=x86\_64))"

!ENTRY org.talend.core.runtime 2 0 2016-08-06 15:36:05.591  
!MESSAGE Could not resolve module: org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport.ui 2 0 2016-08-06 15:36:05.596  
!MESSAGE Could not resolve module: org.talend.repository.items.importexport.ui [689]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.view.di.nl 2 0 2016-08-06 15:36:05.602  
!MESSAGE Could not resolve module: org.talend.repository.view.di.nl [700]  
Unresolved requirement: Fragment-Host: org.talend.repository.view.di  
-> Bundle-SymbolicName: org.talend.repository.view.di; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.repository.view.di [701]  
Unresolved requirement: Require-Bundle: org.talend.commons.ui  
-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.sqlbuilder.nl 2 0 2016-08-06 15:36:05.608  
!MESSAGE Could not resolve module: org.talend.sqlbuilder.nl [711]

Unresolved requirement: Fragment-Host: org.talend.sqlbuilder  
-> Bundle-SymbolicName: org.talend.sqlbuilder; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.sqlbuilder [712]  
Unresolved requirement: Require-Bundle: org.talend.core.repository  
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.repository [497]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.metadata.managment 2 0 2016-08-06 15:36:05.613

!MESSAGE Could not resolve module: org.talend.metadata.managment [664]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport 2 0 2016-08-06 15:36:05.619

!MESSAGE Could not resolve module: org.talend.repository.items.importexport [690]

Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.view.di 2 0 2016-08-06 15:36:05.624  
!MESSAGE Could not resolve module: org.talend.repository.view.di [701]  
Unresolved requirement: Require-Bundle: org.talend.commons.ui  
-> Bundle-SymbolicName: org.talend.commons.ui; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.commons.ui [486]  
Unresolved requirement: Require-Bundle: org.talend.utils  
-> Bundle-SymbolicName: org.talend.utils; bundle-version="6.2.1.20160704\_1411"  
org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.linux.ppc 2 0 2016-08-06 15:36:05.630  
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.ppc [409]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc))"

!ENTRY org.talend.expressionbuilder.nl 2 0 2016-08-06 15:36:05.635  
!MESSAGE Could not resolve module: org.talend.expressionbuilder.nl [556]  
Unresolved requirement: Fragment-Host: org.talend.expressionbuilder  
-> Bundle-SymbolicName: org.talend.expressionbuilder; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.expressionbuilder [557]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr410 2 0 2016-08-06 15:36:05.641  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr410 [589]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr301 2 0 2016-08-06 15:36:05.647  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr301 [586]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.aix.ppc 2 0 2016-08-06 15:36:05.655  
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.aix.ppc [98]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=aix) (osgi.arch=ppc))"

!ENTRY org.talend.hadoop.distribution.cdh540 2 0 2016-08-06 15:36:05.660  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cdh540 [564]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.security.win32.x86 2 0 2016-08-06 15:36:05.666  
!MESSAGE Could not resolve module: org.eclipse.equinox.security.win32.x86 [258]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=win32) (osgi.arch=x86))"

!ENTRY org.talend.repository.metadata 2 0 2016-08-06 15:36:05.673  
!MESSAGE Could not resolve module: org.talend.repository.metadata [698]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.resources 2 0 2016-08-06 15:36:05.681  
!MESSAGE Could not resolve module: org.talend.resources [706]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

```
org.talend.core [502]
  Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
  -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
  org.talend.common.ui.runtime [482]
    Unresolved requirement: Import-Package: org.eclipse.swt.graphics
    -> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
    org.eclipse.swt.gtk.linux.s390x [412]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"
    Unresolved requirement: Import-Package: org.eclipse.swt.custom
    -> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"
    org.eclipse.swt.gtk.solaris.x86 [421]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"
    Unresolved requirement: Import-Package: org.eclipse.swt.events
    -> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"
    org.eclipse.swt.gtk.linux.ppc64 [408]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"
    Unresolved requirement: Import-Package: org.eclipse.swt
    -> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"
    Unresolved requirement: Import-Package: org.eclipse.swt.widgets
    -> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"
    org.eclipse.swt.gtk.hpux.ia64 [403]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"
    Unresolved requirement: Import-Package: org.eclipse.swt.layout
    -> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"
    org.eclipse.swt.gtk.linux.s390 [413]
      Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"
    Unresolved requirement: Require-Bundle: org.talend.commons.runtime
    -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
    org.talend.commons.runtime [484]
      Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.hadoop.distribution.hdinsight310 2 0 2016-08-06 15:36:05.690

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.hdinsight310 [573]

```
  Unresolved requirement: Require-Bundle: org.talend.core.runtime
  -> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
  org.talend.core.runtime [499]
    Unresolved requirement: Require-Bundle: org.talend.model
    -> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704_1411"; singleton:="true"
    org.talend.model [671]
      Unresolved requirement: Require-Bundle: org.talend.commons.runtime
      -> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704_1411"
      org.talend.commons.runtime [484]
        Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"
```

!ENTRY org.talend.rcp 2 0 2016-08-06 15:36:05.698

!MESSAGE Could not resolve module: org.talend.rcp [681]

```
  Unresolved requirement: Require-Bundle: org.talend.core
  -> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704_1411"; singleton:="true"
  org.talend.core [502]
    Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime
    -> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704_1411"; singleton:="true"
```

org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.view 2 0 2016-08-06 15:36:05.704

!MESSAGE Could not resolve module: org.talend.repository.view [703]

Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"

-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime

-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]

Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.linux.ppc64le 2 0 2016-08-06 15:36:05.709

!MESSAGE Could not resolve module: org.eclipse.swt.gtk.linux.ppc64le [407]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64le))"

!ENTRY org.eclipse.e4.ui.workbench.renderers.swt.cocoa 2 0 2016-08-06 15:36:05.715

!MESSAGE Could not resolve module: org.eclipse.e4.ui.workbench.renderers.swt.cocoa [141]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="osgi.ws=cocoa"

!ENTRY org.eclipse.equinox.launcher.gtk.aix.ppc64 2 0 2016-08-06 15:36:05.721

!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.aix.ppc64 [207]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc64))"

!ENTRY org.talend.sqlbuilder 2 0 2016-08-06 15:36:05.726  
!MESSAGE Could not resolve module: org.talend.sqlbuilder [712]  
Unresolved requirement: Require-Bundle: org.talend.core.repository  
-> Bundle-SymbolicName: org.talend.core.repository; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.repository [497]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr500 2 0 2016-08-06 15:36:05.732  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr500 [590]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.generic 2 0 2016-08-06 15:36:05.738  
!MESSAGE Could not resolve module: org.talend.repository.generic [686]  
Unresolved requirement: Import-Package: org.talend.components.api.component  
-> Export-Package: org.talend.components.api.component; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses="org.talend.components.api,org.talend.components.api.component.runtime,org.talend.components.api.properties,org.talend.daikon,org.talend.daikon.properties.property"  
org.talend.components.api [489]  
Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0)"  
-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.core 2 0 2016-08-06 15:36:05.744  
!MESSAGE Could not resolve module: org.talend.designer.core [520]  
Unresolved requirement: Import-Package: org.talend.hadoop.distribution  
-> Export-Package: org.talend.hadoop.distribution; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.hadoop.distribution"; version="0.0.0"  
org.talend.hadoop.distribution [594]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.java7 2 0 2016-08-06 15:36:05.750  
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.java7 [100]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Unresolved requirement: Fragment-Host: org.eclipse.core.filesystem; bundle-version="[1.4.100,2.0.0]"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.s390x 2 0 2016-08-06 15:36:05.756  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.s390x [213]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

!ENTRY org.talend.repository.view.nl 2 0 2016-08-06 15:36:05.761  
!MESSAGE Could not resolve module: org.talend.repository.view.nl [702]  
Unresolved requirement: Fragment-Host: org.talend.repository.view  
-> Bundle-SymbolicName: org.talend.repository.view; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.repository.view [703]  
Unresolved requirement: Require-Bundle: org.talend.model; visibility="reexport"  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.model 2 0 2016-08-06 15:36:05.767  
!MESSAGE Could not resolve module: org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.localprovider 2 0 2016-08-06 15:36:05.772  
!MESSAGE Could not resolve module: org.talend.repository.localprovider [694]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.fileoutputxml.nl 2 0 2016-08-06 15:36:05.778

!MESSAGE Could not resolve module: org.talend.designer.fileoutputxml.nl [529]

Unresolved requirement: Fragment-Host: org.talend.designer.fileoutputxml

-> Bundle-SymbolicName: org.talend.designer.fileoutputxml; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.designer.fileoutputxml [530]

Unresolved requirement: Require-Bundle: org.talend.core

-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime

-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"

org.talend.common.ui.runtime [482]

Unresolved requirement: Import-Package: org.eclipse.swt.graphics

-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390x [412]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"

Unresolved requirement: Import-Package: org.eclipse.swt.custom

-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"

org.eclipse.swt.gtk.solaris.x86 [421]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

Unresolved requirement: Import-Package: org.eclipse.swt.events

-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"

org.eclipse.swt.gtk.linux.ppc64 [408]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"

Unresolved requirement: Import-Package: org.eclipse.swt

-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"

Unresolved requirement: Import-Package: org.eclipse.swt.widgets

-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]

Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"

Unresolved requirement: Import-Package: org.eclipse.swt.layout

-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"

org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.expressionbuilder 2 0 2016-08-06 15:36:05.784

!MESSAGE Could not resolve module: org.talend.expressionbuilder [557]

Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.rowgenerator.nl 2 0 2016-08-06 15:36:05.789

!MESSAGE Could not resolve module: org.talend.designer.rowgenerator.nl [543]

Unresolved requirement: Fragment-Host: org.talend.designer.rowgenerator  
-> Bundle-SymbolicName: org.talend.designer.rowgenerator; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.rowgenerator [544]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.gtk.solaris.sparc 2 0 2016-08-06 15:36:05.795  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.solaris.sparc [217]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=sparc))"

!ENTRY org.talend.utils 2 0 2016-08-06 15:36:05.802  
!MESSAGE Could not resolve module: org.talend.utils [716]  
Unresolved requirement: Require-Bundle: org.talend.daikon; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.daikon; bundle-version="0.12.1"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cdh510mr1 2 0 2016-08-06 15:36:05.807  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cdh510mr1 [562]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.net.linux.x86\_64 2 0 2016-08-06 15:36:05.813  
!MESSAGE Could not resolve module: org.eclipse.core.net.linux.x86\_64 [113]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=x86\_64))"

!ENTRY org.talend.componentdesigner.nl 2 0 2016-08-06 15:36:05.819  
!MESSAGE Could not resolve module: org.talend.componentdesigner.nl [487]  
Unresolved requirement: Fragment-Host: org.talend.componentdesigner  
-> Bundle-SymbolicName: org.talend.componentdesigner; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.componentdesigner [488]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.components.common-oauth 2 0 2016-08-06 15:36:05.824  
!MESSAGE Could not resolve module: org.talend.components.common-oauth [490]  
Unresolved requirement: Import-Package: org.talend.components.api.properties; version="[0.13.0,1.0.0)"  
-> Export-Package: org.talend.components.api.properties; bundle-version="0.13.1"; bundle-symbolic-name="org.talend.components.api"; version="0.13.1";  
uses:="org.apache.avro,org.talend.components.api.component,org.talend.daikon.properties,org.talend.daikon.properties.presentation,org.talend.daikon.properties.property"

org.talend.components.api [489]  
Unresolved requirement: Import-Package: org.talend.daikon; version="[0.12.0,1.0.0]"  
-> Export-Package: org.talend.daikon; bundle-version="0.12.1"; bundle-symbolic-name="org.talend.daikon"; version="0.12.1"; uses="org.talend.daikon.i18n"  
org.talend.daikon [505]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.hpux.ia64 2 0 2016-08-06 15:36:05.830  
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.hpux.ia64 [99]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=hpux) (osgi.arch=ia64))"

!ENTRY org.talend.registration 2 0 2016-08-06 15:36:05.835  
!MESSAGE Could not resolve module: org.talend.registration [683]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.resources.nl 2 0 2016-08-06 15:36:05.841  
!MESSAGE Could not resolve module: org.talend.resources.nl [705]  
Unresolved requirement: Fragment-Host: org.talend.resources  
-> Bundle-SymbolicName: org.talend.resources; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.resources [706]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core [502]  
Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"

org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.presentation.onboarding.resource.tos 2 0 2016-08-06 15:36:05.847  
!MESSAGE Could not resolve module: org.talend.presentation.onboarding.resource.tos [676]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.filesystem.aix.ppc64 2 0 2016-08-06 15:36:05.852  
!MESSAGE Could not resolve module: org.eclipse.core.filesystem.aix.ppc64 [97]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=aix) (osgi.arch=ppc64))"

!ENTRY org.talend.commons.runtime.nl 2 0 2016-08-06 15:36:05.858  
!MESSAGE Could not resolve module: org.talend.commons.runtime.nl [483]  
Unresolved requirement: Fragment-Host: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.core.net.linux.x86 2 0 2016-08-06 15:36:05.863  
!MESSAGE Could not resolve module: org.eclipse.core.net.linux.x86 [112]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.os=linux) (osgi.arch=x86))"

!ENTRY org.talend.hadoop.distribution.cd510mr2 2 0 2016-08-06 15:36:05.868  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cd510mr2 [563]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.piv101 2 0 2016-08-06 15:36:05.874

!MESSAGE Could not resolve module: org.talend.hadoop.distribution.piv101 [592]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cdh500mr2 2 0 2016-08-06 15:36:05.880  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cdh500mr2 [561]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.equinox.launcher.cocoa.macosx 2 0 2016-08-06 15:36:05.885  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.cocoa.macosx [206]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=cocoa) (osgi.os=macosx) ((osgi.arch=x86)(osgi.arch=ppc)) )"

!ENTRY org.eclipse.swt.gtk.solaris.x86 2 0 2016-08-06 15:36:05.891  
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

!ENTRY org.talend.repository 2 0 2016-08-06 15:36:05.897  
!MESSAGE Could not resolve module: org.talend.repository [704]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.business.diagram 2 0 2016-08-06 15:36:05.903  
!MESSAGE Could not resolve module: org.talend.designer.business.diagram [512]  
Unresolved requirement: Require-Bundle: org.talend.core  
-> Bundle-SymbolicName: org.talend.core; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core [502]

Unresolved requirement: Require-Bundle: org.talend.common.ui.runtime  
-> Bundle-SymbolicName: org.talend.common.ui.runtime; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.common.ui.runtime [482]  
Unresolved requirement: Import-Package: org.eclipse.swt.graphics  
-> Export-Package: org.eclipse.swt.graphics; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390x [412]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390x))"  
Unresolved requirement: Import-Package: org.eclipse.swt.custom  
-> Export-Package: org.eclipse.swt.custom; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.solaris.x86"; version="0.0.0"  
org.eclipse.swt.gtk.solaris.x86 [421]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"  
Unresolved requirement: Import-Package: org.eclipse.swt.events  
-> Export-Package: org.eclipse.swt.events; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.ppc64"; version="0.0.0"  
org.eclipse.swt.gtk.linux.ppc64 [408]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=ppc64))"  
Unresolved requirement: Import-Package: org.eclipse.swt  
-> Export-Package: org.eclipse.swt; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390x"; version="0.0.0"  
Unresolved requirement: Import-Package: org.eclipse.swt.widgets  
-> Export-Package: org.eclipse.swt.widgets; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.hpux.ia64"; version="0.0.0"  
org.eclipse.swt.gtk.hpux.ia64 [403]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=hpux) (osgi.arch=ia64))"  
Unresolved requirement: Import-Package: org.eclipse.swt.layout  
-> Export-Package: org.eclipse.swt.layout; bundle-version="3.103.1.v20140903-1947"; bundle-symbolic-name="org.eclipse.swt.gtk.linux.s390"; version="0.0.0"  
org.eclipse.swt.gtk.linux.s390 [413]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=s390))"  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.swt.gtk.aix.ppc64 2 0 2016-08-06 15:36:05.908  
!MESSAGE Could not resolve module: org.eclipse.swt.gtk.aix.ppc64 [400]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=aix) (osgi.arch=ppc64))"

!ENTRY org.talend.designer.xmlmap.nl 2 0 2016-08-06 15:36:05.914  
!MESSAGE Could not resolve module: org.talend.designer.xmlmap.nl [554]  
Unresolved requirement: Fragment-Host: org.talend.designer.xmlmap  
-> Bundle-SymbolicName: org.talend.designer.xmlmap; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.designer.xmlmap [555]  
Unresolved requirement: Require-Bundle: org.talend.model; visibility:="reexport"  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton:="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.jdt.launching.macosx 2 0 2016-08-06 15:36:05.919  
!MESSAGE Could not resolve module: org.eclipse.jdt.launching.macosx [327]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.os=macosx)"

!ENTRY org.talend.designer.components.exchange 2 0 2016-08-06 15:36:05.925  
!MESSAGE Could not resolve module: org.talend.designer.components.exchange [516]  
Unresolved requirement: Import-Package: org.talend.registration.wizards.register  
-> Export-Package: org.talend.registration.wizards.register; bundle-version="6.2.1.20160704\_1411"; bundle-symbolic-name="org.talend.registration"; version="0.0.0"  
org.talend.registration [683]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.ui.cocoa 2 0 2016-08-06 15:36:05.930  
!MESSAGE Could not resolve module: org.eclipse.ui.cocoa [433]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(osgi.ws=cocoa)"

!ENTRY org.eclipse.equinox.launcher.gtk.linux.x86\_64 2 0 2016-08-06 15:36:05.935  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.linux.x86\_64 [216]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=linux) (osgi.arch=x86\_64))"

!ENTRY org.eclipse.equinox.launcher.gtk.solaris.x86 2 0 2016-08-06 15:36:05.941  
!MESSAGE Could not resolve module: org.eclipse.equinox.launcher.gtk.solaris.x86 [218]  
Unresolved requirement: Require-Capability: eclipse.platform; filter:="(& (osgi.ws=gtk) (osgi.os=solaris) (osgi.arch=x86))"

!ENTRY org.talend.datatools.xml 2 0 2016-08-06 15:36:05.946  
!MESSAGE Could not resolve module: org.talend.datatools.xml [506]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter:="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.custom 2 0 2016-08-06 15:36:05.952  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.custom [567]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.cd550 2 0 2016-08-06 15:36:05.958  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.cd550 [565]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.gefabstractmap 2 0 2016-08-06 15:36:05.966  
!MESSAGE Could not resolve module: org.talend.designer.gefabstractmap [532]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.maven.tos 2 0 2016-08-06 15:36:05.972  
!MESSAGE Could not resolve module: org.talend.designer.maven.tos [539]  
Unresolved requirement: Fragment-Host: org.talend.designer.maven; bundle-version="6.2.1"  
-> Bundle-SymbolicName: org.talend.designer.maven; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.designer.maven [542]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.hadoop.distribution.mapr213 2 0 2016-08-06 15:36:05.977  
!MESSAGE Could not resolve module: org.talend.hadoop.distribution.mapr213 [585]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]

Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.items.importexport.ui.nl 2 0 2016-08-06 15:36:05.983  
!MESSAGE Could not resolve module: org.talend.repository.items.importexport.ui.nl [688]  
Unresolved requirement: Fragment-Host: org.talend.repository.items.importexport.ui  
-> Bundle-SymbolicName: org.talend.repository.items.importexport.ui; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.repository.items.importexport.ui [689]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.designer.dbmap.nl 2 0 2016-08-06 15:36:05.988  
!MESSAGE Could not resolve module: org.talend.designer.dbmap.nl [521]  
Unresolved requirement: Fragment-Host: org.talend.designer.dbmap  
-> Bundle-SymbolicName: org.talend.designer.dbmap; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.designer.dbmap [522]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.talend.repository.ftp 2 0 2016-08-06 15:36:05.994  
!MESSAGE Could not resolve module: org.talend.repository.ftp [685]  
Unresolved requirement: Require-Bundle: org.talend.core.runtime  
-> Bundle-SymbolicName: org.talend.core.runtime; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.core.runtime [499]  
Unresolved requirement: Require-Bundle: org.talend.model  
-> Bundle-SymbolicName: org.talend.model; bundle-version="6.2.1.20160704\_1411"; singleton="true"  
org.talend.model [671]  
Unresolved requirement: Require-Bundle: org.talend.commons.runtime  
-> Bundle-SymbolicName: org.talend.commons.runtime; bundle-version="6.2.1.20160704\_1411"  
org.talend.commons.runtime [484]  
Unresolved requirement: Require-Capability: osgi.ee; filter="(&(osgi.ee=JavaSE)(version=1.7))"

!ENTRY org.eclipse.osgi 4 0 2016-08-06 15:36:06.005  
!MESSAGE Application error

!STACK 1

java.lang.RuntimeException: No application id has been found.

```
at org.eclipse.equinox.internal.app.EclipseAppContainer.startDefaultApp(EclipseAppContainer.java:242)
at org.eclipse.equinox.internal.app.MainApplicationLauncher.run(MainApplicationLauncher.java:29)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:134)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:104)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:380)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:235)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
```

```
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:648)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:603)
at org.eclipse.equinox.launcher.Main.run(Main.java:1465)
at org.eclipse.equinox.launcher.Main.main(Main.java:1438)
```