

hello

I installed the latest jsl version (try with Release 0.99m and latest 0.99o)  
doesn't seem to work either  
thank you for your help  
Philippe  
rtcquebec.ca

here is the log when I start it in debug mode : jsl\_static64.exe -debug  
:1395169418: Start loading params  
Module name decomposed D: \Talend\5.3.1\JobServer\conf\ jsl\_static64 .exe  
Ini file path final D:\Talend\5.3.1\JobServer\conf\jsl\_static64.ini  
Final ini file decomposed D: \Talend\5.3.1\JobServer\conf\ jsl\_static64 .ini  
Ini file: cmdline =  
Finally: cmdline =  
:1395169418: Loaded module path  
Ini file: jrepath = C:\Program Files\Java\jdk1.7.0\_45  
Finally: jrepath = C:\Program Files\Java\jdk1.7.0\_45  
Ini file: jvmtype = server  
Finally: jvmtype = server  
Ini file: dependencies =  
Finally: dependencies =  
Ini file: starttype = auto  
Finally: starttype = auto  
Ini file: account =  
Finally: account =  
Ini file: password =  
Finally: password =  
Ini file: loadordergroup = someorder  
Finally: loadordergroup = someorder  
Ini file: wrkdir =  
Finally: wrkdir =  
Ini file: appname = TalendJobServer  
Finally: appname = TalendJobServer  
Ini file: servicename = TalendJobServer  
Finally: servicename = TalendJobServer  
Ini file: displayname = Talend JobServer  
Finally: displayname = Talend JobServer  
Ini file: servicedescription = Talend JobServer  
Finally: servicedescription = Talend JobServer  
Ini file: stdout =  
Finally: stdout =  
Ini file: stderr =  
Finally: stderr =  
Ini file: stdoutappend = no  
Finally: stdoutappend = no  
Ini file: stderrappend = no  
Finally: stderrappend = no  
Ini file: systemout =  
Finally: systemout =  
Ini file: systemerr =  
Finally: systemerr =

Ini file: systemoutappend = no  
Finally: systemoutappend = no  
Ini file: systemerrappend = no  
Finally: systemerrappend = no  
Ini file: interactwithdesktop = no  
Finally: interactwithdesktop = no  
Ini file: onexiterror = ignore  
Finally: onexiterror = ignore  
Ini file: reportservicestoppedonmainthreadexit = no  
Finally: reportservicestoppedonmainthreadexit = no  
Ini file: stopclass = java/lang/System  
Finally: stopclass = java/lang/System  
Ini file: stopmethod = exit  
Finally: stopmethod = exit  
Ini file: stopsignature = (I)V  
Finally: stopsignature = (I)V  
Ini file: stopparams = STOP "OR NOT STOP"  
Finally: stopparams = STOP "OR NOT STOP"  
Ini file: pauseclass =  
Finally: pauseclass =  
Ini file: pausemethod =  
Finally: pausemethod =  
Ini file: pausesignature =  
Finally: pausesignature =  
Ini file: pauseparams =  
Finally: pauseparams =  
Ini file: contclass =  
Finally: contclass =  
Ini file: contmethod =  
Finally: contmethod =  
Ini file: contsignature =  
Finally: contsignature =  
Ini file: contparams =  
Finally: contparams =  
Ini file: confirmrunclass =  
Finally: confirmrunclass =  
Ini file: confirmrunmethod =  
Finally: confirmrunmethod =  
Ini file: confirmrunsignature =  
Finally: confirmrunsignature =  
Ini file: confirmrunparams =  
Finally: confirmrunparams =  
Ini file: premainclass =  
Finally: premainclass =  
Ini file: premainmethod = run  
Finally: premainmethod = run  
Ini file: premainsignature = ()I  
Finally: premainsignature = ()I  
Ini file: premainparams =  
Finally: premainparams =  
Ini file: useconsolehandler = false  
Finally: useconsolehandler = false  
Ini file: path =

Finally: path =  
Ini file: modulepath =  
Finally: modulepath =  
:1395169418: Loaded module path  
Ini file: export = CLASSPATH,PATH  
Finally: export = CLASSPATH,PATH  
Ini file: CLASSPATH =  
Finally: CLASSPATH =  
Ini file: PATH = %PATH%  
After substitution: PATH =  
From environment: PATH = D:\oracle\ora1123\product\bin;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\  
Finally: PATH = D:\oracle\ora1123\product\bin;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\  
Ini file: param00 = -cp  
Finally: param00 = -cp  
:1395169418: After JVM type check  
:1395169418: After service options  
:1395169418: After ini file options  
:1395169418: Params:  
Ini file: param00 = -cp  
Finally: param00 = -cp  
:1395169418: -cp  
Ini file: param01 =  
D:\Talend\5.3.1\JobServer;D:\Talend\5.3.1\JobServer\lib\jmxremote\_optional.jar;D:\Talend\5.3.1\JobServer\lib\log4j-1.2.15.jar;D:\Talend\5.3.1\JobServer\lib\commons-io-1.3.2.jar;D:\Talend\5.3.1\Job  
Finally: param01 =  
D:\Talend\5.3.1\JobServer;D:\Talend\5.3.1\JobServer\lib\jmxremote\_optional.jar;D:\Talend\5.3.1\JobServer\lib\log4j-1.2.15.jar;D:\Talend\5.3.1\JobServer\lib\commons-io-1.3.2.jar;D:\Talend\5.3.1\Job  
:1395169418:  
D:\Talend\5.3.1\JobServer;D:\Talend\5.3.1\JobServer\lib\jmxremote\_optional.jar;D:\Talend\5.3.1\JobServer\lib\log4j-1.2.15.jar;D:\Talend\5.3.1\JobServer\lib\commons-io-1.3.2.jar;D:\Talend\5.3.1\Job  
Ini file: param02 = -Djava.library.path=D:\Talend\5.3.1\JobServer\sigar-bin\lib\  
Finally: param02 = -Djava.library.path=D:\Talend\5.3.1\JobServer\sigar-bin\lib\  
:1395169418: -Djava.library.path=D:\Talend\5.3.1\JobServer\sigar-bin\lib\  
Ini file: param03 = -Dcom.sun.management.jmxremote  
Finally: param03 = -Dcom.sun.management.jmxremote  
:1395169418: -Dcom.sun.management.jmxremote  
Ini file: param04 = -Dtalend\_props=D:\Talend\5.3.1\JobServer\conf\TalendJobServer.properties  
Finally: param04 = -Dtalend\_props=D:\Talend\5.3.1\JobServer\conf\TalendJobServer.properties  
:1395169418: -Dtalend\_props=D:\Talend\5.3.1\JobServer\conf\TalendJobServer.properties  
Ini file: param05 = org.talend.remote.jobserver.service.WindowsJobServer  
Finally: param05 = org.talend.remote.jobserver.service.WindowsJobServer  
:1395169418: org.talend.remote.jobserver.service.WindowsJobServer  
:1395169418: -Dservice.stop.port=0 -Dservice.path=D:\Talend\5.3.1\JobServer\conf\ -Dservice.name=TalendJobServer -Dservice.inifile=D:\Talend\5.3.1\JobServer\conf\jssl\_static64.ini -cp  
D:\Talend\5.3.1\JobServer;D:\Talend\5.3.1\JobServer\lib\jmxremote\_optional.jar;D:\Talend\5.3.1\JobServer\lib\log4j-1.2.15.jar;D:\Talend\5.3.1\JobServer\lib\commons-io-1.3.2.jar;D:\Talend\5.3.1\Job  
-Djava.library.path=D:\Talend\5.3.1\JobServer\sigar-bin\lib\ -Dcom.sun.management.jmxremote -Dtalend\_props=D:\Talend\5.3.1\JobServer\conf\TalendJobServer.properties  
org.talend.remote.jobserver.service.WindowsJobServer  
Debugging Talend JobServer.  
:1395169418: prepare stdxxx - end  
:1395169418: service starting  
:1395169418: starting java  
Now starting JVM  
:1395169418: java starting 1  
:1395169418: Searching for JVM path in ini file

```
:1395169418: Found JVM path in ini file
:1395169418: Path for JVM:
:1395169418: D:\oracle\ora1123\product\bin;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Program
Files\Java\jdk1.7.0_45\jre\bin
Path for JVM: D:\oracle\ora1123\product\bin;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Program
Files\Java\jdk1.7.0_45\jre\bin
:1395169418: Found jvmtype:
:1395169418: C:\Program Files\Java\jdk1.7.0_45\jre\bin\server\jvm.dll
:1395169418: JVM DLL:
:1395169418: C:\Program Files\Java\jdk1.7.0_45\jre\bin\server\jvm.dll
JVM DLL: C:\Program Files\Java\jdk1.7.0_45\jre\bin\server\jvm.dll
:1395169418: java starting 2
:1395169418: java starting 3
:1395169418: -Dservice.stop.port=0
:1395169418: -Dservice.path=D:\Talend\5.3.1\JobServer\conf\
:1395169418: -Dservice.name=TalendJobServer
:1395169418: -Dservice.inifile=D:\Talend\5.3.1\JobServer\conf\jssl_static64.ini
:1395169418: -cp
:1395169418:
D:\Talend\5.3.1\JobServer;D:\Talend\5.3.1\JobServer\lib\jmxremote_optional.jar;D:\Talend\5.3.1\JobServer\lib\log4j-1.2.15.jar;D:\Talend\5.3.1\JobServer\lib\commons-io-1.3.2.jar;D:\Talend\5.3.1\Job

:1395169418: -Djava.library.path=D:\Talend\5.3.1\JobServer\sigar-bin\lib\
:1395169418: -Dcom.sun.management.jmxremote
:1395169418: -Dtalend_props=D:\Talend\5.3.1\JobServer\conf\TalendJobServer.properties
:1395169418: org.talend.remote.jobserver.service.WindowsJobServer
:1395169418: java starting 4
:1395169418: java starting 4.1
:1395169418: java starting 4.2
:1395169418: java starting 4.3
ControlHandler registered after JVM start
:1395169418: java starting 4.4
:1395169418: java starting 5
:1395169418: java stThis is the System.out stream
INFO TalendJobServerMain - Starting the Talend Job server agent
INFO TalendJobServerMain -
!!-----!!
!! !!
!! Talend Job server agent !!
!! Version: 5.3.1 Compatible with versions: 5.1.1, 5.1.2, 5.1.3, 5.2.1, 5.2.2, 5.3.1 !!
!! !!
!!-----!!
INFO PropertiesLoader - Loading Properties from file: 'D:\Talend\5.3.1\JobServer\conf\TalendJobServer.properties'
INFO TalendJobServer - PROPERTIES: List of input properties:
awt.toolkit=sun.awt.windows.WToolkit
com.sun.management.jmxremote=
file.encoding=Cp1252
file.encoding.pkg=sun.io
file.separator=\
java.awt.graphicsenv=sun.awt.Win32GraphicsEnvironment
java.awt.printerjob=sun.awt.windows.WPrinterJob
java.class.path=D:\Talend\5.3.1\JobServer;D:\Talend\5.3.1\JobServer\lib\jmxremote_optional.jar;D:\Talend\5.3.1\JobServer\lib\log4j-1.2.15.jar;D:\Talend\5.3.1\JobServer\lib\commons-io-1.3.2.jar;D:\T

java.class.version=51.0
```

java.endorsed.dirs=C:\Program Files\Java\jdk1.7.0\_45\jre\lib\endorsed  
java.ext.dirs=C:\Program Files\Java\jdk1.7.0\_45\jre\lib\ext;C:\Windows\Sun\Java\lib\ext  
java.home=C:\Program Files\Java\jdk1.7.0\_45\jre  
java.io.tmpdir=C:\Users\CA-PHI~1\AppData\Local\Temp\2\  
java.library.path=D:\Talend\5.3.1\JobServer\sigar-bin\lib\  
java.rmi.server.randomIDs=true  
java.runtime.name=Java(TM) SE Runtime Environment  
java.runtime.version=1.7.0\_45-b18  
java.specification.name=Java Platform API Specification  
java.specification.vendor=Oracle Corporation  
java.specification.version=1.7  
java.vendor=Oracle Corporation  
java.vendor.url=http://java.oracle.com/  
java.vendor.url.bug=http://bugreport.sun.com/bugreport/  
java.version=1.7.0\_45  
java.vm.info=mixed mode  
java.vm.name=Java HotSpot(TM) 64-Bit Server VM  
java.vm.specification.name=Java Virtual Machine Specification  
java.vm.specification.vendor=Oracle Corporation  
java.vm.specification.version=1.7  
java.vm.vendor=Oracle Corporation  
java.vm.version=24.45-b08  
line.separator=  
org.talend.monitoring.jmx.server.OsInfoRetriever.FORCE\_LOAD=false  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.FREQUENCY\_CLEAN\_ACTION=600  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.JOB\_LAUNCHER\_PATH=  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.LAUNCH\_SHELL\_SCRIPT=false  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.MAX\_DURATION\_BEFORE\_CLEANING\_OLD\_EXECUTIONS\_LOGS=7776000  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.MAX\_DURATION\_BEFORE\_CLEANING\_OLD\_JOBS=7776000  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.MAX\_DURATION\_BEFORE\_CLEANING\_OLD\_LIBS=7776000  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.MAX\_OLD\_EXECUTIONS\_LOGS=1000  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.MAX\_OLD\_JOBS=200  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.MAX\_OLD\_LIBS=300  
org.talend.remote.jobserver.commons.config.JobServerConfiguration.ROOT\_PATH=D:\Talend\5.3.1\JobServer  
org.talend.remote.jobserver.server.TalendJobServer.COMMAND\_SERVER\_PORT=8000  
org.talend.remote.jobserver.server.TalendJobServer.FILE\_SERVER\_PORT=8001  
org.talend.remote.jobserver.server.TalendJobServer.LOCAL\_HOST=localhost  
org.talend.remote.jobserver.server.TalendJobServer.MONITORING\_PORT=8888  
org.talend.remote.jobserver.server.TalendJobServer.USE\_SSL=false  
org.talend.remote.jobserver.server.fileevent.FileChangedSensor.FileEvent.checkFileCountBeforeFire=10  
org.talend.remote.server.MultiSocketServer.MAX\_CONCURRENT\_CONNECTIONS=1000  
os.arch=amd64  
os.name=Windows Server 2008 R2  
os.version=6.1  
path.separator=;  
service.inifile=D:\Talend\5.3.1\JobServer\conf\jstl\_static64.ini  
service.name=TalendJobServer  
service.path=D:\Talend\5.3.1\JobServer\conf\  
service.stop.port=0  
sun.arch.data.model=64  
sun.boot.class.path=C:\Program Files\Java\jdk1.7.0\_45\jre\lib\resources.jar;C:\Program Files\Java\jdk1.7.0\_45\jre\lib\rt.jar;C:\Program Files\Java\jdk1.7.0\_45\jre\lib\sunrsasign.jar;C:\Program Files\Java\jdk1.7.0\_45\jre\lib\sse.jar;C:\Program Files\Java\jdk1.7.0\_45\jre\lib\jce.jar;C:\Program Files\Java\jdk1.7.0\_45\jre\lib\charsets.jar;C:\Program Files\Java\jdk1.7.0\_45\jre\lib\jfr.jar;C:\Program Files\Java\jdk1.7.0\_45\jre\classes

sun.boot.library.path=C:\Program Files\Java\jdk1.7.0\_45\jre\bin  
sun.cpu.endian=little  
sun.cpu.isalist=amd64  
sun.desktop=windows  
sun.io.unicode.encoding=UnicodeLittle  
sun.jnu.encoding=Cp1252  
sun.management.compiler=HotSpot 64-Bit Tiered Compilers  
sun.os.patch.level=Service Pack 1  
talend\_props=D:\Talend\5.3.1\JobServer\conf\TalendJobServer.properties  
user.country=US  
user.country.format=CA  
user.dir=D:\Talend\5.3.1\JobServer\conf  
user.home=C:\Users\ca-phigag  
user.language=en  
user.language.format=fr  
user.name=ca-phigag  
user.script=  
user.timezone=America/New\_York  
user.variant=  
PROPERTIES: End of list.  
INFO MultiSocketServer - FileServer Started on 0.0.0.0/0.0.0.0:8001  
INFO CommandServerSocket - System property recovery.enabled=null => recovery is enabled  
INFO CommandServerSocket - Option jobLauncher disabled, the default value will be used.  
INFO MultiSocketServer - CommandServer Started on 0.0.0.0/0.0.0.0:8000  
INFO OSInformationAgent - Talend OS Information agent Version: 2.0.0  
INFO OSInformationAgent - Create the MBean server with service URL: service:jmx:jmxmp://localhost:8888  
INFO AbstractDataCleaner - JobServerCleaner started.  
INFO OsInfoRetriever - Search for monitoring library in java.library.path: D:\Talend\5.3.1\JobServer\sigar-bin\lib\  
INFO JobServerCleaner - TempDataCleaner (doAction=true), 1 executions logs cleaned, 3 cached libs cleaned  
INFO OSInformationAgent - Register the OsInfoRetrieverMBean  
INFO OSInformationAgent - Create and start the JMX connector server  
INFO OSInformationAgent - jmxServiceURL = service:jmx:jmxmp://localhost:8888  
INFO OSInformationAgent - The JMX connector server successfully started.  
INFO TalendJobServer - ===== JobServer successfully started =====  
WARN TypedProperties - !!! PROPERTY NOT FOUND !!!: the key 'org.talend.monitoring.jmx.server.OsInfoRetriever.OS\_PARTITIONS' can't be found in the JobServer properties file, the default value '[]' will be used, please be sure this is not an anomaly.  
INFO JobOutputManager - System property "traceFileHandles.dirPath" has the value 'null', traceFileHandles will be disabled.