

here's the log:

```
!SESSION 2010-09-24 16:06:17.674 -----
eclipse.buildId=unknown
java.version=1.6.0_20
java.vendor=Sun Microsystems Inc.
BootLoader constants: OS=win32, ARCH=x86_64, WS=win32, NL=en
Command-line arguments: -os win32 -ws win32 -arch x86_64
!ENTRY org.talend.libraries 1 0 2010-09-24 16:10:02.693
!MESSAGE 2010-09-24 16:10:02,691 INFO org.talend.repository.model.ProxyRepositoryFactory - Smith, John logged on TalendProjectOne
```

```
!ENTRY org.talend.libraries 4 0 2010-09-24 16:35:02.384
!MESSAGE 2010-09-24 16:35:02,383 ERROR org.talend.commons.exception.ExceptionHandler -
!STACK 0
java.lang.reflect.InvocationTargetException
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.dialog.FakeRepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.dialog.RepositoryReviewDialog.createDialogArea(Unknown Source)
at org.eclipse.jface.dialogs.Dialog.createContents(Dialog.java:760)
at org.eclipse.jface.window.Window.create(Window.java:431)
at org.eclipse.jface.dialogs.Dialog.create(Dialog.java:1089)
at org.eclipse.jface.window.Window.open(Window.java:790)
at org.talend.designer.core.ui.editor.properties.controllers.SchemaTypeController.createButtonCommand(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController.createCommand(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController.access$0(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController$1.widgetSelected(Unknown Source)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:228)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
```

```
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
... 51 more
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 56 more
Root exception:
org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.dialog.FakeRepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.dialog.RepositoryReviewDialog.createDialogArea(Unknown Source)
at org.eclipse.jface.dialogs.Dialog.createContents(Dialog.java:760)
at org.eclipse.jface.window.Window.create(Window.java:431)
```

```
at org.eclipse.jface.dialogs.Dialog.create(Dialog.java:1089)
at org.eclipse.jface.window.Window.open(Window.java:790)
at org.talend.designer.core.ui.editor.properties.controllers.SchemaTypeController.createButtonCommand(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController.createCommand(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController.access$0(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController$1.widgetSelected(Unknown Source)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:228)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URIHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 56 more
!ENTRY org.eclipse.ui 4 0 2010-09-24 16:35:02.915
!MESSAGE Unhandled event loop exception
!STACK 0
java.lang.NullPointerException
at org.talend.repository.ui.views.RepositoryContentProvider.getMetadataFileNode(Unknown Source)
at org.talend.repository.ui.dialog.SchemaTypeProcessor.getInputRoot(Unknown Source)
at org.talend.repository.ui.dialog.FakeRepositoryView.getInput(Unknown Source)
at org.talend.repository.ui.dialog.FakeRepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.dialog.RepositoryReviewDialog.createDialogArea(Unknown Source)
at org.eclipse.jface.dialogs.Dialog.createContents(Dialog.java:760)
at org.eclipse.jface.window.Window.create(Window.java:431)
at org.eclipse.jface.dialogs.Dialog.create(Dialog.java:1089)
at org.eclipse.jface.window.Window.open(Window.java:790)
at org.talend.designer.core.ui.editor.properties.controllers.SchemaTypeController.createButtonCommand(Unknown Source)
```

```
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController.createCommand(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController.access$0(Unknown Source)
at org.talend.designer.core.ui.editor.properties.controllers.AbstractRepositoryController$1.widgetSelected(Unknown Source)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:228)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
!ENTRY org.talend.libraries 4 0 2010-09-24 16:36:20.462
!MESSAGE 2010-09-24 16:36:20,461 ERROR org.talend.commons.exception.ExceptionHandler -
!STACK 0
java.lang.reflect.InvocationTargetException
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.core.model.repository.RepositoryManager.refreshSavedNode(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.handleWizard(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.access$1(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction$1.runInUIThread(Unknown Source)
at org.eclipse.ui.progress.UIJob$1.run(UIJob.java:95)
```

```
at org.eclipse.swt.widgets.RunWithLock.run(RunnableLock.java:35)
at org.eclipse.swt.widgets.Synchronizer.runAsyncMessages(Synchronizer.java:134)
at org.eclipse.swt.widgets.Display.runAsyncMessages(Display.java:3855)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3476)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
... 45 more
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 50 more
Root exception:
org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
```

at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog\$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.core.model.repository.RepositoryManager.refreshSavedNode(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.handleWizard(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.access\$1(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction\$1.runInUIThread(Unknown Source)
at org.eclipse.ui.progress.UIJob\$1.run(UIJob.java:95)
at org.eclipse.swt.widgets.RunWithLock.run(RunnableLock.java:35)
at org.eclipse.swt.widgets.Synchronizer.runAsyncMessages(Synchronizer.java:134)
at org.eclipse.swt.widgets.Display.runAsyncMessages(Display.java:3855)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3476)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URIHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 50 more
!ENTRY org.talend.libraries 4 0 2010-09-24 16:38:27.413
!MESSAGE 2010-09-24 16:38:27,412 ERROR org.talend.commons.exception.ExceptionHandler -
!STACK 0
java.lang.reflect.InvocationTargetException
at org.talend.repository.ui.views.RepositoryView\$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog\$1\$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)

at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog\$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog\$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.actions.RefreshAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView\$4.mouseUp(Unknown Source)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:207)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
... 43 more
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URILogger.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 48 more

Root exception:

```
org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.actions.RefreshAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$4.mouseUp(Unknown Source)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:207)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
```

```
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URIHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 48 more
!ENTRY org.talend.libraries 4 0 2010-09-24 16:38:33.423
!MESSAGE 2010-09-24 16:38:33,423 ERROR org.talend.commons.exception.ExceptionHandler -
!STACK 0
java.lang.reflect.InvocationTargetException
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.actions.RefreshAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$4.mouseUp(Unknown Source)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:207)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
```

at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
... 43 more
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URIHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 48 more

Root exception:

org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.ui.views.RepositoryView\$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog\$1\$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog\$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog\$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.repository.ui.actions.RefreshAction.run(Unknown Source)
at org.talend.repository.ui.views.RepositoryView\$4.mouseUp(Unknown Source)
at org.eclipse.swt.widgets.TypedListener.handleEvent(TypedListener.java:207)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1003)
at org.eclipse.swt.widgets.Display.runDeferredEvents(Display.java:3880)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3473)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)

```
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URIHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 48 more
!ENTRY org.talend.libraries 4 0 2010-09-24 16:39:15.483
!MESSAGE 2010-09-24 16:39:15,482 ERROR org.talend.commons.exception.ExceptionHandler -
!STACK 0
java.lang.reflect.InvocationTargetException
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.core.model.repository.RepositoryManager.refreshSavedNode(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.handleWizard(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.access$1(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction$1.runInUIThread(Unknown Source)
at org.eclipse.ui.progress.UIJob$1.run(UIJob.java:95)
at org.eclipse.swt.widgets.RunWithLock.run(RunnableLock.java:35)
at org.eclipse.swt.widgets.Synchronizer.runAsyncMessages(Synchronizer.java:134)
at org.eclipse.swt.widgets.Display.runAsyncMessages(Display.java:3855)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3476)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
```

```
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
... 45 more
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URIHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 50 more
Root exception:
org.talend.commons.exception.PersistenceException: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.doInitialize(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.svnprovider.SvnRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.remoteprovider.RemoteRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.model.ProxyRepositoryFactory.initialize(Unknown Source)
at org.talend.repository.ui.views.RepositoryView$13.run(Unknown Source)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1$1.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$1.run(Unknown Source)
at org.eclipse.jface.operation.ModalContext.runInCurrentThread(ModalContext.java:464)
at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:372)
at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
at org.talend.commons.ui.swt.dialogs.ProgressDialog$2.run(Unknown Source)
at org.eclipse.swt.widgets.Synchronizer.syncExec(Synchronizer.java:179)
at org.eclipse.ui.internal.UISynchronizer.syncExec(UISynchronizer.java:150)
at org.eclipse.swt.widgets.Display.syncExec(Display.java:4312)
at org.talend.commons.ui.swt.dialogs.ProgressDialog.executeProcess(Unknown Source)
at org.talend.repository.ui.views.RepositoryView.refresh(Unknown Source)
at org.talend.core.model.repository.RepositoryManager.refreshSavedNode(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.handleWizard(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction.access$1(Unknown Source)
at org.talend.repository.ui.actions.metadata.AbstractCreateTableAction$1.runInUIThread(Unknown Source)
at org.eclipse.ui.progress.UIJob$1.run(UIJob.java:95)
```

at org.eclipse.swt.widgets.RunWithLock.run(RunnableLock.java:35)
at org.eclipse.swt.widgets.Synchronizer.runAsyncMessages(Synchronizer.java:134)
at org.eclipse.swt.widgets.Display.runAsyncMessages(Display.java:3855)
at org.eclipse.swt.widgets.Display.readAndDispatch(Display.java:3476)
at org.eclipse.ui.internal.Workbench.runEventLoop(Workbench.java:2405)
at org.eclipse.ui.internal.Workbench.runUI(Workbench.java:2369)
at org.eclipse.ui.internal.Workbench.access\$4(Workbench.java:2221)
at org.eclipse.ui.internal.Workbench\$5.run(Workbench.java:500)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:493)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:149)
at org.talend.rcp.intro.Application.start(Unknown Source)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:194)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:110)
at org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:368)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:179)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
at java.lang.reflect.Method.invoke(Unknown Source)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:559)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:514)
at org.eclipse.equinox.launcher.Main.run(Main.java:1311)
at org.eclipse.equinox.launcher.Main.main(Main.java:1287)
Caused by: java.lang.IllegalArgumentException: Path must include project and resource name: /talend.project
at org.eclipse.core.runtime.Assert.isLegal(Assert.java:63)
at org.eclipse.core.internal.resources.Workspace.newResource(Workspace.java:1634)
at org.eclipse.core.internal.resources.Container.getFile(Container.java:123)
at org.talend.repository.model.URIHelper.getFile(Unknown Source)
at org.talend.repository.svnprovider.SvnBaseRepositoryFactory.unloadAndRemoveResources(Unknown Source)
... 50 more