

Ok, newest branch 6.1.0.M2 fixes this, or looks like, but another issue occurred...

java.lang.RuntimeException: Unable to acquire PluginConverter service during generation for:

/root/java-talend-studio-se-master/build/talend.studio.tos.bd.product/target/products/plugins/org.eclipse.osgi_3.10.1.v20140909-1633.jar

```
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.convertPluginManifest(Utils.java:154)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.basicLoadManifest(Utils.java:82)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getOSGiManifest(Utils.java:217)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getManifestMainAttributes(Utils.java:206)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getClausesManifestMainAttributes(Utils.java:202)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.isSystemBundle(EquinoxBundlesState.java:150)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.getSystemBundleFromBundleInfos(EquinoxBundlesState.java:116)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.getSystemBundleFromBundleInfos(EquinoxBundlesState.java:125)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:295)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:280)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.initialize(EquinoxBundlesState.java:525)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.<init>(EquinoxBundlesState.java:243)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxManipulatorImpl.load(EquinoxManipulatorImpl.java:327)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.initializeFrameworkManipulator(DataLoader.java:60)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.<init>(DataLoader.java:48)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.createDataLoader(ProductFileAdvice.java:324)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.getConfigData(ProductFileAdvice.java:169)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.<init>(ProductFileAdvice.java:76)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createProductAdvice(ProductAction.java:166)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createAdvice(ProductAction.java:110)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createActions(ProductAction.java:55)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.perform(ProductAction.java:96)
at org.eclipse.equinox.p2.publisher.Publisher$ArtifactProcess.run(Publisher.java:207)
at org.eclipse.equinox.p2.repository.artifact.spi.AbstractArtifactRepository.executeBatch(AbstractArtifactRepository.java:187)
at org.eclipse.tycho.repository.module.ModuleArtifactRepositoryDelegate.executeBatch(ModuleArtifactRepositoryDelegate.java:93)
at org.eclipse.equinox.p2.publisher.Publisher.publish(Publisher.java:231)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.executePublisher(PublisherServiceImpl.java:163)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.publishProduct(PublisherServiceImpl.java:98)
at org.eclipse.tycho.plugins.p2.publisher.PublishProductMojo.publishContent(PublishProductMojo.java:95)
at org.eclipse.tycho.plugins.p2.publisher.AbstractPublishMojo.execute(AbstractPublishMojo.java:37)
at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:132)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:208)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)
at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)
at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:120)
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:355)
at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:155)
at org.apache.maven.cli.MavenCli.execute(MavenCli.java:584)
at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:216)
at org.apache.maven.cli.MavenCli.main(MavenCli.java:160)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
```

```
at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
java.lang.RuntimeException: Unable to locate bundle manifest:
file:/root/java-talend-studio-se-master/build/talend.studio.tos.bd.product/target/products/plugins/org.eclipse.osgi_3.10.1.v20140909-1633.jar
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getManifestMainAttributes(Utils.java:208)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getClausesManifestMainAttributes(Utils.java:202)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.isSystemBundle(EquinoxBundlesState.java:150)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.getSystemBundleFromBundleInfos(EquinoxBundlesState.java:116)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.getSystemBundleFromBundleInfos(EquinoxBundlesState.java:125)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:295)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:280)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.initialize(EquinoxBundlesState.java:525)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.<init>(EquinoxBundlesState.java:243)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxManipulatorImpl.load(EquinoxManipulatorImpl.java:327)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.initializeFrameworkManipulator(DataLoader.java:60)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.<init>(DataLoader.java:48)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.createDataLoader(ProductFileAdvice.java:324)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.getConfigData(ProductFileAdvice.java:169)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.<init>(ProductFileAdvice.java:76)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createProductAdvice(ProductAction.java:166)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createAdvice(ProductAction.java:110)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createActions(ProductAction.java:55)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.perform(ProductAction.java:96)
at org.eclipse.equinox.p2.publisher.Publisher$ArtifactProcess.run(Publisher.java:207)
at org.eclipse.equinox.p2.repository.artifact.spi.AbstractArtifactRepository.executeBatch(AbstractArtifactRepository.java:187)
at org.eclipse.tycho.repository.module.ModuleArtifactRepositoryDelegate.executeBatch(ModuleArtifactRepositoryDelegate.java:93)
at org.eclipse.equinox.p2.publisher.Publisher.publish(Publisher.java:231)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.executePublisher(PublisherServiceImpl.java:163)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.publishProduct(PublisherServiceImpl.java:98)
at org.eclipse.tycho.plugins.p2.publisher.PublishProductMojo.publishContent(PublishProductMojo.java:95)
at org.eclipse.tycho.plugins.p2.publisher.AbstractPublishMojo.execute(AbstractPublishMojo.java:37)
at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:132)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:208)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)
at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)
at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:120)
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:355)
at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:155)
at org.apache.maven.cli.MavenCli.execute(MavenCli.java:584)
at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:216)
at org.apache.maven.cli.MavenCli.main(MavenCli.java:160)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
java.lang.RuntimeException: Unable to aquire PluginConverter service during generation for:
/root/java-talend-studio-se-master/build/talend.studio.tos.bd.product/target/products/plugins/org.eclipse.osgi_3.10.1.v20140909-1633.jar
```

```
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.convertPluginManifest(Utils.java:154)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.basicLoadManifest(Utils.java:82)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getOSGiManifest(Utils.java:217)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getManifestMainAttributes(Utils.java:206)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getClausesManifestMainAttributes(Utils.java:202)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.isSystemBundle(EquinoxBundlesState.java:150)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeState(EquinoxBundlesState.java:347)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:298)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:280)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.initialize(EquinoxBundlesState.java:525)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.<init>(EquinoxBundlesState.java:243)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxManipulatorImpl.load(EquinoxManipulatorImpl.java:327)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.initializeFrameworkManipulator(DataLoader.java:60)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.<init>(DataLoader.java:48)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.createDataLoader(ProductFileAdvice.java:324)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.getConfigData(ProductFileAdvice.java:169)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.<init>(ProductFileAdvice.java:76)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createProductAdvice(ProductAction.java:166)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createAdvice(ProductAction.java:110)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createActions(ProductAction.java:55)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.perform(ProductAction.java:96)
at org.eclipse.equinox.p2.publisher.Publisher$ArtifactProcess.run(Publisher.java:207)
at org.eclipse.equinox.p2.repository.artifact.spi.AbstractArtifactRepository.executeBatch(AbstractArtifactRepository.java:187)
at org.eclipse.tycho.repository.module.ModuleArtifactRepositoryDelegate.executeBatch(ModuleArtifactRepositoryDelegate.java:93)
at org.eclipse.equinox.p2.publisher.Publisher.publish(Publisher.java:231)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.executePublisher(PublisherServiceImpl.java:163)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.publishProduct(PublisherServiceImpl.java:98)
at org.eclipse.tycho.plugins.p2.publisher.PublishProductMojo.publishContent(PublishProductMojo.java:95)
at org.eclipse.tycho.plugins.p2.publisher.AbstractPublishMojo.execute(AbstractPublishMojo.java:37)
at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:132)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:208)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)
at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)
at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:120)
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:355)
at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:155)
at org.apache.maven.cli.MavenCli.execute(MavenCli.java:584)
at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:216)
at org.apache.maven.cli.MavenCli.main(MavenCli.java:160)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
java.lang.RuntimeException: Unable to locate bundle manifest:
file:/root/java-talend-studio-se-master/build/talend.studio.tos.bd.product/target/products/plugins/org.eclipse.osgi_3.10.1.v20140909-1633.jar
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getManifestMainAttributes(Utils.java:208)
```

```
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getClasesManifestMainAttributes(Utils.java:202)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.isSystemBundle(EquinoxBundlesState.java:150)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeState(EquinoxBundlesState.java:347)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:298)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:280)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.initialize(EquinoxBundlesState.java:525)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.<init>(EquinoxBundlesState.java:243)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxManipulatorImpl.load(EquinoxManipulatorImpl.java:327)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.initializeFrameworkManipulator(DataLoader.java:60)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.<init>(DataLoader.java:48)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.createDataLoader(ProductFileAdvice.java:324)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.getConfigData(ProductFileAdvice.java:169)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.<init>(ProductFileAdvice.java:76)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createProductAdvice(ProductAction.java:166)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createAdvice(ProductAction.java:110)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createActions(ProductAction.java:55)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.perform(ProductAction.java:96)
at org.eclipse.equinox.p2.publisher.Publisher$ArtifactProcess.run(Publisher.java:207)
at org.eclipse.equinox.p2.repository.artifact.spi.AbstractArtifactRepository.executeBatch(AbstractArtifactRepository.java:187)
at org.eclipse.tycho.repository.module.ModuleArtifactRepositoryDelegate.executeBatch(ModuleArtifactRepositoryDelegate.java:93)
at org.eclipse.equinox.p2.publisher.Publisher.publish(Publisher.java:231)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.executePublisher(PublisherServiceImpl.java:163)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.publishProduct(PublisherServiceImpl.java:98)
at org.eclipse.tycho.plugins.p2.publisher.PublishProductMojo.publishContent(PublishProductMojo.java:95)
at org.eclipse.tycho.plugins.p2.publisher.AbstractPublishMojo.execute(AbstractPublishMojo.java:37)
at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:132)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:208)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)
at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)
at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:120)
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:355)
at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:155)
at org.apache.maven.cli.MavenCli.execute(MavenCli.java:584)
at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:216)
at org.apache.maven.cli.MavenCli.main(MavenCli.java:160)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
java.lang.RuntimeException: Unable to aquire PluginConverter service during generation for:
/root/java-talend-studio-se-master/build/talend.studio.tos.bd.product/target/products/plugins/org.eclipse.osgi_3.10.1.v20140909-1633.jar
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.convertPluginManifest(Utils.java:154)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.basicLoadManifest(Utils.java:82)
at org.eclipse.equinox.internal.frameworkadmin.utils.Utils.getOSGiManifest(Utils.java:217)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.installBundle(EquinoxBundlesState.java:555)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeState(EquinoxBundlesState.java:365)
```

at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:298)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.composeNewState(EquinoxBundlesState.java:280)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.initialize(EquinoxBundlesState.java:525)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxBundlesState.<init>(EquinoxBundlesState.java:243)
at org.eclipse.equinox.internal.frameworkadmin.equinox.EquinoxManipulatorImpl.load(EquinoxManipulatorImpl.java:327)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.initializeFrameworkManipulator(DataLoader.java:60)
at org.eclipse.equinox.internal.p2.publisher.eclipse.DataLoader.<init>(DataLoader.java:48)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.createDataLoader(ProductFileAdvice.java:324)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.getConfigData(ProductFileAdvice.java:169)
at org.eclipse.equinox.p2.publisher.eclipse.ProductFileAdvice.<init>(ProductFileAdvice.java:76)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createProductAdvice(ProductAction.java:166)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createAdvice(ProductAction.java:110)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.createActions(ProductAction.java:55)
at org.eclipse.equinox.p2.publisher.eclipse.ProductAction.perform(ProductAction.java:96)
at org.eclipse.equinox.p2.publisher.Publisher\$ArtifactProcess.run(Publisher.java:207)
at org.eclipse.equinox.p2.repository.artifact.spi.AbstractArtifactRepository.executeBatch(AbstractArtifactRepository.java:187)
at org.eclipse.tycho.repository.module.ModuleArtifactRepositoryDelegate.executeBatch(ModuleArtifactRepositoryDelegate.java:93)
at org.eclipse.equinox.p2.publisher.Publisher.publish(Publisher.java:231)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.executePublisher(PublisherServiceImpl.java:163)
at org.eclipse.tycho.p2.tools.publisher.PublisherServiceImpl.publishProduct(PublisherServiceImpl.java:98)
at org.eclipse.tycho.plugins.p2.publisher.PublishProductMojo.publishContent(PublishProductMojo.java:95)
at org.eclipse.tycho.plugins.p2.publisher.AbstractPublishMojo.execute(AbstractPublishMojo.java:37)
at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:132)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:208)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)
at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)
at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:120)
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:355)
at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:155)
at org.apache.maven.cli.MavenCli.execute(MavenCli.java:584)
at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:216)
at org.apache.maven.cli.MavenCli.main(MavenCli.java:160)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)