



91	Installed	80	3.1.5	Apache CXF Runtime SOAP Binding
92	Installed	80	3.1.5	Apache CXF Runtime XML Binding
93	Installed	80	3.1.5	Apache CXF Runtime Aegis Databinding
94	Installed	80	3.1.5	Apache CXF Runtime JAXB DataBinding
95	Installed	80	3.1.5	Apache CXF Runtime XmlBeans DataBinding
96	Installed	80	3.1.5	Apache CXF Runtime Clustering
97	Installed	80	3.1.5	Apache CXF Advanced Logging Feature
98	Installed	80	3.1.5	Apache CXF Metrics Feature
99	Installed	80	3.1.5	Apache CXF Throttling Feature
100	Installed	80	3.1.5	Apache CXF Runtime JAX-RS Frontend
101	Installed	80	3.1.5	Apache CXF Runtime JAX-WS Frontend
102	Installed	80	3.1.5	Apache CXF Runtime JavaScript Frontend
103	Installed	80	3.1.5	Apache CXF Runtime Simple Frontend
104	Installed	80	3.1.5	Apache CXF Runtime JavaScript Client Generator
105	Installed	80	3.1.5	Apache CXF Runtime Management
106	Installed	80	3.1.5	Apache CXF JAX-RS Client
107	Installed	80	3.1.5	Apache CXF JAX-RS Extensions: Providers
108	Installed	80	3.1.5	Apache CXF JAX-RS Extensions: Search
109	Installed	80	3.1.5	Apache CXF RS XML Security
110	Installed	80	3.1.5	Apache CXF JAX-RS Service Description
111	Installed	80	3.1.5	Apache CXF Runtime Security functionality
112	Installed	80	3.1.5	Apache CXF Runtime SAML Security functionality
113	Installed	80	3.1.5	Apache CXF Runtime HTTP Transport
114	Installed	80	3.1.5	Apache CXF Runtime HTTP Jetty Transport
115	Installed	80	3.1.5	Apache CXF Runtime JMS Transport
116	Installed	80	3.1.5	Apache CXF Runtime Local Transport
117	Installed	80	3.1.5	Apache CXF Runtime UDP Transport
118	Installed	80	3.1.5	Apache CXF Runtime WS Addressing
119	Installed	80	3.1.5	Apache CXF Runtime WS MetadataExchange
120	Installed	80	3.1.5	Apache CXF Runtime WS Policy
121	Installed	80	3.1.5	Apache CXF Runtime WS Reliable Messaging
122	Installed	80	3.1.5	Apache CXF Runtime WS Security
123	Installed	80	3.1.5	Apache CXF Runtime Core for WSDL
124	Installed	80	3.1.5	Apache CXF Karaf Commands
125	Installed	80	3.0.5	Apache CXF XJC Runtime
126	Installed	80	1.1.4	Apache Felix Web Console Event Plugin
127	Installed	80	1.1	Java Authentication SPI for Containers
128	Installed	80	1.1.1	geronimo-jms_1.1_spec
129	Installed	80	1.1.1	geronimo-jta_1.1_spec
130	Installed	80	1.1	Apache Geronimo OSGI factory registry
131	Installed	80	0.7.2	Apache JAMES Mime4j (Core)

```

karaf@trun(> Exception in thread "SpringOsgiExtenderThread-2" java.lang.IllegalArgumentException: The service object is
not an instance of the service class org.springframework.core.env.EnvironmentCapable
    at org.eclipse.osgi.internal.serviceregistry.ServiceRegistry.registerService(ServiceRegistry.java:220)
    at org.eclipse.osgi.internal.framework.BundleContextImpl.registerService(BundleContextImpl.java:464)
    at org.springframework.osgi.context.support.AbstractOsgiBundleApplicationContext.publishContextAsOsgiServiceIfNe
cessary(AbstractOsgiBundleApplicationContext.java:344)
    at org.springframework.osgi.context.support.AbstractOsgiBundleApplicationContext.finishRefresh(AbstractOsgiBundl
eApplicationContext.java:237)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegated
ExecutionApplicationContext.java:358)
    at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(Abstrac
tDelegatedExecutionApplicationContext.java:320)
    at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$Co
mpleteRefreshTask.run(DependencyWaiterApplicationContextExecutor.java:132)

```

```
    at java.lang.Thread.run(Thread.java:745)
Exception in thread "SpringOsgiExtenderThread-4" org.springframework.beans.factory.BeanCreationException: Error creating
bean with name 'eventCollector' defined in OSGi resource: Cannot resolve reference to bean 'monitoringServiceVlWrapper' while setting bean propert
t'; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitori
ngServiceVlWrapper' defined in OSGi resource: Cannot
resolve reference to bean 'monitoringServiceVlClient' while setting bean property 'monitoringService'; nested exception
is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceVlClient':
FactoryBean threw exception on object creation; nested exception is java.lang.IllegalArgumentException: interface org.ap
ache.cxf.endpoint.Client is not visible from class loader
Related cause: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringService
VlClient': Initialization of bean failed; nested exception is org.apache.cxf.bus.extension.ExtensionException: Could not
create object of extension class org.apache.cxf.bus.osgi.OSGIBusListener.
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueRes
olver.java:334)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(BeanDefinitionV
alueResolver.java:108)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertyValues(AbstractAuto
wireCapableBeanFactory.java:1419)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCap
ableBeanFactory.java:1160)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCap
ableBeanFactory.java:519)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapab
leBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)t
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegis
try.java:223)e
s    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)b
:    at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListable
BeanFactory.java:636)s
    at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplic
ationContext.java:934)t
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.access$1600(AbstractDel
egatedExecutionApplicationContext.java:69)a
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegated
ExecutionApplicationContext.java:355)r
    at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)t
-    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(Abstrac
tDelegatedExecutionApplicationContext.java:320)
a    at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$Co
mpleteRefreshTask.run(DependencyWaiterApplicationContextExecutor.java:132)l
    at java.lang.Thread.run(Thread.java:745)l
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceVlWra
pper' defined in OSGi resource: Cannot resolve refe
rence to bean 'monitoringServiceVlClient' while setting bean property 'monitoringService'; nested exception is org.sprin
gframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceVlClient': FactoryBean t
hrew exception on object creation; nested exception is java.lang.IllegalArgumentException: interface org.apache.cxf.endp
oint.Client is not visible from class loader
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueRes
olver.java:334)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(BeanDefinitionV
alueResolver.java:108)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertyValues(AbstractAuto
wireCapableBeanFactory.java:1419)
```

```
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1160)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:519)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:223)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
    ... 17 more
```

Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': FactoryBean threw exception on object creation; nested exception is java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visible from class loader

```
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:173)
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.getObjectFromFactoryBean(FactoryBeanRegistrySupport.java:102)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getObjectForBeanInstance(AbstractBeanFactory.java:1467)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:246)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
    ... 27 more
```

Caused by: java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visible from class loader

```
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:581)
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:557)
    at java.lang.reflect.WeakCache$Factory.get(WeakCache.java:230)
    at java.lang.reflect.WeakCache.get(WeakCache.java:127)
    at java.lang.reflect.Proxy.getProxyClass0(Proxy.java:419)
    at java.lang.reflect.Proxy.newProxyInstance(Proxy.java:719)
    at org.apache.cxf.common.util.ProxyHelper.getProxyInternal(ProxyHelper.java:47)
    at org.apache.cxf.common.util.ProxyHelper.getProxy(ProxyHelper.java:101)
    at org.apache.cxf.frontend.ClientProxyFactoryBean.create(ClientProxyFactoryBean.java:175)
    at org.apache.cxf.jaxws.JaxWsProxyFactoryBean.create(JaxWsProxyFactoryBean.java:142)
    at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.create(JaxWsProxyFactoryBeanDefinitionParser.java:79)
    at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.getObject(JaxWsProxyFactoryBeanDefinitionParser.java:83)
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:166)
    ... 32 more
```

Related cause:

org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': Initialization of bean failed; nested exception is org.apache.cxf.bus.extension.ExtensionException: Could not create object of extension class org.apache.cxf.bus.osgi.OSGIBusListener.

```
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:529)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegis
```

```
try.java:223)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getTypeForFactoryBean(AbstractBeanFactory.java:
1371)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.getTypeForFactoryBean(AbstractAu
towireCapableBeanFactory.java:751)
    at org.springframework.beans.factory.support.AbstractBeanFactory.isTypeMatch(AbstractBeanFactory.java:526)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.doGetBeanNamesForType(DefaultListableBea
nFactory.java:359)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.getBeanNamesForType(DefaultListableBeanF
actory.java:335)
    at org.springframework.beans.factory.BeanFactoryUtils.beanNamesForTypeIncludingAncestors(BeanFactoryUtils.java:1
86)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.findAutowireCandidates(DefaultListableBe
anFactory.java:906)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanF
actory.java:822)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFac
tory.java:779)
    at org.springframework.beans.factory.annotation.AutowiredAnnotationBeanPostProcessor$AutowiredFieldElement.injec
t(AutowiredAnnotationBeanPostProcessor.java:503)
    at org.springframework.beans.factory.annotation.InjectionMetadata.inject(InjectionMetadata.java:88)
    at org.springframework.beans.factory.annotation.AutowiredAnnotationBeanPostProcessor.postProcessPropertyValues(A
utowiredAnnotationBeanPostProcessor.java:295)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCap
ableBeanFactory.java:1148)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCap
ableBeanFactory.java:519)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapab
leBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegis
try.java:223)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListable
BeanFactory.java:636)
    at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplic
ationContext.java:934)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.access$1600(AbstractDel
egatedExecutionApplicationContext.java:69)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegated
ExecutionApplicationContext.java:355)
    at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(Abstrac
tDelegatedExecutionApplicationContext.java:320)
    at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$Co
mpleteRefreshTask.run(DependencyWaiterApplicationContextExecutor.java:132)
    at java.lang.Thread.run(Thread.java:745)
Caused by: org.apache.cxf.bus.extension.ExtensionException: Could not create object of extension class org.apache.cxf.bu
s.osgi.OSGIBusListener.
    at org.apache.cxf.bus.extension.Extension.load(Extension.java:240)
    at org.apache.cxf.bus.extension.ExtensionManagerImpl.loadAndRegister(ExtensionManagerImpl.java:213)
    at org.apache.cxf.bus.extension.ExtensionManagerImpl.initialize(ExtensionManagerImpl.java:121)
    at org.apache.cxf.bus.extension.ExtensionManagerBus.doInitializeInternal(ExtensionManagerBus.java:295)
    at org.apache.cxf.bus.extension.ExtensionManagerBus.initialize(ExtensionManagerBus.java:285)
```

```
    at org.apache.cxf.bus.spring.SpringBus.setApplicationContext(SpringBus.java:84)
    at org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor.getBusForName(BusWiringBeanFactoryPostProcessor.java:72)
    at org.apache.cxf.bus.spring.BusWiringBeanFactoryPostProcessor.addDefaultBus(BusWiringBeanFactoryPostProcessor.java:163)
    at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.setApplicationContext(JaxWsProxyFactoryBeanDefinitionParser.java:74)
    at org.springframework.context.support.ApplicationContextAwareProcessor.invokeAwareInterfaces(ApplicationContextAwareProcessor.java:117)
    at org.springframework.context.support.ApplicationContextAwareProcessor.postProcessBeforeInitialization(ApplicationContextAwareProcessor.java:92)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyBeanPostProcessorsBeforeInitialization(AbstractAutowireCapableBeanFactory.java:396)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1507)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:521)
    ... 31 more
```

Caused by: org.apache.cxf.bus.extension.ExtensionException: Could not create object of extension class org.apache.cxf.bu  
s.managers.ClientLifecycleManagerImpl.

```
    at org.apache.cxf.bus.extension.Extension.load(Extension.java:240)
    at org.apache.cxf.bus.extension.ExtensionManagerImpl.loadAndRegister(ExtensionManagerImpl.java:213)
    at org.apache.cxf.bus.extension.ExtensionManagerImpl.getBeanOfType(ExtensionManagerImpl.java:320)
    at org.apache.cxf.bus.spring.SpringBeanLocator.getBeanOfType(SpringBeanLocator.java:128)
    at org.apache.cxf.bus.extension.ExtensionManagerBus.getExtension(ExtensionManagerBus.java:215)
    at org.apache.cxf.bus.osgi.OSGIBusListener.registerClientLifecycleListeners(OSGIBusListener.java:149)
    at org.apache.cxf.bus.osgi.OSGIBusListener.<init>(OSGIBusListener.java:79)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.lang.reflect.Constructor.newInstance(Constructor.java:408)
    at org.apache.cxf.bus.extension.Extension.load(Extension.java:231)
    ... 44 more
```

Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'clientListener' defin  
ed in OSGi resource: Cannot resolve reference to be  
an 'monitoringServiceV1Wrapper' while setting bean property 'monitoringServiceClient'; nested exception is org.springfram  
ework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Wrapper' defined in OSGi res  
ource: Cannot resolve reference to bean 'monitoring  
ServiceV1Client' while setting bean property 'monitoringService'; nested exception is org.springframework.beans.factory.  
BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': FactoryBean threw exception on object  
creation; nested exception is java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visibl  
e from class loader

```
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueRes  
olver.java:334)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(BeanDefinitionV  
alueResolver.java:108)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertyValues(AbstractAuto  
wireCapableBeanFactory.java:1419)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCap  
ableBeanFactory.java:1160)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCap  
ableBeanFactory.java:519)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapab  
leBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegis
```

```
try.java:223)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:195)
    at org.springframework.context.support.AbstractApplicationContext.getBean(AbstractApplicationContext.java:1123)
    at org.apache.cxf.bus.spring.SpringBeanLocator.getBeansOfType(SpringBeanLocator.java:151)
    at org.apache.cxf.bus.managers.ClientLifeCycleManagerImpl.<init>(ClientLifeCycleManagerImpl.java:45)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.lang.reflect.Constructor.newInstance(Constructor.java:408)
    at org.apache.cxf.bus.extension.Extension.load(Extension.java:217)
    ... 55 more
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Wrapper' defined in OSGi resource: Cannot resolve reference to bean 'monitoringServiceV1Client' while setting bean property 'monitoringService'; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': FactoryBean threw exception on object creation; nested exception is java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visible from class loader
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:334)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveValueIfNecessary(BeanDefinitionValueResolver.java:108)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.applyPropertyValues(AbstractAutowireCapableBeanFactory.java:1419)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.populateBean(AbstractAutowireCapableBeanFactory.java:1160)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:519)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:458)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:293)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:223)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:290)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
    ... 72 more
Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'monitoringServiceV1Client': FactoryBean threw exception on object creation; nested exception is java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visible from class loader
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:173)
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.getObjectFromFactoryBean(FactoryBeanRegistrySupport.java:126)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getObjectForBeanInstance(AbstractBeanFactory.java:1467)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:246)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
    at org.springframework.beans.factory.support.BeanDefinitionValueResolver.resolveReference(BeanDefinitionValueResolver.java:328)
    ... 82 more
Caused by: java.lang.IllegalArgumentException: interface org.apache.cxf.endpoint.Client is not visible from class loader
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:581)
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:557)
    at java.lang.reflect.WeakCache$Factory.get(WeakCache.java:230)
```

```
at java.lang.reflect.WeakCache.get(WeakCache.java:127)
at java.lang.reflect.Proxy.getProxyClass0(Proxy.java:419)
at java.lang.reflect.Proxy.newProxyInstance(Proxy.java:719)
at org.apache.cxf.common.util.ProxyHelper.getProxyInternal(ProxyHelper.java:47)
at org.apache.cxf.common.util.ProxyHelper.getProxy(ProxyHelper.java:101)
at org.apache.cxf.frontend.ClientProxyFactoryBean.create(ClientProxyFactoryBean.java:175)
at org.apache.cxf.jaxws.JaxWsProxyFactoryBean.create(JaxWsProxyFactoryBean.java:142)
at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.create(JaxWsProxyFactoryBeanDefinitionParser.java:79)
at org.apache.cxf.jaxws.spring.JaxWsProxyFactoryBeanDefinitionParser$JAXWSSpringClientProxyFactoryBean.getObject(JaxWsProxyFactoryBeanDefinitionParser.java:83)
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:166)
... 87 more
```

Command not found: tesb:star

karaf@trun(>) tesb:start-all

Exception in thread "SpringOsgiExtenderThread-6" java.lang.IllegalArgumentException: The service object is not an instance of the service class org.springframework.core.env.EnvironmentCapable

```
at org.eclipse.osgi.internal.serviceregistry.ServiceRegistry.registerService(ServiceRegistry.java:220)
at org.eclipse.osgi.internal.framework.BundleContextImpl.registerService(BundleContextImpl.java:464)
at org.springframework.osgi.context.support.AbstractOsgiBundleApplicationContext.publishContextAsOsgiServiceIfNecessary(AbstractOsgiBundleApplicationContext.java:344)
at org.springframework.osgi.context.support.AbstractOsgiBundleApplicationContext.finishRefresh(AbstractOsgiBundleApplicationContext.java:237)
at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegatedExecutionApplicationContext.java:358)
at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)
at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(AbstractDelegatedExecutionApplicationContext.java:320)
at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$CompleteRefreshTask.run(DependencyWaiterApplicationContextExecutor.java:132)
at java.lang.Thread.run(Thread.java:745)
```

Exception in thread "SpringOsgiExtenderThread-11" org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'datasource': FactoryBean threw exception on object creation; nested exception is java.lang.IllegalArgumentException: interface org.springframework.aop.IntroductionInfo is not visible from class loader

```
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:173)
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.getObjectFromFactoryBean(FactoryBeanRegistrySupport.java:102)
at org.springframework.beans.factory.support.AbstractBeanFactory.getObjectForBeanInstance(AbstractBeanFactory.java:1467)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:246)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:632)
at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:934)
at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.access$1600(AbstractDelegatedExecutionApplicationContext.java:69)
at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegatedExecutionApplicationContext.java:355)
at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)
at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(AbstractDelegatedExecutionApplicationContext.java:320)
at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$CompleteRefreshTask.run(DependencyWaiterApplicationContextExecutor.java:132)
```

```
    at java.lang.Thread.run(Thread.java:745)
Caused by: java.lang.IllegalArgumentException: interface org.springframework.aop.IntroductionInfo is not visible from class loader
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:581)
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:557)
    at java.lang.reflect.WeakCache$Factory.get(WeakCache.java:230)
    at java.lang.reflect.WeakCache.get(WeakCache.java:127)
    at java.lang.reflect.Proxy.getProxyClass0(Proxy.java:419)
Exception in thread "SpringOsgiExtenderThread-10"    at java.lang.reflect.Proxy.newProxyInstance(Proxy.java:719)
    at org.springframework.aop.framework.JdkDynamicAopProxy.getProxy(JdkDynamicAopProxy.java:119)
    at org.springframework.aop.framework.ProxyFactory.getProxy(ProxyFactory.java:109)
    at org.springframework.osgi.service.util.internal.aop.ProxyUtils$1.run(ProxyUtils.java:65)
    at java.security.AccessController.doPrivileged(Native Method)
    at org.springframework.osgi.service.util.internal.aop.ProxyUtils.createProxy(ProxyUtils.java:62)
    at org.springframework.osgi.service.util.internal.aop.ProxyUtils.createProxy(ProxyUtils.java:39)
    at org.springframework.osgi.service.importer.support.AbstractServiceProxyCreator.createServiceProxy(AbstractServiceProxyCreator.java:107)
    at org.springframework.osgi.service.importer.support.OsgiServiceProxyFactoryBean.createProxy(OsgiServiceProxyFactoryBean.java:206)
    at org.springframework.osgi.service.importer.support.AbstractServiceImporterProxyFactoryBean.getObject(AbstractServiceImporterProxyFactoryBean.java:86)
    at org.springframework.osgi.service.importer.support.OsgiServiceProxyFactoryBean.getObject(OsgiServiceProxyFactoryBean.java:161)
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:166)
    ... 12 more
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'datasource': FactoryBean threw exception on object creation; nested exception is java.lang.IllegalArgumentException: interface org.springframework.aop.IntroductionInfo is not visible from class loader
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:173)
    at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.getObjectFromFactoryBean(FactoryBeanRegistrySupport.java:102)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getObjectForBeanInstance(AbstractBeanFactory.java:1467)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:246)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:191)
    at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:632)
    at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:934)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.access$1600(AbstractDelegatedExecutionApplicationContext.java:69)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext$4.run(AbstractDelegatedExecutionApplicationContext.java:355)
    at org.springframework.osgi.util.internal.PrivilegedUtils.executeWithCustomTCCL(PrivilegedUtils.java:85)
    at org.springframework.osgi.context.support.AbstractDelegatedExecutionApplicationContext.completeRefresh(AbstractDelegatedExecutionApplicationContext.java:320)
    at org.springframework.osgi.extender.internal.dependencies.startup.DependencyWaiterApplicationContextExecutor$CompleteRefreshTask.run(DependencyWaiterApplicationContextExecutor.java:132)
    at java.lang.Thread.run(Thread.java:745)
Caused by: java.lang.IllegalArgumentException: interface org.springframework.aop.IntroductionInfo is not visible from class loader
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:581)
    at java.lang.reflect.Proxy$ProxyClassFactory.apply(Proxy.java:557)
    at java.lang.reflect.WeakCache$Factory.get(WeakCache.java:230)
```

```
at java.lang.reflect.WeakCache.get(WeakCache.java:127)
at java.lang.reflect.Proxy.getProxyClass0(Proxy.java:419)
at java.lang.reflect.Proxy.newProxyInstance(Proxy.java:719)
at org.springframework.aop.framework.JdkDynamicAopProxy.getProxy(JdkDynamicAopProxy.java:119)
at org.springframework.aop.framework.ProxyFactory.getProxy(ProxyFactory.java:109)
at org.springframework.osgi.service.util.internal.aop.ProxyUtils$1.run(ProxyUtils.java:65)
at java.security.AccessController.doPrivileged(Native Method)
at org.springframework.osgi.service.util.internal.aop.ProxyUtils.createProxy(ProxyUtils.java:62)
at org.springframework.osgi.service.util.internal.aop.ProxyUtils.createProxy(ProxyUtils.java:39)
at org.springframework.osgi.service.importer.support.AbstractServiceProxyCreator.createServiceProxy(AbstractServiceProxyCreator.java:107)
at org.springframework.osgi.service.importer.support.OsgiServiceProxyFactoryBean.createProxy(OsgiServiceProxyFactoryBean.java:206)
at org.springframework.osgi.service.importer.support.AbstractServiceImporterProxyFactoryBean.getObject(AbstractServiceImporterProxyFactoryBean.java:86)
at org.springframework.osgi.service.importer.support.OsgiServiceProxyFactoryBean.getObject(OsgiServiceProxyFactoryBean.java:161)
at org.springframework.beans.factory.support.FactoryBeanRegistrySupport.doGetObjectFromFactoryBean(FactoryBeanRegistrySupport.java:166)
... 12 more
karaf@trun(>
```

Can you help me to be able to evaluate Talend ESB?